



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ :		(11) International Publication Number:	WO 95/17420
C07K 7/00, 7/06, 7/08, 14/00, A61K 38/08, 38/10, 38/16	A1	(43) International Publication Date:	29 June 1995 (29.06.95)
(21) International Application Number:	PCT/US94/13885	A. [US/US]; 810 West Sedgewick Street, Philadelphia, PA 19119 (US).	
(22) International Filing Date:	2 December 1994 (02.12.94)	(74) Agent: MONACO, Daniel, A.; Seidel, Gonda, Lavorgna & Monaco, P.C., Suite 1800, 2 Penn Center Plaza, Philadelphia, PA 19102 (US).	
(30) Priority Data:	172,002 22 December 1993 (22.12.93) US	(81) Designated States: AM, AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, JP, KP, KR, KZ, LK, LR, LT, LU, MD, MG, MN, MW, NL, NO, NZ, PL, PT, RO, RU, SD, SE, SI, SK, TT, UA, US, UZ, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG), ARIPO patent (KE, MW, SD, SZ).	
(60) Parent Application or Grant	US 08/172,002 (CON)	Published With international search report.	
(63) Related by Continuation	Filed on 22 December 1993 (22.12.93)		
(71) Applicants (for all designated States except US):	TEMPLE UNIVERSITY - OF THE COMMONWEALTH SYSTEM OF HIGHER EDUCATION [US/US]; Broad Street and Montgomery Avenue, Philadelphia, PA 19122 (US). THOMAS JEFFERSON UNIVERSITY [US/US]; 1020 Locust Street, Philadelphia, PA 19107 (US).		
(72) Inventors; and			
(75) Inventors/Applicants (for US only):	WALSH, Peter, N. [US/US]; 544 West Horter Street, Philadelphia, PA 19119 (US). BAGLIA, Frank, A. [US/US]; 306 Maplewoods Drive, Springfield, PA 19140 (US). JAMESON, Bradford,		

(54) Title: PEPTIDE ANALOGS OF THE ACTIVATED PLATELET BINDING SITE ON FACTOR XI

(57) Abstract

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgyzstan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LU	Luxembourg	TD	Chad
CS	Czechoslovakia	LV	Latvia	TG	Togo
CZ	Czech Republic	MC	Monaco	TJ	Tajikistan
DE	Germany	MD	Republic of Moldova	TT	Trinidad and Tobago
DK	Denmark	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	US	United States of America
FI	Finland			UZ	Uzbekistan

- 1 -

PEPTIDE ANALOGS OF THE ACTIVATED PLATELET BINDING
SITE ON FACTOR XI

Field of the Invention

5 The invention relates to synthetic peptide analogs of factor XI heavy chain.

Background of the Invention

Factor XI.

10 Human factor XI is a plasma glycoprotein that participates in the contact phase of blood coagulation. Fujikawa *et al.*, Biochemistry 25, 2417-2424 (1986) (incorporated herein by reference) disclose the amino acid sequence of factor XI, deduced from the sequence of a cDNA insert 15 coding for factor XI.

Factor XI circulates in plasma as a complex with its nonenzymatic cofactor, high molecular weight kininogen. The complex of factor XI and kininogen can become bound to an anionic surface, where factor XI can be activated by 20 factor XIIa. An example of an anionic surface to which the complex can become bound is an activated platelet surface. When zinc ions are present, the complex binds specifically to high affinity, saturable receptors on activated platelets.

If factor XI of the complex becomes bound to an activated platelet, rates of factor XI activation by XIIa can

The heavy chain contains four tandem repeat sequences (designated A1, A2, A3 and A4), comprising four separate domains. Factor XIa of the complex remains bound to the activated platelet site and recognizes factor IX as its normal macromolecular substrate. Factor XIa catalyzes the activation of factor IX, which can lead to intrinsic coagulation.

Analysis of rates of factor IX activation by platelet-bound and unbound factor XIa indicates that these reaction rates are nearly identical. However, platelet-bound factor XIa is protected from inhibition by both plasma and platelet derived inhibitors.

Two inhibitors of factor XIa enzymatic activity in human plasma are the serpins, α -1-proteinase inhibitor and antithrombin III. Two other inhibitors are protease nexin II, which is a truncated form of the transmembrane Alzheimer's amyloid β -protein precursor, and platelet inhibitor of factor XI (PIXI), which is a low molecular weight 8,500 Da protein from platelets. None of these four inhibitors significantly inhibit platelet-bound factor XI.

Activated factor IX (factor IXa) can be produced by factor XIa enzymatic activity and can bind to a factor IX/IXa binding site on the platelet surface. Importantly, the binding of factors IX/IXa and VIIIa to their respective sites on the platelet membrane results in a twenty million-fold acceleration in the catalytic efficiency of factor X activation. Thus, platelet surface-localized factor IX activation results in enhanced intrinsic coagulation results.

The activation of factor XI and sustained expression of its enzymatic activity at the platelet surface are key biological events in hemostasis. Moreover, the binding of factor XI to the platelet surface protects it from inactivation by both plasma and platelet derived inhibitors. Bound, activated factor XI will continue its protected enzymatic activity at the platelet surface irrespective of the presence of factor XIa inhibitors. Since high molecular weight kininogen is necessary for factor XI to be efficiently bound to platelets (Sinha, *et al. J. Clin. Invest.* 73 1550-1556, at page 1551, col. 2, ¶3, and page 1552, col. 2, ¶2 (1984)), it has been postulated that factor XI binds indi-

rectly to platelets through kininogen. See, Greengard *et al.* Biochem., 25, 3884-3890 (1986). The high molecular weight kininogen binding site on domain A1 of the factor XI heavy chain has been characterized by Baglia *et al.*, J. Biolog. Chem. 267, 4247-4252 (1992); and Baglia *et al.*, J. Biolog. Chem. 265, 4149-4154 (1990) (each incorporated herein by reference). A computer structural model useful for producing constrained peptides capable of inhibiting the binding of factor XI to high molecular weight kininogen, was also characterized. Artificially constrained peptides according to the computer model were synthesized, which correspond to amino acids 44 (Thr) to 86 (Ser) in the A1 domain of the intact factor XI heavy chain. See, Baglia *et al.* J. Biolog. Chem. 267, 4247-4252 (1992). The peptides are capable of inhibiting the binding of factor XI to high molecular weight kininogen. Examples of such peptides are SEQ ID NOS: 13, and 17-22.

Since high molecular weight kininogen is required for platelets to efficiently bind factor XI, it was not known prior to the present invention that a direct binding site for activated platelets exists in the heavy chain of factor XI. Also, the location of the site of interaction between the heavy chain of factor XI and the platelet surface has not been defined until the present invention.

25

Antithrombotic Therapy.

Existing methods of preventing or treating arterial and venous thrombosis involve inhibiting the blood coagulation cascade with oral anticoagulants, heparin or other anticoagulants, or alternatively by pharmacologically inhibiting platelets. For example, oral anticoagulants such as coumarin-like drugs are used to inhibit the synthesis of vitamin K-dependent proteins. They block many coagulation reactions, involving proteins such as prothrombin, factor VII, factor IX and factor X. Heparin, by potentiating the action of antithrombin III, accelerates inactivation of thrombin, factor Xa and a variety of other plasma serine proteases.

These therapeutic approaches are nonselective and inhibit coagulation reactions involved in the development of venous and arterial thrombosis while at the same time inhibiting reactions which are essential for the maintenance of 5 normal hemostasis. Similarly, most platelet inhibitor drugs block a wide variety of platelet responses. Thus, while some drugs may be effective in preventing thrombotic processes, they can enhance the risk of bleeding. What is needed is a therapeutic agent which specifically interferes with intrinsic 10 coagulation reactions leading to the activation of factors XI or IX, while leaving extrinsic coagulation reactions intact. This will permit normal hemostatic plug formation at sites of vascular injury, thereby minimizing the risk of bleeding during the antithrombotic therapy.

15 Prevention of factor XI binding to activated platelets would limit the biologically important platelet contribution to coagulation reactions. Accordingly, there is a need for antithrombotic agents which inhibit the binding of factor XI and/or factor XIa to surfaces of activated 20 platelets.

Summary of the Invention

25 A synthetic peptide is provided comprising an amino acid sequence corresponding to a portion of the sequence of the binding site for activated platelets on the heavy chain of XI. The peptide has an artificially restricted conformation and the ability to inhibit the binding of factor XI to activated platelet surfaces.

30 In another embodiment, the invention is directed to a method of designing a peptide analog to the binding site for activated platelets on the factor XI heavy chain. The distance between two parts of a molecular model of the substrate binding site is determined at conformational equilibrium. The primary structure of the binding site is then 35 modified to restrict that distance to the determined distance. A peptide comprising the modified primary structure is then synthesized.

In yet another embodiment of the invention, a method of producing a peptide having a restricted conformation is provided. Accordingly, a peptide having an amino acid sequence corresponding to a portion of the sequence of the binding site for activated platelets on the factor XI heavy chain is provided. The conformational equilibrium of that portion of the factor XI heavy chain is determined. A covalent modification is introduced into the peptide to restrict a distance between two parts of it to a distance between corresponding parts of the peptide in the equilibrium confirmation determined.

The invention further provides pharmaceutical compositions comprising one or more of the peptides according to the invention corresponding to a portion of the sequence of the binding site for activated platelets on the factor XI heavy chain, or a pharmaceutically acceptable salt thereof, in combination with a pharmaceutically acceptable carrier. Preferred pharmaceutical compositions further comprise a second synthetic peptide having an amino acid sequence corresponding to a portion of the sequence of the binding site for high molecular weight kininogen on the heavy chain of XI, or a pharmaceutically acceptable salt of the second peptide; wherein the second peptide has an artificially restricted conformation and the ability to inhibit the binding of factor XI to high molecular weight kininogen.

The invention also provides a method of inhibiting the binding of factor XI to activated platelets and factor XIa-induced activation of factor IX on a platelet surface. The activated platelets are contacted with one or more peptides of the invention, corresponding to a portion of the sequence of the binding site for activated platelets on the factor XI heavy chain, which peptide competes with factor XI in the binding of the activated platelets. Activation of factor IX on the platelet surface is thus indirectly inhibited by the peptides of the invention. Inhibition of factor IX activation on the platelet surface in turn inhibits factor IX's coagulant activity. Thus, the peptides of the invention are potent anticoagulants, having antithrombotic utility.

5 A preferred method for inhibiting the binding of factor XI to activated platelets and preventing the factor XIa-induced activation of factor IX on a platelet surface also comprises contacting activated platelets with a second
10 synthetic peptide corresponding to a portion of the sequence of the binding site for high molecular weight kininogen on the heavy chain of XI, or a pharmaceutically acceptable salt of said peptide; wherein the second peptide has an artificially restricted conformation and the ability to inhibit the binding of factor XI to high molecular weight kininogen.

15 By "platelet binding site" or "activated platelet binding site" on factor XI heavy chain is meant the region of the intact factor XI polypeptide chain comprising from about amino acid 193 (Ala) to about amino acid 266 (Arg) of the mature polypeptide, corresponding to amino acid 13 (Ala) to amino acid 86 (Arg) of SEQ ID NO:1.

20 25 By "high molecular weight kininogen binding site" on factor XI heavy chain is meant the region of the intact factor XI polypeptide chain comprising from about amino acid 44 (Thr) to about amino acid 86 (Ser) of the mature polypeptide, corresponding to SEQ ID NO:22.

25 By "sequence corresponds to a portion of an identified binding site" on the factor XI heavy chain is meant a sequence which comprises a sequence segment identical to a portion of the identified binding site sequence or a sequence segment derived from a three-dimensional model of a portion of the identified binding site sequence.

Description of the Figures

A3 Domain-Derived Peptides

30 35 Figure 1 is a graph showing the effect of synthetic factor XI domain A3-derived peptides according to the invention on the binding of radio labelled factor XI to activated platelets in the presence of ZnCl₂ (25 μ M), CaCl₂ (2 mM), and high molecular weight kininogen (42 nM). The binding of ¹²⁵I-factor XI was compared to control binding in the absence of competing peptides. The percentage of factor XI binding was then plotted against the concentration of the

synthetic peptide. The experimental protocol is set forth in detail in Example 13(d) below.

Figure 2 is a graph showing the effect of factor XI and synthetic factor XI heavy chain domain A1-, A2-, A3-, and A4-derived peptides on the binding of radiolabelled factor XI to activated platelets in the presence of ZnCl₂ (25 μ M), CaCl₂ (2 mM), and high molecular weight kininogen (42 nM). The binding of ¹²⁵I-factor XI was compared to control binding in the absence of competing XI or competing peptides. The percentage of factor XI binding was then plotted against the concentration of XI or the synthetic peptide. The experimental protocol is set forth in detail in Example 13(d) below.

Detailed Description of the Invention

15

Four tandem repeat sequences (designated A1, A2, A3 and A4) comprising four separate domains, are present in the factor XI heavy chain. We have found that the platelet binding site on factor XI is located in the carboxy-terminal seventy-five residues of domain A3. The binding site consists of the sequence of amino acids Ala 193 to Arg 266 in the A3 domain. The sequence consists of anti-parallel β -strands connected by β -turns, forming three stem-loop structures. We have found that these three stem-loop structures together form a continuous surface which is utilized for the binding of platelets. The deduction of the platelet binding site structure was accomplished by computer modeling to calculate a testable three-dimensional structure utilizing the primary amino acid sequence and disulfide linkages within the A3 domain. The calculated structure shows that the three stem-loop structure are defined by amino acid residues Pro 229 - Gln 233, Thr 241 - Leu 246 and Ser 248 - Ser 261, which correspond to SEQ ID NO:1, amino acids 49-53, 61-66, and 68-81, respectively.

35

The modeled A3 domain structure is used as a design template for synthesizing peptides according to the present invention that are expected to adopt a conformational repertoire overlapping that of the native protein. The sequences identified herein from the factor XI heavy chain

sequences identified herein from the factor XI heavy chain have not been previously identified as inhibitory of XI binding to platelets, and thus inhibitory of factor IX activation on the platelet surface. The peptides of the invention, which mimic the platelet binding site on factor XI and factor XIa, are potent inhibitors on the platelet surface of the enzymatic activity of factor XIa against its macromolecular substrate, factor IX. The peptides are potent anticoagulants, which are believed useful as antithrombotic agents.

Ideally, an antithrombotic agent should interfere with intrinsic coagulation reactions leading to the activation of factors XI and IX, while leaving extrinsic coagulation reactions intact, so that normal hemostatic plug formation can occur at sites of vascular injury. The peptides of the invention, by virtue of their specificity for the platelet binding site on factor XI/XIa, are believed to inhibit factor XIa-catalyzed factor IX activation on the surface of platelets, without affecting the extrinsic pathway of blood coagulation involving factors VII, X and V, and prothrombin. The inventive peptides' inhibition of platelet binding to factor XI and subsequent effect on activated partial thromboplastin time, without effect on prothrombin time, evidences their specificity for the intrinsic coagulation pathway. Thus, it is believed that the peptides inhibit or minimize intravascular thrombus formation without sacrificing normal hemostatic plug formation.

Traditional syntheses of the linear amino acid sequence of biologically interesting proteins may result in peptides that are either biologically inactive or, at best, marginally active. We have created a molecular model of the three-dimensional structure of factor XI heavy chain domain A3. The structure created in this manner is used as a template for designing conformationally-restricted synthetic analogs having the ability to inhibit the binding of factor XI and/or XIa to platelet surfaces and thus inhibit the factor XIa-induced activation of factor IX on the surface of platelets. Using both distance and geometric constraints imparted through measurements of the subdomains within the

- 9 -

calculated structure, constraints are artificially introduced, e.g., disulfide bonds, to limit the conformational freedom of a synthetic peptide that incorporates the relevant amino acids. Certain conformationally-restricted synthetic 5 peptide analogs having the ability to inhibit the binding of factor XI or factor XIa to platelets correspond to factor XI heavy chain residues 225-236, 229-233, 241-246 and 248-261, according to the numbering of the amino acids of the mature polypeptide. The model disclosed herein may be utilized to 10 prepare additional conformationally-restricted synthetic peptides having similar activity.

Appendix 1 included herein contains the set of Brookhaven coordinates and connect statements specifying our equilibrium conformation model of the major portion of factor 15 XI heavy chain domain A3 comprising the 85 amino acids spanning positions Ala 181 to Cys 265, inclusive (SEQ ID NO:1, amino acids 1-85). The remaining amino acids of the A3 segment, Arg 266 and His 267 - Phe 272 (SEQ ID NO:16), of the factor XI heavy chain were truncated. The corresponding 20 graphic molecular model satisfying these coordinates may b

two γ carbons of VAL 11 are designated "CG 1" and "CG 2" respectively.

5 The data file further comprises a connect statement which begins immediately after the coordinates for atom 771. The connect statement identifies the covalent bonding pattern of each of the 771 atoms. Thus, for example, the 68th entry of the connect statement (CONNECT 68) indicates that atom 68, which is the α carbon atom PRO 8 (corresponding to amino acid 188 of the mature factor XI heavy chain 10 sequence), is bonded to atom 67 (the nitrogen of the same residue), atom 69 (the carbonyl carbon of the same amino acid residue), and atom 71 (the β carbon of the same amino acid residue). The complete data file of 771 coordinates, together with the connect statement for these entries, specifies the equilibrium conformation of factor XI heavy chain 15 domain A3.

20 The peptides of the invention generally have an amino acid sequence similar to the native domain A3 sequence in the vicinity of the platelet binding site. However, a covalent modification is artificially introduced to restrict the analog to the conformation (or one close to it) displayed by the above model. Preferably, the synthetic peptides consist essentially of peptide having from at least five to about 80 amino acid residues, which peptide has a restricted 25 conformation. Generally, the covalent modification is accomplished by determining a distance between two non-contiguous parts of the amino acid chain according to the model. Then a chemical moiety is introduced to fix that determined distance in the analog. For example, a 5-6A distance can be 30 fixed using a disulfide bond. Cysteine residues can be introduced at the appropriate positions in the model and then the new cysteine-containing model is tested for its ability to mimic the structure observed in the model. Alternatively, the disulfide bond can be artificially introduced by generating 35 a disulfide bond between native cysteine residues when this will produce a polypeptide with a restricted conformation corresponding to the above model.

In constraining the peptides it is sometimes necessary to compensate for the orientation of amino acid

side chains such that torsional stress does not misalign the peptide structure. Thus, in some instances, it is desirable to employ D-Cys analogs or appropriate combinations of D-L cysteines to mimic the correct stereochemistry. In general, 5 these peptides are then synthesized according to the standard chemistry described below.

The use of native or artificially introduced cysteine residues to create the artificially introduced disulfide bridge is one way to conformationally restrict the 10 peptides. Disulfide bonds, however, can be intrinsically unstable and it is sometimes difficult to obtain a homogeneous solution of intradisulfide-bonded species without concomitant mixed disulfides. If a biologically active 15 conformationally restricted peptide having a cysteine-cysteine disulfide bond tends to unfold, it may be more effective to constrain the peptide in a folded conformation via a covalent bond which is more stable than a disulfide bridge. There are several strategies which can be utilized in the 20 covalent closure of the peptides. Two of these strategies are described below.

The peptide can be internally cross-linked via the side chains of a lysine ϵ -amino group and the carboxylic acid function of a glutamic or aspartic acid side chain, thus creating an amide bond. The peptide is synthesized according 25 to standard procedures on a low substitution (0.2 mmol/gm or less) paramethylbenzhydrylamine resin. The first residue added to the resin is an N- α -tBOC, ϵ -fMOC lysine. The rest of the peptide synthesis is continued normally using tBOC chemistry until the final residue is added. The last residue 30 to be added is a Z-protected glutamic acid, where the carboxylic acid moiety is protected with a tert-butyl group. Treatment of the peptide resin with piperidine/DMF removes the fMOC group from the ϵ -amino group of the initial lysine without affecting any other protection groups. Subsequent 35 treatment with trifluoroacetic acid removes the protection of the carboxylic acid group of the glutamic acid. Following neutralization, the peptide is covalently closed using a standard diimide-mediated coupling reaction. It should be

emphasized that this is only one of the ways in which the synthetic peptide can be covalently closed.

Other fMOC/tBOC strategies include covalent closure of the peptide between two free amino groups utilizing 5 toluene-2,4-diisocyanate (TDI), a heterobifunctional cross-linker. The methyl group of the aromatic ring of TDI prevents the isocyanate group in the 2 position from reacting at a pH 7.5 or below, whereas the isocyanate group in the para position is highly reactive. A shift in pH to greater 10 than 9.0 will initiate a reaction with the isocyanate group in the 2 position, thus enabling highly specific and controlled conditions for covalent closure of the peptide.

By utilizing a variety of different strategies for restricting the conformation of peptides, distance geometries 15 and orientation of the folded peptide can be controlled. Any such strategies employing chemical reactions known in the art may be used.

Using these techniques, synthetic peptide analogs 20 can be made and tested for their ability to inhibit factor XI binding to platelets and factor XIa-induced activation of factor IX on the platelet surface. Particularly useful peptide analogs which were derived using the techniques described herein comprise amino acids 181-265, 191-266, 193-25 199, 226-235, 229-233, 235-266, 241-246, 248-253 and 248-261 of the factor XI heavy chain.

The 181-265, 191-266 and 235-266 peptides have an amino acid sequence identical to segments of the native factor XI sequence, *i.e.*, SEQ ID NO:1 amino acids 1-85 and 30 8-86, and SEQ ID NO:2, respectively. Each of the three peptides has at least one artificially introduced disulfide bond, *i.e.*, between their cysteine residues corresponding to positions 242 and 265 in the factor XI mature polypeptide chain. The disulfide bond is artificially introduced in the peptide chain by a chemical reaction step after the synthetic 35 peptide is made and purified.

The 193-199, 226-235, 229-233, 241-246 and 248-261 are identical in sequence to the corresponding sequence of native factor XI, except for two modifications in each molecule. In the 193-199 peptide, Ala 193 and Ser 199 were

replaced by cysteine residues to generate SEQ ID NO:12. This modified 193-199 peptide is designated "Ala 193(C) - Ser 199(C)" to distinguish it from the native 193-199 peptide. In each of the 226-235, 229-233, 241-246 and 248-261 peptides, the first-numbered and last-numbered amino acids were replaced by cysteine residues to generate SEQ ID NOS:11, 9, and 8, and D-Cys-(SEQ ID NO:7)-Cys, respectively. As in the designation of the modified 193-199 peptide, the modified peptides corresponding to each of the 226-235, 229-233, 241-246 and 248-261 peptides, are listed with their native first-numbered and last-numbered amino acids followed by a "(C)" to indicate that the native amino acids have been replaced by cysteine residues. The "(C)" after the amino acid number distinguishes the modified peptides from the native sequence peptides to which they correspond.

In the 248-253 peptide, Ser 248 was replaced by a cysteine residue, a glycine residue was inserted between amino acid Lys 252 and Lys 253, and Lys 253 was replaced by a cysteine residue to generate SEQ ID NO:10. This modified 248-253 peptide is designated "Ser 248(C) -Lys 253(G - C)" to distinguish it from the native 248-253 peptide.

All eight peptides were restricted conformationally using cysteine-cysteine disulfide bonds, but other restricting means may be advantageously used. Each peptide inhibits the activation of factor IX by factor XIa, and, as a consequence, may be used to inhibit the procoagulant function of factor XIa. Methods of assaying factor XI binding to platelets are known in the art. One such method is described hereinafter in Example 10(d).

The present peptides are relatively short in length and therefore they are easily synthesized by chemical means. Such synthetic peptides have many advantages over the use of the entire A3 domain, or the entire factor XI heavy chain. Large portions of the heavy chain cannot conveniently be made by synthetic techniques and must be made by recombinant DNA techniques, which are expensive and time consuming. Additionally, larger proteins may be insoluble, or may be immunogenic when introduced into a patient. Shorter synthet-

ic peptides may be more soluble and less immunogenic than larger proteins.

As used herein, "peptide" refers to a linear series of no more than about eighty (80) amino acid residues 5 connected to one another by peptide bonds between the alpha-amino groups and carboxy groups of adjacent amino acid residues. Additional covalent bonds between portions of the peptide are also present to restrain the conformation of the molecule, such as amide and disulfide bonds. The term "synthetic peptide" means a chemically derived chain of amino acid residues linked together by peptide bonds that is free 10 of naturally occurring proteins and fragments thereof.

The term "homology" as describing the relationship between two amino acid sequences means the extent to which 15 the sequences, viewed from the N-terminal to the C-terminal direction, have segments of their sequences which are identical and which occur in the same N-terminal to C-terminal order in the overall sequence. The synthetic peptides according to the invention have an amino acid sequence which 20 is the same as that of the native amino acid sequence, but for inserted, deleted, or interchanged (one or more amino acids is substituted for the same number of other amino acids) portions.

The degree of amino acid sequence homology between 25 the amino acid sequence of a synthetic peptide according to the invention and that of the native peptide is expressed as a percentage. This percentage is obtained by determining the number of amino acids in the sequence of the synthetic peptide which occur in segments that are identical to segments 30 of the native amino acid sequence and which occur in the same N-terminal to C-terminal order as the native segments, divided by the total number of amino acids in the native sequence.

A "substantial amino acid sequence homology" is any amino acid sequence homology greater than 30 percent. 35 Preferably the homology is greater than 80 percent, most preferably greater than 90 percent.

Peptides of the present invention include any analog, fragment or chemical derivative of the peptides capable of inhibiting the binding of factor XI and/or XIa binding to

platelets. The term "analog" includes any peptide having substantial amino acid sequence homology to the peptides of the invention in which one or more amino acids have been substituted with other amino acids, and the substituted amino acids allow or require the peptide to assume the equilibrium conformation of the domain of the parent protein. Often, 5 cysteine, lysine and glutamic acid will be used for their side chains which can form covalent linkages to restrict the conformation of a peptide. In addition, conservative amino acid changes may be made which do not alter the biological 10 function of the peptide. For instance, one polar amino acid, such as glycine, may be substituted for another polar amino acid; or one acidic amino acid, such as aspartic acid may be substituted for another acidic amino acid, such as glutamic 15 acid; or a basic amino acid, such as lysine, arginine or histidine may be substituted for another basic amino acid; or a non-polar amino acid, such as alanine, leucine or isoleucine may be substituted for another non-polar amino acid.

The term "analog" shall also include any peptide 20 which has one or more amino acids deleted from or added to an amino acid sequence identical to that of native fragment of the amino acid sequence of factor XI heavy chain domain A3, but which still retains a substantial amino acid sequence homology to the platelet binding site on factor XI or factor 25 XIa, as well as the ability to inhibit the binding of platelets to factor XI or factor XIa.

The term "fragment" shall refer to any shorter 30 version of the peptides identified herein having at least five amino acid residues, wherein the fragment is a synthetic peptide which is capable of inhibiting the binding of platelets to factor XI or factor XIa.

The three-letter symbols used to represent the 35 amino acid residues in the peptides of the present invention are those symbols commonly used in the art. The amino acid residues are preferred to be in the "L" isomeric form. However, residues in the "D" isomeric form may be substituted for any L-amino acid, as long as the desired functional property of inhibition of factor XIa-induced factor IX activation is retained by the peptide. The three-letter symbols used

herein refer to the following amino acids: Ser is serine; Ile is isoleucine; Gln is glutamine; Phe is phenylalanine; His is histidine; Trp is tryptophan; Lys is lysine; Asn is asparagine; Leu is leucine; Gly is glycine; Thr is threonine; 5 Asp is aspartic acid; Arg is arginine; and Ala is alanine.

The peptides of the present invention may be prepared by any of the following known techniques. Conveniently, the peptides may be prepared using the solid-phase synthetic technique initially described by Merrifield, in J. Am. Chem. Soc. 15, 2149-2154 (1963). Other peptide synthesis techniques may be found, for example, in M. Bodanszky et al., Peptide Synthesis, John Wiley & Sons, 2d Ed. (1976); Kent and Clark-Lewis in Synthetic Peptides in Biology and Medicine, eds. Alitalo, K., Partanen, P. and Vakeri, A., (Elsevier Science Publishers, Amsterdam, 1985) p. 295-58; as well as other reference works known to those skilled in the art. A summary of peptide synthesis techniques may be found in J. Stuart and J.D. Young, Solid Phase Peptide Synthelia, Pierce Chemical Company, Rockford, IL (1984). The synthesis of peptides by solution methods may also be used, as described in The Proteins, vol II, 3d Ed., Neurath, H. et al., Eds., p. 105-237, Academic Press, New York, NY (1976). Appropriate protective groups for use in such syntheses will be found in the above texts as well as in J. F. W. McOmie, Protective Groups in Organic Chemistry, Plenum Press, New York, NY (1973). Of course, the present peptides may also be prepared by recombinant DNA techniques. But, such methods are not preferred because of the need for purification and subsequent chemical modifications to conformationally restrain the peptides. 20 25 30

In general, these synthetic methods involve the sequential addition of one or more amino acid residues or suitably protected amino acid residues to a growing peptide chain. Normally, either the amino or carboxyl group of the first amino acid residue is protected by a suitable, selectively-removable protecting group. A different, selectively-removable protecting group is utilized for amino acids containing a reactive side group, such as lysine. 35

Using a solid phase synthesis as an example, the protected or derivatized amino acid is attached to an inert solid support through its unprotected carboxyl or amino group. The protecting group of the amino or carboxyl group 5 is then selectively removed and the next amino acid in the sequence having the complementary (amino or carboxyl) group suitably protected is admixed and reacted under conditions suitable for forming the amide linkage with the residue already attached to the solid support. The protecting group 10 of the amino or carboxyl group is then removed from this newly added amino acid residue, and the next amino acid (suitably protected) is then added, and so forth. After all the desired amino acids have been linked in the proper sequence, any remaining terminal and side group protecting 15 groups (and solid support) are removed sequentially or concurrently, to provide the final peptide. The peptides of the invention are devoid of benzylate or methylbenzylated amino acids. Such protecting group moieties may be used in the course of synthesis, but they are removed before the peptides 20 are used. Additional reactions may be necessary, as described elsewhere, to form intramolecular linkages to restrain conformation.

The A3 domain-derived peptides of the present invention generally contain at least five (5) amino acid 25 residues and up to eighty (80) amino acid residues, preferably from about five (5) to about forty-five (45) amino acid residues, and as small as about five (5) to about twenty (20) amino acids. These peptides may be linked to an additional sequence of amino acids either or both at the N-terminus and 30 at the C-terminus, wherein the additional sequences are from 1-100 amino acids in length. Such additional amino acid sequences, or linker sequences, can be conveniently affixed to a detectable label or solid matrix, or carrier. Typical 35 amino acid residues used for linking are tyrosine, cysteine, lysine, glutamic acid and aspartic acid, or the like.

As described above, the A3 domain-derived peptides according to the invention directly inhibit the binding of platelets to factor XI or factor XIa by competing with factor XI for binding sites on the platelet surface. Furthermore,

high molecular weight binding to factor XI has been observed to insure the efficiency of factor XI binding to platelets, Sinha, et al. J. Clin. Invest. 73 1550-1556, at 1552, col. 2, ¶2 (1984). Factor XI heavy chain A1 domain-derived peptides, are known to inhibit the binding of factor XI or factor XIa to high molecular weight kininogen, thereby indirectly inhibiting the binding of factor XI/XIa to the platelet surface. A3 domain-derived peptides of the invention may be combined with A1 domain-derived peptides to provide a dual effect.

The dual effect is attained when platelets are treated with A3 domain-derived peptides and high molecular weight kininogen is treated with A1 domain-derived peptides prior to adding factor XI/XIa to the platelets and kininogen. The A3 domain peptides directly inhibit factor XI/XIa binding to platelets by competing with intact factor XI/XIa. The A1 domain-derived peptides indirectly inhibit factor XI/XIa binding to platelets by inhibiting high molecular weight kininogen binding to factor XI/XIa.

20 A1 Domain-Derived Peptides

Baglia et al., J. Biolog. Chem. 267, 4247-4252 (1992); and Baglia et al., J. Biolog. Chem. 265, 4149-4154 (1990) have characterized the high molecular weight kininogen binding site on the domain A1 of the factor XI heavy chain. A computer structural model useful for producing constrained peptides capable of inhibiting the binding of factor XI and high molecular weight kininogen and examples of peptides which compete with factor XI for binding to kininogen were described. Artificially constrained synthetic peptides corresponding to amino acids 44 (Thr) to 86 (Ser) of the intact factor XI heavy chain and constrained active analogs, which are capable of inhibiting the binding of factor XI and high molecular weight kininogen by competing with factor XI for binding to kininogen, were also characterized. Examples of such peptides which inhibit the binding of factor XI and high molecular weight kininogen have amino acid sequences as set forth in SEQ ID NOS: 13, and 17-22.

The modeled A1-domain structure is used as a design template for synthesizing peptides that are expected

to adopt a conformational repertoire overlapping that of the native protein in the same manner as described for the modeled A3-domain structure. The model for the A1-domain structure disclosed herein may be utilized to prepare additional 5 conformationally-restricted synthetic peptides having similar activity to the A1-domain derived synthetic peptides described above. Such synthetic A1-domain derived conformationally restricted peptides may be prepared, modified and constrained in essentially the same manner as described above 10 for the A3 domain-derived peptides according to the invention.

Appendix 2 included herein contains the set of Brookhaven coordinates and connect statements specifying the equilibrium conformation model of Baglia *et al.*, J. Biolog. Chem. 267, 4247-4252 (1992) (incorporated herein by reference) which characterizes the structure of the high molecular weight kininogen binding site corresponding to amino acids 44 (Thr) to 85 (Ser) of the intact factor XI heavy chain. The major portion of factor XI heavy chain 20 domain A1 comprising the 85 amino acids spanning positions Glu 1 to Cys 85, inclusive (SEQ ID NO:23) is utilized. The corresponding graphic molecular model satisfying these coordinates may be generated by inputting the coordinates and connect statement into any of the many commercially available 25 molecular modeling programs which are capable of reading files in the Brookhaven format.

The A1 domain-derived peptide is preferably a synthetic peptide comprising an amino acid sequence from at least five to about fifty amino acids in length, which corresponds to a portion of the sequence of the binding site for high molecular weight kininogen on the heavy chain of XI. The A1 domain-derived peptide has an artificially restricted conformation and the ability to inhibit the binding of factor XI to high molecular weight kininogen. Particularly 30 preferred A1 domain-derived peptides comprise at least one amino acid sequence selected from the group consisting of SEQ ID NO:13 and SEQ ID NOS: 17-22.

Preferably the restricted conformation of the A1 domain-derived peptide is determined from the equilibrium

conformation model comprising the set of coordinates and connect statements of Appendix 2. The restricted conformation may be provided in the same manner as for the A3 domain-derived peptides.

5

Pharmaceutical Salts of Peptides

The A3 domain-derived peptide of the present invention and the A1 domain-derived peptide may be used in the form of a pharmaceutically acceptable salt. Suitable acids which are capable of forming salts with the peptides include inorganic acids such as hydrochloric acid, hydrobromic acid, perchloric acid, nitric acid, thiocyanic acid, sulfuric acid, phosphoric acid and the like; and organic acids such as formic acid, acetic acid, propionic acid, glycolic acid, lactic acid, pyruvic acid, oxalic acid, malonic acid, succinic acid, maleic acid, fumaric acid, anthranilic acid, cinnamic acid, naphthalene sulfonic acid, sulfanilic acid or the like.

Suitable bases capable of forming salts with the peptides include inorganic bases such as sodium hydroxide, ammonium hydroxide, potassium hydroxide and the like; and organic bases such as mono-, di- and tri-alkyl and aryl amines (e.g., triethylamine, diisopropyl amine, methyl amine, dimethyl amine and the like) and optionally substituted ethanolamines (e.g., ethanolamine, diethanolamine and the like).

Pharmaceutical Compositions

For use in a method of treatment, such as treatment for inhibiting the binding of platelets to factor XI or XIa and/or inhibiting the coagulant activity of factor XIa on the platelet surface, one or more of the synthetic A3 domain derived peptides of the present invention may be present in a pharmaceutical composition in admixture with a pharmaceutically acceptable carrier.

35

Preferred pharmaceutical compositions for inhibiting the binding of platelets to factor XI or factor XIa in a mammal also include a second peptide which inhibits the binding of factor XI or factor XIa to high-molecular weight kininogen to inhibit the binding of factor XI or factor XIa

to the platelet surface. The second peptide is an artificially constrained A1 domain-derived synthetic peptide as described above.

5 The pharmaceutical composition may be compounded according to conventional pharmaceutical formulation techniques. The carrier may take a wide variety of forms depending on the form of preparation desired for administration, e.g., sublingual, rectal, nasal, oral or parenteral. Compositions for oral dosage form may include any of the usual 10 pharmaceutical media, such as, for example, water, oils, alcohols, flavoring agents, preservatives, coloring agents and the like in the case of oral liquid preparations (e.g., suspensions, elixirs and solutions) or carriers such as starches, sugars, diluents, granulating agents, lubricants, 15 binders, disintegrating agents and the like in the case of oral solid preparations (e.g., powders, capsules and tablets). Controlled release forms may also be used. Because of their ease in administration, tablets and capsules represent the most advantageous oral dosage unit form, in 20 which case solid pharmaceutical carriers are obviously employed. If desired, tablets may be sugar coated or enteric coated by standard techniques.

For compositions to be administered parenterally, 25 the carrier will usually comprise sterile water, although other ingredients to aid solubility or for preservation purposes may be included. Injectable suspensions may also be prepared, in which case appropriate liquid carriers, suspending agents and the like may be employed. The parenteral routes of administration may be intravenous injection, intra-muscular injection or subcutaneous injection.

30 For intravenous administration, the peptides may be dissolved in an appropriate intravenous delivery vehicle containing physiologically compatible substances such as sodium chloride, glycine and the like, having a buffered pH compatible with physiologic conditions. Such intravenous delivery vehicles are known to those skilled in the art.

35 It is contemplated that the A3 domain-derived peptides of the present invention, both alone or in combination with the A1 domain-derived peptides, have utility as

anticoagulant and/or antithrombotic agents. It is contemplated that the A3 domain-derived peptides, both alone or in combination with the A1 domain-derived peptides, may be administered to patients either at risk for developing arterial or venous thrombosis, or to patients with established thromboembolism to prevent extension of the thrombi. For example, it is contemplated that the A3 domain-derived peptides and optionally the A1 domain-derived peptides may find utility in the prevention and treatment of deep venous thrombosis and pulmonary embolism, treatment and prevention of cerebral vascular thromboembolism, the treatment and prevention of systemic arterial thrombosis and embolism, and the treatment and possibly the prophylaxis of established disseminated intravascular coagulation. Patients suffering from transient ischemic attacks are, in particular, at increased risk of brain damage through thrombus formation.

In particular, it is contemplated that the synthetic peptides will find utility in the prevention of re-thrombosis following lytic therapy. While lytic agents such as tissue plasminogen activator, urokinase and streptokinase have been utilized to dissolve vascular thrombi, their use is associated with a significant rate of rethrombosis, about 20-30%. This is because lytic therapy results in the exposure of a thrombogenic site, at the location of the prior thrombus. While lytic agents are effective in dissolving vascular thrombi, they offer no protection from clot reformation. The A3 domain-derived peptides of the present invention, alone or in combination with the A1 domain-derived peptides are expected to possess substantial rethrombosis inhibiting activity, by virtue of their inhibition of the binding of platelets to factor XI or factor XIa and thus inhibition of factor XIa-induced activation of factor IX on the platelet surface, are expected to possess substantial rethrombosis inhibiting activity. The peptides may thus be administered as an adjuvant to lytic therapy to prevent reformation of dissolved vascular thrombi.

The A3 domain-derived type and A1 domain-derived peptides, which respectively directly and indirectly inhibit the binding of factor XI/XIa to a platelet surface, may be

administered by any convenient means which will result in the delivery of each peptide type to the bloodstream in an amount effective to inhibit the binding of factor XI and/or factor XIa to platelets. Intravenous administration is presently 5 contemplated as the preferred administration route. The amount administered will depend on the activity of the particular compound administered, which may be readily determined by those of ordinary skill in the art. The amount may also vary depending on the nature and extent of the lesion 10 which is to be protected from rethrombosis; the size and weight of the patient; the route of administration, the age, sex and health of the patient; and other factors. Generally, the A3 domain-derived and A1 domain-derived peptides may each be administered in an amount sufficient to individually or 15 collectively provide a plasma concentration in the range of from about 10^{-9} to about 10^{-5} M, more preferably in the range of from about 1×10^{-8} to about 5×10^{-6} M. Plasma concentrations higher or lower than these may be utilized, depending upon the activity of the particular compound being administered, and the nature of the treatment.

It may be appreciated that a single bolus injection of 1 mg of each of the two types of peptides per kilogram of treated subject body weight would achieve a maximum in vivo plasma concentration of 100 nM for each peptide type, 25 assuming 100% recovery of drug. It is therefore contemplated that bolus administration will comprise a dosage of from about 0.1 mg to about 1 gram of each peptide type, per kilogram subject body weight. The bolus administration is most advantageously followed by a continuous infusion of each type 30 of peptide, or a mixture of the two types of peptides, as needed. The amount of each peptide type continuously infused depends on the approximate half-life of that peptide in the circulation. Those skilled in the art would, for any factor XI- or factor XIa- platelet-binding-inhibiting peptide and 35 for any peptide inhibiting heavyweight kininogen binding to factor XI or factor XIa, be able readily to determine the half-life from routine experimentation.

Therefore, a preferred method for inhibiting thrombosis comprises administering to a mammal in need of such treatment an effective amount of

- 5 i) an A3 domain-derived synthetic peptide according to the invention corresponding to a portion of the sequence of the binding site for activated platelets on the factor XI heavy chain, which has an artificially restricted conformation and the ability to compete with factor XI in the binding of the activated platelets, or a pharmaceutically acceptable salt of said A3 domain-derived peptide; and
- 10 ii) an A1 domain-derived synthetic peptide corresponding to a portion of the sequence of the binding site for high molecular weight kininogen on the heavy chain of XI, which A1 domain-derived peptide has an artificially restricted conformation and the ability to inhibit the binding of factor XI to high molecular weight kininogen, or a pharmaceutically acceptable salt of said A1 domain-derived peptide.

20 The A3 domain-derived peptides of the invention, either alone, or in combination with an A1 domain-derived peptide, inhibit the activated partial thromboplastin time without affecting the prothrombin time. According to one exemplary treatment protocol, an amount of each of the A3 domain-derived peptide and A1 domain-derived peptide, shown effective by the in vitro assay described elsewhere herein, 25 is administered to a patient by bolus administration and/or continuous infusion. The potency of each peptide, or the combination, and its clearance from the circulation is then monitored by drawing blood samples at timed intervals and 30 assaying the patient's partial thromboplastin time. At the end of the evaluation period, the dosage of each peptide is adjusted to provide the desired in vivo effect.

The following non-limiting examples serve to illustrate the practice of the invention.

35

Example 1
Computer Model

A structural model of the A3 domain (residues Ala 181-Arg 266) was constructed using the computational chemis-

try package supplied by Molecular Simulations, Inc., Pasadena CA and a Silicon Graphics 4D 280 Parallel Processing Supercomputer. A description of the modeling package and methods has been previously published (Jameson, Nature 349, 5 465-466 (1989)). The A3 domain was prematurely truncated at Cys 265 because residues Arg 266 and His 267 - Phe 272 (SEQ ID NO:16) comprise a short connecting peptide not expected to contribute to either the conformation or the function of the A3 domain. Information concerning cysteine disulfide 10 constraints was used to initiate model building, after which extended energy minimization calculations were carried out. Ten picosecond high energy (900°K) dynamic runs (energy-dependent simulations of molecular motion) were used to dislodge inappropriate amino acid contacts. The structure 15 was allowed to cool to 300°K over a 100 picosecond dynamics calculation, followed by minimization of the resulting structure. A trajectory file, recorded over the entire dynamics run, indicated that after ~55 picoseconds of dynamics, the calculated backbone structure had stabilized, i.e., reached 20 a low energy well. Since a disulfide-bonded cysteine has an ideal bond length from α -carbon to α -carbon of ~5-6Å, we searched the region between the β -stranded pairs (the stem portion of the stem-loop) for ideal disulfide distances as well as for locations where a disulfide bond would not be 25 expected to induce torsional stress. The calculated structure shows 3 stem-loop structures defined by amino acid residues Pro 229 - Gln 233, Thr 241 - Leu 246, and Ser 248 - Ser 261.

30

Examples 2-3Ala 181-Arg 266 and Asn 235-Arg 266 Peptides

The model structure of Appendix 1 was used as a design template in the construction of conformationally restricted peptides corresponding to factor XI heavy chain 35 residues 181-266 (SEQ ID NO:1) and 235-266 (SEQ ID NO:2). An intrachain disulfide bond between the cysteine residues at positions 242 and 265 was allowed to form in the computer-assisted model. The predicted folding pattern of the putative structure was tested for its ability to mimic the structure

observed in our model of domain of A3. Finding satisfactory agreement, the peptides were synthesized according to conventional solid phase procedures on an Applied Biosystems 430A peptide synthesizer by a modification of the procedure described by Kent and Clark-Lewis in Synthetic Peptides in Biology and Medicine, eds. Alitalo, K., Partanen P., and Vakeri, A. (Elsevier Science Publishers, Amsterdam (pp. 29-58 (1985)), in which dimethyl formamide replaced methylene chloride in the routine wash cycles. The synthesis was carried out using a paramethylbenzhydrylamine resin (United States Biochemical Corp., Cleveland, OH). The solvents and protected amino acids were synthesis grade biotechnology products purchased from Fischer Scientific Co., Pittsburgh, PA. The resulting peptide was refolded by dissolving it in deionized water as a 0.1 mg/ml solution in a flask containing a stir bar. The pH was adjusted to 8.5 with NH₄OH and the solution was allowed to stir at 5°C for at least three days. The resulting solution was lyophilized.

The folded peptides were examined by both reverse phase and gel filtration high performance liquid chromatography (HPLC). The HPLC system was the Waters 600 Gradient Module, Model 740 Data Module, Model 46K Universal Injector and Lambda-Max Model 481 Detector. Reverse phase chromatography was performed using a Waters C8 μ Bondapak Column equilibrated with 0.1% (V/V) trifluoroacetic acid. The column was eluted with a linear gradient of aqueous acetonitrile containing 0.1% trifluoroacetic acid with a detector set at a wavelength of 220 nm. Gel filtration of the peptides was also carried out using a Waters Protein-Pak 60 column which was run isocratically with 0.1% (V/V) trifluoroacetic acid in 20% acetonitrile. Each of the two folded peptides demonstrated a single homogenous peak with a retention time identical to the corresponding unfolded peptide. This indicates the presence of a single homogeneous mixture for each refolded peptide, and not a mixed population of diverse polymers.

Example 4

Ser 248(C)-Ser 261(C) Peptide.

Following the procedures of Example 1-3, a synthetic peptide corresponding to factor XI heavy chain residues 248-261 was modeled and prepared, except that the amino acid residues Ser 248 and Ser 261 of the native peptide were replaced with cysteine residues. The resulting modified peptide, Ser 248(C)-Ser 261(C), had the amino acid sequence of D-Cys-(SEQ ID NO:7)-Cys. The peptide was "refolded" to assume its correct conformation, as described in Examples 2-3.

Alternatively, the peptide was reduced with dithiothreitol and alkylated with iodoacetamide as previously described by Sinha *et al.*, J. Biol. Chem. 260, 10714-10719 (1985). The chromatography results were the same after reduction and alkylation of the peptide, that is, a single peak with retention times identical to the original peptide was observed upon both reverse phase and gel filtration HPLC. The reduced/alkylated and corresponding refolded peptides were examined for free SH groups using the Ellman reagent, 5, 5'-dithiobis[2-nitro-benzoic acid]. It was determined that there was less than 0.02 mole of free SH per mole of peptide, which further verifies that the refolded peptide was a homogenous preparation consisting of the intramolecular disulfide-bonded peptide.

25

Example 5Thr 241(C)-Leu 246(C) Peptide

Following the procedure of Examples 1-3, a synthetic peptide corresponding to factor XI heavy chain residues 241-246 was modeled and prepared, except that Thr 241 and Leu 246 were both replaced by Cys residues. The modified peptide, Thr 241(C)-Leu 246(C), thus had the amino acid sequence of SEQ ID NO:8.

The refolded peptide and the corresponding reduced/alkylated preparation were again found to have identical retention times by gel filtration and reverse phase HPLC. Moreover, the refolded peptide, as well as the reduced/alkylated peptide, were devoid of free thiols, thus confirming that all free SH groups were either oxidized to

disulfides during the refolding procedure, or were reduced and alkylated during alkylation treatment.

5

Example 6Pro 229(C)-Gln 233(C) Peptide

Following the procedure of Examples 1-3, a synthetic peptide corresponding to factor XI heavy chain residues 229-233 was modeled and prepared, except that Pro 229 and Gln 233 were both replaced by Cys residues. The modified peptide, Pro 229(C)-Gln 233(C), thus had the amino acid sequence of SEQ ID NO:9.

The refolded peptide and the corresponding reduced/alkylated preparation were again found to have identical retention times by gel filtration and reverse phase HPLC. Moreover, the refolded peptide, as well as the reduced/alkylated peptide, were devoid of free thiols, thus confirming that all free SH groups were either oxidized to disulfides during the refolding procedure, or were reduced and alkylated during alkylation treatment.

Example 7Gln 226(C)-Asn 235(C) Peptide

Following the procedure of Examples 1-3, a synthetic peptide corresponding to factor XI heavy chain residues 226-235 was modeled and prepared, except that Gln 226 and Asn 235 were both replaced by Cys residues. The modified peptide, Gln 226(C)-Asn 235(C), thus had the amino acid sequence of SEQ ID NO:11.

The refolded peptide and the corresponding reduced/alkylated preparation were again found to have identical retention times by gel filtration and reverse phase HPLC. Moreover, the refolded peptide, as well as the reduced/alkylated peptide, were devoid of free thiols, thus confirming that all free SH groups were either oxidized to disulfides during the refolding procedure, or were reduced and alkylated during alkylation treatment.

Example 8Ala 193(C)-Ser 199(C) Peptide

Following the procedure of Examples 1-3, a synthetic peptide corresponding to factor XI heavy chain residues 193-199 was modeled and prepared, except that Ala 193 and Ser 199 were both replaced by Cys residues. The modified peptide, Ala 193(C)-Ser 199(C), thus had the amino acid sequence of SEQ ID NO:12.

The refolded peptide and the corresponding reduced/alkylated preparation were again found to have identical retention times by gel filtration and reverse phase HPLC. Moreover, the refolded peptide, as well as the reduced/alkylated peptide, were devoid of free thiols, thus confirming that all free SH groups were either oxidized to disulfides during the refolding procedure, or were reduced and alkylated during alkylation treatment.

Example 9Ser 248(C)-Lys 253(G-C) Peptide

Following the procedure of Examples 1-3, a synthetic peptide corresponding to factor XI heavy chain residues 248-253 was modeled and prepared, except that Ser 248 was replaced with a Cys residue, a glycine residue was inserted between Lys 252 and Lys 253, and Lys 253 was replaced by a Cys residue. The modified peptide, Ser 249(C)-Lys 253(G-C), thus had the amino acid sequence of SEQ ID NO:10.

The refolded peptide and the corresponding reduced/alkylated preparation were again found to have identical retention times by gel filtration and reverse phase HPLC. Moreover, the refolded peptide, as well as the reduced/alkylated peptide, were devoid of free thiols, thus confirming that all free SH groups were either oxidized to disulfides during the refolding procedure, or were reduced and alkylated during alkylation treatment.

Example 10Val 191 - Arg 266 Peptide

Following the procedure of Examples 1-3, a synthetic peptide corresponding to factor XI heavy chain residues 191-266 was modeled and prepared. The peptide, Val 191 - Arg 266, thus had the amino acid sequence of SEQ ID NO:1, amino acids 11-86.

The refolded peptide and the corresponding reduced/alkylated preparation were again found to have identical retention times by gel filtration and reverse phase HPLC. Moreover, the refolded peptide, as well as the reduced/alkylated peptide, were devoid of free thiols, thus confirming that all free SH groups were either oxidized to disulfides during the refolding procedure, or were reduced and alkylated during alkylation treatment.

Example 11Synthesis of Heavy-Chain A1-domain Derived Peptides

Peptides corresponding to the A1-domain high molecular weight kininogen binding site in the factor XI heavy chain were synthesized and conformationally constrained in the same general manner as set forth in Examples 1-3. However, the model structure as provided by Baglia *et al.*, *J. Biolog. Chem.* 267, 4247-4252 (1992), corresponding to the A1 domain was used as a design template instead of the A3 domain. The A1-domain derived peptides were conformationally restricted peptides corresponding to factor XI heavy chain high molecular weight kininogen binding site. The peptides produced have an amino acid sequence according to SEQ ID NOS:13 and 17-22.

Example 12Heavy-Chain A2-domain and A4-domain Derived Peptides

Comparative peptides corresponding to the A2-domain segment (SEQ ID NO:14) and to the A4-domain segment (SEQ ID NO:15) in the factor XI heavy chain were synthesized in the same general manner as set forth in Examples 2-3, except that no three-dimensional modeling was attempted. The peptides were conformationally constrained by introducing

cysteine-cysteine disulfide bonds between the native cysteines.

Example 13

5

Effect of Heavy-Chain Derived Peptides
on the Binding of Factor XI to Platelets

A. Purification of Human Coagulation Proteins.

Factor XI (specific activity 250 U/mg of protein) 10 was purified from human plasma by immunoaffinity chromatography using a monoclonal antibody to factor XI (Sinha *et al.*, *J. Biol. Chem.* 260, 10714-10719 (1985)).

High molecular weight kininogen (specific activity 15 U/mg) 15 was purified by the method of Kerbiriou *et al.* (*J. Biol. Chem.* 254, 12020-12027 (1979)). Factor XI and high molecular weight kininogen were assayed by minor modifications (Scott *et al.*, *Blood* 63, 42-50 (1984)) of the kaolin-activated partial thromboplastin time (Proctor *et al.*, *Am. J. Clin. Pathol.* 36, 212-219 (1961)). All purified proteins appeared 20 homogeneous by sodium dodecyl sulfate-polyacrylamide gel electrophoresis.

B. Radiolabeling

Purified XI was labeled with ^{125}I by a minor modification 25 (Sinha *et al.*, *J. Biol. Chem.* 260, 10714-10719 (1985)) of the iodogen method to a specific activity of 5×10^6 cpm/mg. The radiolabeled protein retained >90% of its biological activity compared with unlabeled factor XI.

30

C. Assay of Factor XI Binding to Platelets

All incubations were performed at 37°C without stirring the reaction mixture. Platelets were prewarmed and 35 incubated at a concentration of $(2-3) \times 10^8/\text{mL}$ in calcium-free HEPES-Tyrodes buffer, pH 7.3, in a 1.5 mL Eppendorf plastic centrifuge tube with a mixture of radiolabeled and unlabeled factor XI, CaCl_2 (2 mM), ZnCl_2 (25 μM), thrombin (0.1 U/ml) and high molecular weight kininogen (42 nM) or other proteins. At various times after the addition of the platelet stimulus, aliquots were removed and centrifuged through a

mixture of silicone oils as described (Greengard *et al.*, Biochem., 25, 3884-3890 (1986)). Total binding was not corrected for any nonsaturable component. More than 86% of the platelets were sedimented under these conditions.

5

D. Effect of Peptides on Factor XI-Platelet Binding.

Platelets were incubated with ZnCl₂ (25 μ M), CaCl₂ (2 mM), thrombin (0.1 U/ml) and high molecular weight kininogen (42 nM), and ¹²⁵I-factor XI (0.025 μ g/mL) and then mixed 10 with various concentrations of A1-, A2-, A3- or A4- derived synthetic peptides, factor XI or buffer. After 20 minutes, samples were centrifuged. Binding of ¹²⁵I-factor XI was compared to control binding in the absence of competing proteins.

15

The I₅₀ method of Cha, Biochem. Pharmacol. 24, 2177-2185 (1975) was used to determine the inhibitor constants as previously described (Sinha *et al.*, Biochem. 26, 3768-3775 (1987)). In the case of classical competitive inhibition, IC₅₀ (total inhibitor concentration at which the 20 enzyme reaction velocity is 50% of the uninhibited reaction) is related to the substrate concentration as follows,

$$I_{50} = 1/2 Et + K_i + K_i S/K_m$$

where Et equals the total enzyme concentration and S equals the substrate concentration. K_i was thus determined from the 25 plot of I₅₀ vs S. The results are set forth in Table 1:

TABLE 1

	Competing Factor XI or Heavy Chain Peptide	K _i of Peptide Inhibition of Factor XI Binding to Platelets
5		
10	1. Factor XI	5.0 x 10 ⁻⁸
	2. Asn 235-Arg 266 (A3 Domain) (SEQ ID NO:2)	7.0 x 10 ⁻⁸
	3. Phe 56-Ser 86 (A1 Domain) (SEQ ID NO:13)	6.0 x 10 ⁻⁶
15	4. Ala 134-Ala 176 (A2 domain) (SEQ ID NO:14)	NE*
	5. Ala 317-Gly 350 (A4 domain) (SEQ ID NO:15)	NE*
	6. Ser 248(C)-Ser 261(C) (A3 Domain) (D-Cys-(SEQ ID NO:7)-Cys)	3.0 x 10 ⁻⁴
20	7. Pro 229(C)-Gln 233(C) (A3 Domain) (SEQ ID NO:9)	1.0 x 10 ⁻³
	8. Thr 241(C)-Leu 246(C) (A3 Domain) (SEQ ID NO:8)	3.0 x 10 ⁻³
25		

* NE = No effect at concentrations up to 10⁻² M

30

The K_i of XI is included in Table 1 for comparison. The factor XI A3 peptide Asn 235 - Arg 266 of SEQ ID NO:2 is a potent inhibitor of factor XI binding to platelets in the presence of high molecular weight kininogen, CaCl₂, and ZnCl₂. The K_i is about 10 nM which is almost identical to the K_i for factor XI binding to platelets (See Table 1). In addition, the three peptides designed from the computer model of the A3 domain all have inhibitory activity in the binding assay.

By comparison peptides from the A2 domain, e.g., Ala 134-Ala 176 (SEQ ID NO:14) and from the A4 domain, e.g., Ala 317-Gly 350 (SEQ ID NO:15), have no effect upon the binding of factor XI to platelets. A peptide from the A1 domain, i.e., Phe 56-Ser 86 (SEQ ID NO:13), is an indirect but potent inhibitor of factor XI binding to platelets. The A1 domain peptide inhibits the binding of factor XI to high molecular weight kininogen, which is essential to promote

factor XI binding to a platelet receptor. Thus, the inhibition of factor XI binding to platelets by the A1 peptides is an indirect inhibition since the A1 peptides do not directly compete with factor XI for a binding site on the platelet 5 surface. Conversely, the A3 peptides directly compete with factor XI for the binding site on the platelet surface.

Thus, the major binding site for platelets is located on factor XI A3 domain within residues Asn 235-Arg 266.

10

E. Synergism Between Ser 248(C)-Ser 261(C) Peptide and Folded Peptides from First and Second Stem Loops

The above factor XI binding of platelets assay was repeated with a mixture comprising equimolar amounts of the 15 three peptides: Ser 248(C)-Ser 261(C), (D-Cys-(SEQ ID NO:7)-Cys); Pro 229(C)-Gln 233(C), (SEQ ID NO:9); and Thr 241(C)-Leu 246(C), (SEQ ID NO:8). These peptides added together showed mild synergism.

20

Example 14

Effect of A3-Derived Peptides on Coagulant Activity

Factor XI heavy chain peptides were assayed for inhibitory effects on blood coagulation. The activated 25 partial thromboplastin time was measured in the presence of activated platelets or phospholipids. Since phospholipids can substitute for platelets in most coagulation reactions, parallel assays were run with the peptides to determine whether their inhibitory effects were specific for their 30 interaction of platelets.

Factor XI activity was assayed the method of Scott *et al.*, Blood 63, 42-50 (1984), with minor modifications. The assay determines the kaolin-activated partial thromboplastin time (Proctor *et al.*, Am. J. Clin. Pathol. 36, 212-35 219 (1961)) using factor XI congenitally deficient substrate plasma. Coagulation mixtures containing kaolin, phospholipids or thrombin-activated platelets and factor XI deficient plasma were incubated at 37°C for five minutes in the presence of factor and various concentrations of the synthet-

ic peptides. The assay results were quantitated on double logarithmic plots of clotting times vs. concentrations of pooled normal plasma.

5 The A1 domain contains a binding site for high molecular weight kininogen, the A2 domain contains a substrate binding site for factor IX, and the A4 domain contains a binding site for factor XIIa. The peptides representing these respective binding sites showed inhibitory effects on 10 intrinsic coagulation in the presence of both phospholipids and platelets, as manifested by the activated partial thromboplastin times.

15 By contrast, an A3 domain derived peptide according to the invention, e.g., Asn 235-Arg 266 (SEQ ID NO:2), was shown to be significantly inhibitory (K_i of about 2×10^{-6} M) only in the presence of activated platelets. A 100-fold higher concentration of Asn 235-Arg 266 (SEQ ID NO:2) was required to demonstrate a similar inhibitory effect in the presence of phospholipids.

20 The parallel results indicate the specificity of the A3-derived peptides according to the invention for binding to platelets, and not to phospholipids.

Example 15

Effect of Mixtures of A1- and A3-Derived Peptides on Coagulant Activity

25 The factor XI heavy chain A1- and A3- derived artificially constrained peptides Phe 56 - Ser 86 (SEQ ID NO:13) and Asn 235 - Arg 266 (SEQ ID NO:2) are assayed for 30 cumulative and synergistic effects by repeating the factor XI binding of platelets assay according to Example 13(d) with a mixture comprising equimolar amounts of the two peptides. Thus, the mixture is assayed for possible inhibitory effects 35 on blood coagulation. The activated partial thromboplastin time is assessed in the presence of activated platelets or phospholipids. The inhibitory effect on intrinsic coagulation is greater in the presence of platelets than in the presence of phospholipids. This assay indicates the cumulative and synergistic anticoagulant effects of mixtures of

- 36 -

constrained A1-domain and A3-domain peptides, which peptides respectively correspond to the high molecular weight kininogen and platelet binding sites on factor XI.

5 All references with respect to synthetic, preparative and analytic procedures are incorporated herein by reference.

10 The present invention may be embodied in other specific forms without departing from the spirit or essential attributes thereof and, accordingly, reference should be made to the appended claims, rather than to the foregoing specification, as indicating the scope of the invention.

-37-

APPENDIX 1

Factor XI Heavy Chain Domain A3

5

	ATOM	1	N	ALA	181	1.681	6.178	-12.945	1.00	0.00
	ATOM	2	CA	ALA	181	1.610	4.951	-12.171	1.00	0.00
	ATOM	3	C	ALA	181	1.733	5.177	-10.659	1.00	0.00
	ATOM	4	O	ALA	181	1.441	4.262	-9.891	1.00	0.00
10	ATOM	5	CB	ALA	181	0.324	4.205	-12.524	1.00	0.00
	ATOM	6	H	ALA	181	1.161	6.237	-13.808	1.00	0.00
	ATOM	7	N	CYS	182	2.160	6.380	-10.239	1.00	0.00
	ATOM	8	CA	CYS	182	2.284	6.814	-8.849	1.00	0.00
	ATOM	9	C	CYS	182	1.128	6.376	-7.948	1.00	0.00
	ATOM	10	O	CYS	182	1.357	5.728	-6.929	1.00	0.00
	ATOM	11	CB	CYS	182	3.649	6.433	-8.269	1.00	0.00
	ATOM	12	SG	CYS	182	4.253	7.558	-6.976	1.00	0.00
15	ATOM	13	LPG1	CYS	182	4.465	6.054	-7.396	1.00	0.00
	ATOM	14	LPG2	CYS	182	3.924	7.273	-6.461	1.00	0.00
	ATOM	15	H	CYS	182	2.386	7.073	-10.938	1.00	0.00
	ATOM	16	N	ILE	183	-0.120	6.711	-8.296	1.00	0.00
	ATOM	17	CA	ILE	183	-0.499	7.503	-9.456	1.00	0.00
	ATOM	18	C	ILE	183	-0.466	9.031	-9.260	1.00	0.00
	ATOM	19	O	ILE	183	-0.291	9.742	-10.248	1.00	0.00
20	ATOM	20	CB	ILE	183	-1.854	7.030	-9.992	1.00	0.00
	ATOM	21	CG1	ILE	183	-1.889	5.506	-10.109	1.00	0.00
	ATOM	22	CG2	ILE	183	-2.116	7.635	-11.371	1.00	0.00
	ATOM	23	CD1	ILE	183	-3.259	5.046	-10.603	1.00	0.00
	ATOM	24	H	ILE	183	-0.873	6.392	-7.704	1.00	0.00
	ATOM	25	N	ARG	184	-0.644	9.585	-8.050	1.00	0.00
	ATOM	26	CA	ARG	184	-0.723	8.870	-6.792	1.00	0.00
25	ATOM	27	C	ARG	184	-2.132	8.417	-6.434	1.00	0.00
	ATOM	28	O	ARG	184	-3.117	9.048	-6.817	1.00	0.00
	ATOM	29	CB	ARG	184	-0.051	9.651	-5.669	1.00	0.00
	ATOM	30	CG	ARG	184	0.175	8.685	-4.512	1.00	0.00
	ATOM	31	CD	ARG	184	0.890	9.372	-3.360	1.00	0.00
	ATOM	32	NE	ARG	184	0.808	8.554	-2.152	1.00	0.00
	ATOM	33	CZ	ARG	184	1.865	8.157	-1.421	1.00	0.00
30	ATOM	34	NH1	ARG	184	3.114	8.438	-1.824	1.00	0.00
	ATOM	35	NH2	ARG	184	1.662	7.503	-0.276	1.00	0.00
	ATOM	36	H	ARG	184	-0.663	10.593	-7.991	1.00	0.00
	ATOM	37	N	ASP	185	-2.180	7.311	-5.663	1.00	0.00
	ATOM	38	CA	ASP	185	-3.376	6.698	-5.148	1.00	0.00
	ATOM	39	C	ASP	185	-3.593	7.193	-3.716	1.00	0.00
	ATOM	40	O	ASP	185	-3.568	8.394	-3.470	1.00	0.00
35	ATOM	41	CB	ASP	185	-4.532	6.737	-6.171	1.00	0.00
	ATOM	42	CG	ASP	185	-5.894	7.245	-5.702	1.00	0.00
	ATOM	43	OD1	ASP	185	-6.609	7.828	-6.544	1.00	0.00
	ATOM	44	OD2	ASP	185	-6.216	7.010	-4.528	1.00	0.00
	ATOM	45	H	ASP	185	-1.305	6.927	-5.356	1.00	0.00
	ATOM	46	N	ILE	186	-3.750	6.259	-2.774	1.00	0.00
	ATOM	47	CA	ILE	186	-3.961	6.543	-1.357	1.00	0.00
	ATOM	48	C	ILE	186	-5.403	6.966	-1.019	1.00	0.00
40	ATOM	49	O	ILE	186	-5.608	7.652	-0.020	1.00	0.00
	ATOM	50	CB	ILE	186	-3.497	5.359	-0.500	1.00	0.00
	ATOM	51	CG1	ILE	186	-3.000	5.850	0.858	1.00	0.00
	ATOM	52	CG2	ILE	186	-2.352	4.587	-1.157	1.00	0.00
	ATOM	53	CD1	ILE	186	-4.042	5.560	1.931	1.00	0.00
	ATOM	54	H	ILE	186	-3.628	5.291	-3.036	1.00	0.00
	ATOM	55	N	PHE	187	-6.386	6.570	-1.846	1.00	0.00
45	ATOM	56	CA	PHE	187	-7.802	6.935	-1.730	1.00	0.00
	ATOM	57	C	PHE	187	-8.686	6.355	-2.852	1.00	0.00
	ATOM	58	O	PHE	187	-8.790	6.910	-3.942	1.00	0.00
	ATOM	59	C ₂	PHE	187	-8.011	8.442	-1.534	1.00	0.00
	ATOM	60	CG	PHE	187	-7.459	9.354	-2.607	1.00	0.00

50

	ATOM	61	CD1	PHE	187	-8.323	9.989	-3.515	1.00	0.00
	ATOM	62	CD2	PHE	187	-6.085	9.653	-2.636	1.00	0.00
	ATOM	63	CE1	PHE	187	-7.797	10.800	-6.537	1.00	0.00
	ATOM	64	CE2	PHE	187	-5.560	10.456	-3.659	1.00	0.00
5	ATOM	65	CZ	PHE	187	-6.409	10.986	-4.645	1.00	0.00
	ATOM	66	H	PHE	187	-6.121	6.029	-2.655	1.00	0.00
	ATOM	67	N	PRO	188	-9.356	5.235	-2.578	1.00	0.00
	ATOM	68	CA	PRO	188	-10.149	4.464	-3.517	1.00	0.00
	ATOM	69	C	PRO	188	-9.227	3.483	-4.218	1.00	0.00
	ATOM	70	O	PRO	188	-8.158	3.177	-3.705	1.00	0.00
	ATOM	71	CB	PRO	188	-11.019	3.577	-2.632	1.00	0.00
	ATOM	72	CG	PRO	188	-10.088	3.265	-1.464	1.00	0.00
10	ATOM	73	CD	PRO	188	-9.285	4.559	-1.318	1.00	0.00
	ATOM	74	N	ASN	189	-9.685	2.914	-5.332	1.00	0.00
	ATOM	75	CA	ASN	189	-9.375	1.533	-5.665	1.00	0.00
	ATOM	76	C	ASN	189	-10.269	0.445	-5.032	1.00	0.00
	ATOM	77	O	ASN	189	-11.276	0.087	-5.638	1.00	0.00
	ATOM	78	CB	ASN	189	-7.901	1.246	-6.021	1.00	0.00
	ATOM	79	CG	ASN	189	-7.009	0.627	-4.939	1.00	0.00
15	ATOM	80	OD1	ASN	189	-7.006	-0.585	-4.750	1.00	0.00
	ATOM	81	ND2	ASN	189	-6.181	1.439	-4.278	1.00	0.00
	ATOM	82	H	ASN	189	-10.371	3.399	-5.893	1.00	0.00
	ATOM	83	N	THR	190	-9.867	-0.095	-3.866	1.00	0.00
	ATOM	84	CA	THR	190	-10.287	-1.371	-3.261	1.00	0.00
	ATOM	85	C	THR	190	-11.449	-2.119	-3.915	1.00	0.00
	ATOM	86	O	THR	190	-12.603	-1.783	-3.655	1.00	0.00
20	ATOM	87	CB	THR	190	-10.481	-1.228	-1.747	1.00	0.00
	ATOM	88	OG1	THR	190	-11.148	-0.023	-1.436	1.00	0.00
	ATOM	89	CG2	THR	190	-9.126	-1.273	-1.047	1.00	0.00
	ATOM	90	HG1	THR	190	-10.871	0.265	-0.564	1.00	0.00
	ATOM	91	H	THR	190	-9.112	0.371	-3.368	1.00	0.00
	ATOM	92	N	VAL	191	-11.204	-3.148	-4.746	1.00	0.00
	ATOM	93	CA	VAL	191	-9.928	-3.696	-5.198	1.00	0.00
25	ATOM	94	C	VAL	191	-9.490	-4.942	-4.442	1.00	0.00
	ATOM	95	O	VAL	191	-9.412	-6.016	-5.032	1.00	0.00
	ATOM	96	CB	VAL	191	-8.813	-2.676	-5.416	1.00	0.00
	ATOM	97	CG1	VAL	191	-7.533	-3.395	-5.831	1.00	0.00
	ATOM	98	CG2	VAL	191	-9.190	-1.778	-6.585	1.00	0.00
	ATOM	99	H	VAL	191	-12.015	-3.621	-5.114	1.00	0.00
	ATOM	100	N	PHE	192	-9.171	-4.804	-3.155	1.00	0.00
30	ATOM	101	CA	PHE	192	-8.740	-5.946	-2.376	1.00	0.00
	ATOM	102	C	PHE	192	-9.781	-6.336	-1.338	1.00	0.00
	ATOM	103	O	PHE	192	-10.434	-5.484	-0.739	1.00	0.00
	ATOM	104	CB	PHE	192	-7.353	-5.716	-1.783	1.00	0.00
	ATOM	105	CG	PHE	192	-6.274	-5.522	-2.823	1.00	0.00
	ATOM	106	CD1	PHE	192	-5.711	-4.248	-3.010	1.00	0.00
	ATOM	107	CD2	PHE	192	-5.936	-6.574	-3.693	1.00	0.00
	ATOM	108	CE1	PHE	192	-4.787	-4.032	-4.048	1.00	0.00
35	ATOM	109	CE2	PHE	192	-5.015	-6.358	-4.734	1.00	0.00
	ATOM	110	CZ	PHE	192	-4.443	-5.086	-4.912	1.00	0.00
	ATOM	111	H	PHE	192	-9.214	-3.900	-2.709	1.00	0.00
	ATOM	112	N	ALA	193	-9.947	-7.644	-1.144	1.00	0.00
	ATOM	113	CA	ALA	193	-9.199	-8.618	-1.910	1.00	0.00
	ATOM	114	C	ALA	193	-10.134	-9.300	-2.896	1.00	0.00
	ATOM	115	O	ALA	193	-10.801	-10.254	-2.500	1.00	0.00
40	ATOM	116	CB	ALA	193	-8.568	-9.633	-0.959	1.00	0.00
	ATOM	117	H	ALA	193	-10.636	-7.979	-0.485	1.00	0.00
	ATOM	118	N	ASP	194	-10.163	-8.811	-4.150	1.00	0.00
	ATOM	119	CA	ASP	194	-10.859	-9.410	-5.293	1.00	0.00
	ATOM	120	C	ASP	194	-11.956	-8.497	-5.846	1.00	0.00
	ATOM	121	O	ASP	194	-13.108	-8.915	-5.926	1.00	0.00
	ATOM	122	CB	ASP	194	-11.338	-10.635	-4.959	1.00	0.00
45	ATOM	123	CG	ASP	194	-12.128	-11.621	-6.002	1.00	0.00
	ATOM	124	OD1	ASP	194	-12.127	-11.216	-7.186	1.00	0.00
	ATOM	125	OD2	ASP	194	-12.723	-12.634	-5.578	1.00	0.00
	ATOM	126	H	ASP	194	-9.616	-7.981	-4.343	1.00	0.00
	ATOM	127	N	SER	195	-11.603	-7.272	-6.265	1.00	0.00
	ATOM	128	CA	SER	195	-12.504	-6.379	-6.972	1.00	0.00
	ATOM	129	C	SER	195	-13.561	-5.770	-6.056	1.00	0.00
	ATOM	130	O	SER	195	-13.527	-4.575	-5.771	1.00	0.00
50	ATOM	131	CB	SER	195	-13.122	-7.119	-6.170	1.00	0.00
	ATOM	132	OG	SER	195	-13.982	-6.283	-8.908	1.00	0.00
	ATOM	133	H	SER	195	-10.652	-6.952	-6.138	1.00	0.00

	ATOM	134	N	ASN	196	-14.522	-6.590	-5.628	1.00	0.00
	ATOM	135	CA	ASN	196	-15.708	-6.133	-4.941	1.00	0.00
	ATOM	136	C	ASN	196	-15.618	-6.386	-3.443	1.00	0.00
	ATOM	137	O	ASN	196	-15.437	-7.523	-3.011	1.00	0.00
5	ATOM	138	CB	ASN	196	-16.934	-6.814	-5.544	1.00	0.00
	ATOM	139	CG	ASN	196	-17.418	-6.089	-6.793	1.00	0.00
	ATOM	140	OD1	ASN	196	-18.419	-5.377	-6.746	1.00	0.00
	ATOM	141	ND2	ASN	196	-16.718	-6.274	-7.913	1.00	0.00
	ATOM	142	H	ASN	196	-14.470	-7.570	-5.869	1.00	0.00
	ATOM	143	N	ILE	197	-15.761	-5.327	-2.641	1.00	0.00
	ATOM	144	CA	ILE	197	-15.845	-3.952	-3.110	1.00	0.00
	ATOM	145	C	ILE	197	-15.862	-3.007	-1.920	1.00	0.00
10	ATOM	146	O	ILE	197	-16.788	-3.026	-1.115	1.00	0.00
	ATOM	147	CB	ILE	197	-17.038	-3.724	-4.045	1.00	0.00
	ATOM	148	CG1	ILE	197	-17.129	-2.251	-4.446	1.00	0.00
	ATOM	149	CG2	ILE	197	-18.352	-4.166	-3.405	1.00	0.00
	ATOM	150	CD1	ILE	197	-15.829	-1.795	-5.104	1.00	0.00
	ATOM	151	H	ILE	197	-15.755	-5.476	-1.642	1.00	0.00
	ATOM	152	N	ASP	198	-14.814	-2.194	-1.800	1.00	0.00
15	ATOM	153	CA	ASP	198	-14.632	-1.337	-0.645	1.00	0.00
	ATOM	154	C	ASP	198	-14.762	0.108	-1.115	1.00	0.00
	ATOM	155	O	ASP	198	-14.383	0.423	-2.242	1.00	0.00
	ATOM	156	CS	ASP	198	-13.264	-1.570	0.014	1.00	0.00
	ATOM	157	CG	ASP	198	-12.774	-3.021	0.138	1.00	0.00
	ATOM	158	OD1	ASP	198	-13.450	-3.939	-0.370	1.00	0.00
	ATOM	159	OD2	ASP	198	-11.696	-3.183	0.743	1.00	0.00
20	ATOM	160	H	ASP	198	-14.064	-2.241	-2.475	1.00	0.00
	ATOM	161	N	SER	199	-15.309	1.006	-0.291	1.00	0.00
	ATOM	162	CA	SER	199	-15.771	0.784	1.071	1.00	0.00
	ATOM	163	C	SER	199	-17.046	-0.069	1.155	1.00	0.00
	ATOM	164	O	SER	199	-17.331	-0.630	2.211	1.00	0.00
	ATOM	165	CB	SER	199	-15.988	2.177	1.674	1.00	0.00
	ATOM	166	OG	SER	199	-16.662	2.154	2.911	1.00	0.00
25	ATOM	167	H	SER	199	-15.400	1.949	-0.639	1.00	0.00
	ATOM	168	N	VAL	200	-17.823	-0.129	0.064	1.00	0.00
	ATOM	169	CA	VAL	200	-19.237	-0.477	0.055	1.00	0.00
	ATOM	170	C	VAL	200	-19.695	-1.741	0.790	1.00	0.00
	ATOM	171	O	VAL	200	-20.743	-1.696	1.431	1.00	0.00
	ATOM	172	CB	VAL	200	-19.837	-0.297	-1.339	1.00	0.00
	ATOM	173	CG1	VAL	200	-19.734	-1.571	-2.174	1.00	0.00
	ATOM	174	CG2	VAL	200	-21.291	0.151	-1.227	1.00	0.00
30	ATOM	175	H	VAL	200	-17.481	0.309	-0.779	1.00	0.00
	ATOM	176	N	MET	201	-18.958	-2.856	0.706	1.00	0.00
	ATOM	177	CA	MET	201	-19.349	-4.080	1.389	1.00	0.00
	ATOM	178	C	MET	201	-19.136	-3.944	2.894	1.00	0.00
	ATOM	179	O	MET	201	-18.011	-4.057	3.380	1.00	0.00
	ATOM	180	CB	MET	201	-18.648	-5.297	0.788	1.00	0.00
	ATOM	181	CG	MET	201	-19.445	-6.556	1.125	1.00	0.00
35	ATOM	182	SD	MET	201	-18.595	-7.703	2.238	1.00	0.00
	ATOM	183	CE	MET	201	-19.884	-8.961	2.420	1.00	0.00
	ATOM	184	LPD1	MET	201	-18.235	-8.024	1.760	1.00	0.00
	ATOM	185	LPD2	MET	201	-18.727	-7.367	2.813	1.00	0.00
	ATOM	186	H	MET	201	-18.108	-2.863	0.159	1.00	0.00
	ATOM	187	N	ALA	202	-20.238	-3.653	3.600	1.00	0.00
	ATOM	188	CA	ALA	202	-20.261	-3.210	4.986	1.00	0.00
40	ATOM	189	C	ALA	202	-19.309	-2.033	5.178	1.00	0.00
	ATOM	190	O	ALA	202	-18.212	-2.219	5.698	1.00	0.00
	ATOM	191	CB	ALA	202	-19.991	-4.373	5.940	1.00	0.00
	ATOM	192	H	ALA	202	-21.111	-3.597	3.096	1.00	0.00
	ATOM	193	N	PRO	203	-19.729	-0.847	4.708	1.00	0.00
	ATOM	194	CA	PRO	203	-18.926	0.342	4.483	1.00	0.00
	ATOM	195	C	PRO	203	-17.819	0.600	5.497	1.00	0.00
45	ATOM	196	O	PRO	203	-18.061	1.141	6.573	1.00	0.00
	ATOM	197	CB	PRO	203	-19.896	1.509	4.335	1.00	0.00
	ATOM	198	CG	PRO	203	-21.239	0.864	3.986	1.00	0.00
	ATOM	199	CD	PRO	203	-21.084	-0.635	4.245	1.00	0.00
	ATOM	200	N	ASP	204	-16.596	0.214	5.124	1.00	0.00
	ATOM	201	CA	ASP	204	-15.427	0.422	5.951	1.00	0.00
	ATOM	202	C	ASP	204	-14.546	1.506	5.349	1.00	0.00
	ATOM	203	O	ASP	204	-13.969	1.323	4.277	1.00	0.00
50	ATOM	204	CB	ASP	204	-14.653	-0.887	6.118	1.00	0.00
	ATOM	205	CG	ASP	204	-15.284	-1.841	7.132	1.00	0.00
	ATOM	206	OD1	ASP	204	-16.337	-1.478	7.700	1.00	0.00

-40-

	ATOM	207	OD2	ASP	204	-14.690	-2.922	7.321	1.00	0.00
	ATOM	208	H	ASP	204	-16.464	-0.214	4.218	1.00	0.00
	ATOM	209	N	ALA	205	-14.419	2.620	6.076	1.00	0.00
5	ATOM	210	CA	ALA	205	-13.401	3.615	5.807	1.00	0.00
	ATOM	211	C	ALA	205	-12.030	3.011	6.068	1.00	0.00
	ATOM	212	O	ALA	205	-11.858	2.242	7.011	1.00	0.00
	ATOM	213	CB	ALA	205	-13.637	4.865	6.650	1.00	0.00
	ATOM	214	H	ALA	205	-14.941	2.711	6.934	1.00	0.00
	ATOM	215	N	PHE	206	-11.050	3.316	5.220	1.00	0.00
	ATOM	216	CA	PHE	206	-11.085	4.394	4.245	1.00	0.00
10	ATOM	217	C	PHE	206	-9.741	4.428	3.540	1.00	0.00
	ATOM	218	O	PHE	206	-8.905	3.560	3.789	1.00	0.00
	ATOM	219	CB	PHE	206	-12.229	4.239	3.241	1.00	0.00
	ATOM	220	CG	PHE	206	-13.158	5.434	3.197	1.00	0.00
	ATOM	221	CD1	PHE	206	-12.674	6.698	2.813	1.00	0.00
	ATOM	222	CD2	PHE	206	-14.491	5.297	3.622	1.00	0.00
	ATOM	223	CE1	PHE	206	-13.523	7.818	2.850	1.00	0.00
	ATOM	224	CE2	PHE	206	-15.322	6.425	3.715	1.00	0.00
15	ATOM	225	CZ	PHE	206	-14.842	7.685	3.318	1.00	0.00
	ATOM	226	H	PHE	206	-10.166	2.839	5.332	1.00	0.00
	ATOM	227	N	VAL	207	-9.550	5.401	2.638	1.00	0.00
	ATOM	228	CA	VAL	207	-8.374	5.477	1.781	1.00	0.00
	ATOM	229	C	VAL	207	-8.103	4.109	1.155	1.00	0.00
	ATOM	230	O	VAL	207	-9.021	3.301	1.023	1.00	0.00
	ATOM	231	CB	VAL	207	-7.158	6.088	2.489	1.00	0.00
20	ATOM	232	CG1	VAL	207	-7.405	7.513	2.979	1.00	0.00
	ATOM	233	CG2	VAL	207	-6.665	5.225	3.639	1.00	0.00
	ATOM	234	H	VAL	207	-10.322	6.012	2.413	1.00	0.00
	ATOM	235	N	CYS	208	-6.864	3.814	0.770	1.00	0.00
	ATOM	236	CA	CYS	208	-6.649	2.584	0.026	1.00	0.00
	ATOM	237	C	CYS	208	-6.559	1.350	0.927	1.00	0.00
	ATOM	238	O	CYS	208	-6.523	0.225	0.433	1.00	0.00
	ATOM	239	CB	CYS	208	-5.532	2.742	-1.006	1.00	0.00
25	ATOM	240	SG	CYS	208	-3.967	1.906	-0.650	1.00	0.00
	ATOM	241	LPG1	CYS	208	-4.129	1.674	-0.056	1.00	0.00
	ATOM	242	LPG2	CYS	208	-4.129	1.674	-0.056	1.00	0.00
	ATOM	243	H	CYS	208	-6.078	4.353	1.102	1.00	0.00
	ATOM	244	N	GLY	209	-6.538	1.573	2.246	1.00	0.00
	ATOM	245	CA	GLY	209	-6.384	0.555	3.258	1.00	0.00
	ATOM	246	C	GLY	209	-5.937	1.246	4.541	1.00	0.00
30	ATOM	247	O	GLY	209	-4.826	1.007	5.001	1.00	0.00
	ATOM	248	H	GLY	209	-6.623	2.521	2.582	1.00	0.00
	ATOM	249	N	ARG	210	-6.815	2.102	5.085	1.00	0.00
	ATOM	250	CA	ARG	210	-6.668	2.886	6.312	1.00	0.00
	ATOM	251	C	ARG	210	-6.094	2.114	7.492	1.00	0.00
	ATOM	252	O	ARG	210	-4.879	1.982	7.622	1.00	0.00
	ATOM	253	CB	ARG	210	-5.956	4.221	6.092	1.00	0.00
35	ATOM	254	CG	ARG	210	-6.442	5.261	7.107	1.00	0.00
	ATOM	255	CD	ARG	210	-6.055	6.676	6.667	1.00	0.00
	ATOM	256	NE	ARG	210	-6.500	7.693	7.629	1.00	0.00
	ATOM	257	CZ	ARG	210	-5.956	8.919	7.755	1.00	0.00
	ATOM	258	NH1	ARG	210	-5.029	9.347	6.891	1.00	0.00
	ATOM	259	NH2	ARG	210	-6.324	9.713	8.773	1.00	0.00
	ATOM	260	H	ARG	210	-7.695	2.209	4.599	1.00	0.00
	ATOM	261	N	ILE	211	-6.966	1.624	8.376	1.00	0.00
40	ATOM	262	CA	ILE	211	-8.405	1.782	8.256	1.00	0.00
	ATOM	263	C	ILE	211	-8.976	0.651	7.404	1.00	0.00
	ATOM	264	O	ILE	211	-9.263	0.858	6.226	1.00	0.00
	ATOM	265	CB	ILE	211	-9.017	1.850	9.658	1.00	0.00
	ATOM	266	CG1	ILE	211	-10.542	1.855	9.601	1.00	0.00
	ATOM	267	CG2	ILE	211	-8.529	3.115	10.362	1.00	0.00
	ATOM	268	CD1	ILE	211	-11.120	1.693	11.013	1.00	0.00
45	ATOM	269	H	ILE	211	-6.612	1.115	9.172	1.00	0.00
	ATOM	270	N	CYS	212	-9.086	-0.548	7.996	1.00	0.00
	ATOM	271	CA	CYS	212	-9.376	-1.812	7.326	1.00	0.00
	ATOM	272	C	CYS	212	-10.604	-1.939	6.782	1.00	0.00
	ATOM	273	O	CYS	212	-11.363	-0.976	6.262	1.00	0.00
	ATOM	274	CB	CYS	212	-8.287	-2.251	6.336	1.00	0.00
	ATOM	275	SG	CYS	212	-6.673	-1.417	6.355	1.00	0.00
50	ATOM	276	LPG1	CYS	212	-6.913	-0.775	6.391	1.00	0.00
	ATOM	277	LPG2	CYS	212	-6.913	-0.775	6.391	1.00	0.00
	ATOM	278	H	CYS	212	-8.844	-0.607	8.974	1.00	0.00
	ATOM	279	N	THR	213	-11.431	-3.119	6.899	1.00	0.00

-41-

	ATOM	280	CA	THR	213	-10.891	-4.347	7.466	1.00	0.00
	ATOM	281	C	THR	213	-12.044	-5.339	7.666	1.00	0.00
	ATOM	282	O	THR	213	-12.626	-5.392	8.747	1.00	0.00
	ATOM	283	CB	THR	213	-10.107	-4.066	8.760	1.00	0.00
5	ATOM	284	CG1	THR	213	-9.544	-5.238	9.308	1.00	0.00
	ATOM	285	CG2	THR	213	-10.924	-3.322	9.816	1.00	0.00
	ATOM	286	HG1	THR	213	-9.132	-5.011	10.146	1.00	0.00
	ATOM	287	H	THR	213	-12.376	-3.175	6.548	1.00	0.00
	ATOM	288	N	HIS	214	-12.411	-6.130	6.645	1.00	0.00
	ATOM	289	CA	HIS	214	-11.783	-6.232	5.332	1.00	0.00
	ATOM	290	C	HIS	214	-10.343	-6.746	5.358	1.00	0.00
	ATOM	291	O	HIS	214	-9.759	-6.923	6.427	1.00	0.00
10	ATOM	292	CB	HIS	214	-12.031	-5.004	4.457	1.00	0.00
	ATOM	293	CG	HIS	214	-12.807	-5.327	3.202	1.00	0.00
	ATOM	294	ND1	HIS	214	-12.298	-5.983	2.106	1.00	0.00
	ATOM	295	CD2	HIS	214	-14.160	-5.183	3.051	1.00	0.00
	ATOM	296	CE1	HIS	214	-13.341	-6.228	1.285	1.00	0.00
	ATOM	297	NE2	HIS	214	-14.476	-5.746	1.809	1.00	0.00
	ATOM	298	H	HIS	214	-13.191	-6.751	6.805	1.00	0.00
15	ATOM	299	N	HIS	215	-9.779	-7.034	4.179	1.00	0.00
	ATOM	300	CA	HIS	215	-8.493	-7.705	4.102	1.00	0.00
	ATOM	301	C	HIS	215	-7.322	-6.855	4.584	1.00	0.00
	ATOM	302	O	HIS	215	-7.318	-5.639	4.397	1.00	0.00
	ATOM	303	CB	HIS	215	-6.281	-8.388	2.754	1.00	0.00
	ATOM	304	CG	HIS	215	-6.442	-9.882	2.858	1.00	0.00
	ATOM	305	ND1	HIS	215	-7.927	-10.813	1.986	1.00	0.00
	ATOM	306	CD2	HIS	215	-9.008	-10.551	3.911	1.00	0.00
20	ATOM	307	CE1	HIS	215	-8.191	-12.034	2.484	1.00	0.00
	ATOM	308	NE2	HIS	215	-8.847	-11.916	3.650	1.00	0.00
	ATOM	309	HD1	HIS	215	-7.427	-10.617	1.132	1.00	0.00
	ATOM	310	H	HIS	215	-10.287	-6.869	3.322	1.00	0.00
	ATOM	311	N	PRO	216	-6.370	-7.505	5.266	1.00	0.00
	ATOM	312	CA	PRO	216	-5.386	-6.857	6.114	1.00	0.00
	ATOM	313	C	PRO	216	-4.201	-6.246	5.364	1.00	0.00
25	ATOM	314	O	PRO	216	-3.053	-6.618	5.600	1.00	0.00
	ATOM	315	CB	PRO	216	-4.934	-7.895	7.142	1.00	0.00
	ATOM	316	CG	PRO	216	-5.591	-9.218	6.747	1.00	0.00
	ATOM	317	CD	PRO	216	-6.440	-8.931	5.512	1.00	0.00
	ATOM	318	N	GLY	217	-4.478	-5.253	4.515	1.00	0.00
	ATOM	319	CA	GLY	217	-3.469	-4.342	4.013	1.00	0.00
	ATOM	320	C	GLY	217	-3.693	-2.993	4.682	1.00	0.00
	ATOM	321	O	GLY	217	-4.251	-2.062	4.072	1.00	0.00
30	ATOM	322	H	GLY	217	-5.444	-5.019	4.336	1.00	0.00
	ATOM	323	N	CYS	218	-3.297	-2.887	5.954	1.00	0.00
	ATOM	324	CA	CYS	218	-3.632	-1.738	6.770	1.00	0.00
	ATOM	325	C	CYS	218	-2.423	-0.837	6.986	1.00	0.00
	ATOM	326	O	CYS	218	-1.573	-1.116	7.830	1.00	0.00
	ATOM	327	CB	CYS	218	-4.308	-2.206	8.058	1.00	0.00
35	ATOM	328	SG	CYS	218	-5.957	-1.493	8.271	1.00	0.00
	ATOM	329	LPG1	CYS	218	-5.764	-0.855	8.315	1.00	0.00
	ATOM	330	LPG2	CYS	218	-6.271	-2.082	8.448	1.00	0.00
	ATOM	331	H	CYS	218	-2.835	-3.667	6.401	1.00	0.00
	ATOM	332	N	LEU	219	-2.341	0.235	6.191	1.00	0.00
	ATOM	333	CA	LEU	219	-1.176	1.102	6.159	1.00	0.00
	ATOM	334	C	LEU	219	-1.561	2.570	6.260	1.00	0.00
	ATOM	335	O	LEU	219	-1.534	3.316	5.282	1.00	0.00
40	ATOM	336	CB	LEU	219	-0.280	0.795	4.959	1.00	0.00
	ATOM	337	CG	LEU	219	-1.073	0.663	3.661	1.00	0.00
	ATOM	338	CD1	LEU	219	-0.315	1.376	2.546	1.00	0.00
	ATOM	339	CD2	LEU	219	-1.201	-0.817	3.311	1.00	0.00
	ATOM	340	H	LEU	219	-3.099	0.434	5.552	1.00	0.00
	ATOM	341	N	PHE	220	-1.910	2.970	7.480	1.00	0.00
	ATOM	342	CA	PHE	220	-2.361	4.301	7.790	1.00	0.00
45	ATOM	343	C	PHE	220	-1.193	5.293	7.873	1.00	0.00
	ATOM	344	O	PHE	220	-0.508	5.363	8.893	1.00	0.00
	ATOM	345	CB	PHE	220	-3.141	4.184	9.094	1.00	0.00
	ATOM	346	CG	PHE	220	-4.114	5.295	9.331	1.00	0.00
	ATOM	347	CD1	PHE	220	-5.252	5.059	10.129	1.00	0.00
	ATOM	348	CD2	PHE	220	-3.661	6.612	9.141	1.00	0.00
	ATOM	349	CE1	PHE	220	-5.906	6.138	10.745	1.00	0.00
	ATOM	350	CE2	PHE	220	-6.191	7.650	9.901	1.00	0.00
50	ATOM	351	CZ	PHE	220	-5.335	7.418	10.703	1.00	0.00
	ATOM	352	H	PHE	220	-1.949	2.287	8.223	1.00	0.00

-42-

	ATOM	353	N	PHE	221	-0.984	6.084	6.811	1.00	0.00
	ATOM	354	CA	PHE	221	-0.011	7.166	6.841	1.00	0.00
	ATOM	355	C	PHE	221	-0.485	8.407	6.093	1.00	0.00
	ATOM	356	O	PHE	221	-0.776	9.419	6.728	1.00	0.00
5	ATOM	357	CB	PHE	221	1.377	6.703	6.405	1.00	0.00
	ATOM	358	CG	PHE	221	2.494	7.480	7.066	1.00	0.00
	ATOM	359	CD1	PHE	221	2.567	7.536	8.469	1.00	0.00
	ATOM	360	CD2	PHE	221	3.407	8.213	6.286	1.00	0.00
	ATOM	361	CE1	PHE	221	3.563	8.307	9.093	1.00	0.00
	ATOM	362	CE2	PHE	221	4.408	8.979	6.911	1.00	0.00
	ATOM	363	CZ	PHE	221	4.486	9.026	8.314	1.00	0.00
	ATOM	364	H	PHE	221	-1.563	5.985	5.989	1.00	0.00
	ATOM	365	N	THR	222	-0.554	8.339	4.757	1.00	0.00
10	ATOM	366	CA	THR	222	-0.994	9.463	3.945	1.00	0.00
	ATOM	367	C	THR	222	-0.700	9.333	2.457	1.00	0.00
	ATOM	368	O	THR	222	-1.540	9.019	1.615	1.00	0.00
	ATOM	369	CB	THR	222	-2.375	9.984	4.304	1.00	0.00
	ATOM	370	OG1	THR	222	-3.297	8.934	4.164	1.00	0.00
	ATOM	371	CG2	THR	222	-2.740	11.154	3.389	1.00	0.00
	ATOM	372	HG1	THR	222	-4.159	9.317	4.001	1.00	0.00
15	ATOM	373	H	THR	222	-0.240	7.504	4.283	1.00	0.00
	ATOM	374	N	PHE	223	0.556	9.672	2.228	1.00	0.00
	ATOM	375	CA	PHE	223	1.299	9.979	1.030	1.00	0.00
	ATOM	376	C	PHE	223	0.791	10.929	-0.059	1.00	0.00
	ATOM	377	O	PHE	223	-0.352	11.385	-0.078	1.00	0.00
	ATOM	378	CB	PHE	223	2.587	10.531	1.570	1.00	0.00
	ATOM	379	CG	PHE	223	3.748	9.665	1.232	1.00	0.00
	ATOM	380	CD1	PHE	223	4.800	10.422	0.720	1.00	0.00
20	ATOM	381	CD2	PHE	223	4.060	8.678	2.189	1.00	0.00
	ATOM	382	CE1	PHE	223	5.803	10.798	1.626	1.00	0.00
	ATOM	383	CE2	PHE	223	5.222	8.850	2.960	1.00	0.00
	ATOM	384	CZ	PHE	223	5.983	10.021	2.787	1.00	0.00
	ATOM	385	H	PHE	223	1.131	9.627	3.057	1.00	0.00
	ATOM	386	N	PHE	224	1.736	11.194	-0.977	1.00	0.00
	ATOM	387	CA	PHE	224	1.677	12.196	-2.022	1.00	0.00
25	ATOM	388	C	PHE	224	2.947	12.157	-2.894	1.00	0.00
	ATOM	389	O	PHE	224	3.920	11.472	-2.577	1.00	0.00
	ATOM	390	CB	PHE	224	1.520	13.545	-1.328	1.00	0.00
	ATOM	391	CG	PHE	224	0.980	14.652	-2.194	1.00	0.00
	ATOM	392	CD1	PHE	224	-0.406	14.859	-2.296	1.00	0.00
	ATOM	393	CD2	PHE	224	1.871	15.489	-2.885	1.00	0.00
	ATOM	394	CE1	PHE	224	-0.898	15.878	-3.130	1.00	0.00
30	ATOM	395	CE2	PHE	224	1.378	16.445	-3.787	1.00	0.00
	ATOM	396	CZ	PHE	224	-0.008	16.646	-3.903	1.00	0.00
	ATOM	397	H	PHE	224	2.618	10.709	-0.886	1.00	0.00
	ATOM	398	N	SER	225	2.929	12.908	-4.00	1.00	0.00
	ATOM	399	CA	SER	225	4.034	13.048	-4.939	1.00	0.00
	ATOM	400	C	SER	225	3.890	12.022	-6.069	1.00	0.00
	ATOM	401	O	SER	225	3.334	10.942	-5.871	1.00	0.00
35	ATOM	402	CB	SER	225	4.036	14.498	-5.449	1.00	0.00
	ATOM	403	OG	SER	225	5.185	14.821	-6.208	1.00	0.00
	ATOM	404	H	SER	225	2.102	13.450	-4.204	1.00	0.00
	ATOM	405	N	GLN	226	4.395	12.365	-7.258	1.00	0.00
	ATOM	406	CA	GLN	226	4.304	11.559	-8.461	1.00	0.00
	ATOM	407	C	GLN	226	5.664	10.983	-8.858	1.00	0.00
	ATOM	408	O	GLN	226	6.674	11.245	-8.206	1.00	0.00
40	ATOM	409	CB	GLN	226	3.732	12.428	-9.583	1.00	0.00
	ATOM	410	CG	GLN	226	4.579	13.689	-9.762	1.00	0.00
	ATOM	411	CD	GLN	226	3.722	14.880	-10.166	1.00	0.00
	ATOM	412	OE1	GLN	226	3.298	15.660	-9.315	1.00	0.00
	ATOM	413	NE2	GLN	226	3.471	15.019	-11.469	1.00	0.00
	ATOM	414	H	GLN	226	4.835	13.270	-7.347	1.00	0.00
	ATOM	415	N	GLU	227	5.671	10.210	-9.953	1.00	0.00
45	ATOM	416	CA	GLU	227	6.859	9.634	-10.569	1.00	0.00
	ATOM	417	C	GLU	227	7.312	8.327	-9.906	1.00	0.00
	ATOM	418	O	GLU	227	7.740	8.351	-8.754	1.00	0.00
	ATOM	419	CB	GLU	227	7.982	10.672	-10.687	1.00	0.00
	ATOM	420	CG	GLU	227	8.413	10.865	-12.142	1.00	0.00
	ATOM	421	CD	GLU	227	9.525	11.904	-12.302	1.00	0.00
	ATOM	422	OE1	GLU	227	9.931	12.486	-11.272	1.00	0.00
	ATOM	423	OE2	GLU	227	9.949	12.098	-13.461	1.00	0.00
50	ATOM	424	H	GLU	227	4.793	10.061	-10.428	1.00	0.00
	ATOM	425	N	TRP	228	7.228	7.216	-10.673	1.00	0.00

-43-

ATOM	426	CA	TRP	228	8.086	6.014	-10.705	1.00	0.00
ATOM	427	C	TRP	228	7.373	4.655	-10.953	1.00	0.00
ATOM	428	O	TRP	228	6.137	4.643	-11.001	1.00	0.00
ATOM	429	CB	TRP	228	9.320	6.270	-11.584	1.00	0.00
ATOM	430	CG	TRP	228	9.072	6.774	-12.965	1.00	0.00
ATOM	431	CD1	TRP	228	8.103	7.661	-13.305	1.00	0.00
ATOM	432	CD2	TRP	228	9.815	6.503	-14.187	1.00	0.00
ATOM	433	NE1	TRP	228	8.192	7.949	-14.643	1.00	0.00
ATOM	434	CE2	TRP	226	9.238	7.282	-15.235	1.00	0.00
ATOM	435	CE3	TRP	228	10.925	5.702	-14.521	1.00	0.00
ATOM	436	CZ2	TRP	228	9.741	7.269	-16.542	1.00	0.00
ATOM	437	CZ3	TRP	228	11.434	5.679	-15.832	1.00	0.00
ATOM	438	CH2	TRP	226	10.847	6.467	-16.841	1.00	0.00
ATOM	439	N	PRO	229	8.111	3.502	-11.044	1.00	0.00
ATOM	440	CA	PRO	229	7.678	2.225	-10.448	1.00	0.00
ATOM	441	C	PRO	229	8.021	0.815	-11.000	1.00	0.00
ATOM	442	O	PRO	229	7.536	-0.157	-10.413	1.00	0.00
ATOM	443	CB	PRO	229	8.625	2.128	-9.275	1.00	0.00
ATOM	444	CG	PRO	229	9.964	2.649	-9.813	1.00	0.00
ATOM	445	CD	PRO	229	9.554	3.589	-10.947	1.00	0.00
ATOM	446	N	LYS	230	9.050	0.657	-11.843	1.00	0.00
ATOM	447	CA	LYS	230	10.279	-0.025	-11.393	1.00	0.00
ATOM	448	C	LYS	230	11.502	0.890	-11.540	1.00	0.00
ATOM	449	O	LYS	230	11.469	1.845	-12.310	1.00	0.00
ATOM	450	CB	LYS	230	10.510	-1.323	-12.161	1.00	0.00
ATOM	451	CG	LYS	230	9.426	-2.317	-11.769	1.00	0.00
ATOM	452	CD	LYS	230	5.711	-3.653	-12.442	1.00	0.00
ATOM	453	CE	LYS	230	9.307	-3.566	-13.909	1.00	0.00
ATOM	454	NZ	LYS	230	9.583	-4.831	-14.605	1.00	0.00
ATOM	455	H	LYS	230	9.184	1.324	-12.586	1.00	0.00
ATOM	456	N	GLU	231	12.592	0.637	-10.807	1.00	0.00
ATOM	457	CA	GLU	231	12.722	-0.424	-9.846	1.00	0.00
ATOM	458	C	GLU	231	12.257	0.053	-8.480	1.00	0.00
ATOM	459	O	GLU	231	11.349	-0.545	-7.906	1.00	0.00
ATOM	460	CB	GLU	231	14.203	-0.764	-9.792	1.00	0.00
ATOM	461	CG	GLU	231	14.336	-2.243	-9.506	1.00	0.00
ATOM	462	CD	GLU	231	14.162	-2.548	-8.038	1.00	0.00
ATOM	463	OE1	GLU	231	14.046	-1.611	-7.215	1.00	0.00
ATOM	464	OE2	GLU	231	14.192	-3.765	-7.766	1.00	0.00
ATOM	465	H	GLU	231	13.510	1.212	-10.927	1.00	0.00
ATOM	466	N	SER	232	12.957	1.064	-7.942	1.00	0.00
ATOM	467	CA	SER	232	12.906	1.459	-6.541	1.00	0.00
ATOM	468	C	SER	232	11.648	2.237	-6.206	1.00	0.00
ATOM	469	O	SER	232	11.737	3.367	-5.777	1.00	0.00
ATOM	470	CB	SER	232	14.167	2.218	-6.095	1.00	0.00
ATOM	471	OG	SER	232	15.017	2.584	-7.161	1.00	0.00
ATOM	472	H	GLN	233	10.492	1.580	-6.381	1.00	0.00
ATOM	473	CA	GLN	233	9.174	2.030	-5.955	1.00	0.00
ATOM	474	C	GLN	233	8.279	0.824	-5.701	1.00	0.00
ATOM	475	O	GLN	233	7.794	0.675	-4.583	1.00	0.00
ATOM	476	CB	GLN	233	8.559	3.081	-6.882	1.00	0.00
ATOM	477	CG	GLN	233	9.741	3.929	-7.344	1.00	0.00
ATOM	478	CD	GLN	233	9.442	5.152	-6.153	1.00	0.00
ATOM	479	OE1	GLN	233	10.307	5.642	-8.874	1.00	0.00
ATOM	480	NE2	GLN	233	8.221	5.637	-8.019	1.00	0.00
ATOM	481	H	GLN	233	10.549	0.640	-6.746	1.00	0.00
ATOM	482	N	ARG	234	8.088	-0.057	-6.695	1.00	0.00
ATOM	483	CA	ARG	234	7.367	-1.307	-6.485	1.00	0.00
ATOM	484	C	ARG	234	5.845	-1.090	-6.342	1.00	0.00
ATOM	485	O	ARG	234	5.330	-0.049	-6.748	1.00	0.00
ATOM	486	CB	ARG	234	7.730	-2.318	-7.576	1.00	0.00
ATOM	487	CG	ARG	234	9.048	-3.037	-7.283	1.00	0.00
ATOM	488	CD	ARG	234	9.002	-4.416	-7.944	1.00	0.00
ATOM	489	NE	ARG	234	9.937	-4.505	-9.070	1.00	0.00
ATOM	490	CZ	ARG	234	11.263	-4.566	-8.900	1.00	0.00
ATOM	491	NH1	ARG	234	11.751	-4.685	-7.661	1.00	0.00
ATOM	492	NH2	ARG	234	12.089	-4.487	-9.954	1.00	0.00
ATOM	493	HE	ARG	234	9.565	-4.416	-10.004	1.00	0.00
ATOM	494	HH21	ARG	234	11.710	-4.427	-10.888	1.00	0.00
ATOM	495	HH22	ARG	234	13.091	-4.466	-9.818	1.00	0.00
ATOM	496	HH11	ARG	234	11.120	-4.814	-6.879	1.00	0.00
ATOM	497	HH12	ARG	234	12.739	-4.556	-7.495	1.00	0.00
ATOM	498	H	ARG	234	8.479	0.112	-7.613	1.00	0.00

	ATOM	499	N	ASN	235	5.153	-2.065	-5.727	1.00	0.00
	ATOM	500	CA	ASN	235	3.753	-2.045	-5.267	1.00	0.00
	ATOM	501	C	ASN	235	2.712	-1.332	-6.154	1.00	0.00
	ATOM	502	O	ASN	235	2.665	-1.690	-7.322	1.00	0.00
5	ATOM	503	CB	ASN	235	3.661	-1.706	-3.803	1.00	0.00
	ATOM	504	CG	ASN	235	4.364	-2.678	-2.871	1.00	0.00
	ATOM	505	OD1	ASN	235	4.952	-3.669	-3.296	1.00	0.00
	ATOM	506	ND2	ASN	235	4.312	-2.367	-1.577	1.00	0.00
	ATOM	507	H	ASN	235	5.693	-2.873	-5.446	1.00	0.00
	ATOM	508	N	LEU	236	1.834	-0.377	-5.772	1.00	0.00
	ATOM	509	CA	LEU	236	1.578	0.489	-4.609	1.00	0.00
	ATOM	510	C	LEU	236	0.908	-0.029	-3.260	1.00	0.00
10	ATOM	511	O	LEU	236	1.598	-0.823	-2.649	1.00	0.00
	ATOM	512	CB	LEU	236	2.193	1.891	-4.870	1.00	0.00
	ATOM	513	CG	LEU	236	3.308	2.518	-4.023	1.00	0.00
	ATOM	514	CD1	LEU	236	3.104	4.023	-4.239	1.00	0.00
	ATOM	515	CD2	LEU	236	3.079	2.194	-2.547	1.00	0.00
	ATOM	516	H	LEU	236	1.373	0.020	-6.586	1.00	0.00
	ATOM	517	N	CYS	237	-0.298	0.334	-2.711	1.00	0.00
15	ATOM	518	CA	CYS	237	-1.183	-0.729	-2.136	1.00	0.00
	ATOM	519	C	CYS	237	-0.433	-1.750	-1.296	1.00	0.00
	ATOM	520	O	CYS	237	-0.024	-1.471	-0.170	1.00	0.00
	ATOM	521	CB	CYS	237	-2.279	-0.238	-1.191	1.00	0.00
	ATOM	522	SG	CYS	237	-3.968	0.155	-1.674	1.00	0.00
	ATOM	523	LPG1	CYS	237	-3.641	0.387	-2.269	1.00	0.00
	ATOM	524	LPG2	CYS	237	-3.841	0.387	-2.269	1.00	0.00
20	ATOM	525	H	CYS	237	-0.351	1.183	-2.124	1.00	0.00
	ATOM	526	N	LEU	238	-0.242	-2.918	-1.897	1.00	0.00
	ATOM	527	CA	LEU	238	0.655	-3.954	-1.427	1.00	0.00
	ATOM	528	C	LEU	238	1.163	-4.755	-2.625	1.00	0.00
	ATOM	529	O	LEU	238	0.505	-4.831	-3.664	1.00	0.00
	ATOM	530	CB	LEU	238	-0.036	-4.897	-0.433	1.00	0.00
	ATOM	531	CG	LEU	238	-0.169	-4.294	0.966	1.00	0.00
	ATOM	532	CD1	LEU	238	-0.862	-5.267	1.891	1.00	0.00
25	ATOM	533	CD2	LEU	238	1.199	-3.946	1.550	1.00	0.00
	ATOM	534	H	LEU	238	-0.618	-3.035	-2.824	1.00	0.00
	ATOM	535	N	LEU	239	2.327	-5.384	-2.440	1.00	0.00
	ATOM	536	CA	LEU	239	2.817	-6.483	-3.258	1.00	0.00
	ATOM	537	C	LEU	239	3.628	-6.080	-4.481	1.00	0.00
	ATOM	538	O	LEU	239	3.171	-5.321	-5.334	1.00	0.00
	ATOM	539	CB	LEU	239	1.740	-7.528	-3.528	1.00	0.00
30	ATOM	540	CG	LEU	239	1.905	-6.639	-2.496	1.00	0.00
	ATOM	541	CD1	LEU	239	0.601	-8.263	-1.742	1.00	0.00
	ATOM	542	CD2	LEU	239	2.335	-9.924	-3.198	1.00	0.00
	ATOM	543	H	LEU	239	2.824	-5.198	-1.582	1.00	0.00
	ATOM	544	N	LYS	240	3.851	-6.614	-4.534	1.00	0.00
	ATOM	545	CA	LYS	240	3.799	-6.378	-5.605	1.00	0.00
	ATOM	546	C	LYS	240	6.949	-5.529	-5.069	1.00	0.00
	ATOM	547	O	LYS	240	6.976	-4.318	-5.266	1.00	0.00
35	ATOM	548	CB	LYS	240	6.283	-7.734	-6.123	1.00	0.00
	ATOM	549	CG	LYS	240	7.251	-7.571	-7.291	1.00	0.00
	ATOM	550	CD	LYS	240	8.006	-8.882	-7.496	1.00	0.00
	ATOM	551	CE	LYS	240	9.512	-8.635	-7.487	1.00	0.00
	ATOM	552	NZ	LYS	240	9.987	-6.297	-6.138	1.00	0.00
	ATOM	553	H23	LYS	240	9.271	-8.512	-5.459	1.00	0.00
	ATOM	554	H22	LYS	240	10.186	-7.306	-6.096	1.00	0.00
40	ATOM	555	H21	LYS	240	10.828	-8.811	-5.921	1.00	0.00
	ATOM	556	H	LYS	240	5.139	-7.224	-3.782	1.00	0.00
	ATOM	557	N	THR	241	7.881	-6.176	-4.366	1.00	0.00
	ATOM	558	CA	THR	241	8.935	-5.530	-3.608	1.00	0.00
	ATOM	559	C	THR	241	10.061	-5.017	-4.495	1.00	0.00
	ATOM	560	O	THR	241	10.511	-5.705	-5.403	1.00	0.00
	ATOM	561	CB	THR	241	9.467	-6.512	-2.564	1.00	0.00
45	ATOM	562	OG1	THR	241	9.808	-7.739	-3.172	1.00	0.00
	ATOM	563	CG2	THR	241	9.408	-6.763	-1.494	1.00	0.00
	ATOM	564	H	THR	241	7.811	-7.179	-4.275	1.00	0.00
	ATOM	565	N	SER	242	10.543	-3.815	-4.189	1.00	0.00
	ATOM	566	CA	SER	242	11.568	-3.203	-4.845	1.00	0.00
	ATOM	567	C	SER	242	13.018	-3.825	-4.400	1.00	0.00
	ATOM	568	O	SER	242	13.031	-4.651	-3.491	1.00	0.00
	ATOM	569	CB	SER	242	11.633	-1.679	-4.677	1.00	0.00
50	ATOM	570	OG	SER	242	10.927	-1.314	-3.500	1.00	0.00
	ATOM	571	HG	SER	242	10.530	-0.451	-3.629	1.00	0.00

-45-

	ATOM	572	H	SER	242	10.121	-3.301	-3.433	1.00	0.00
	ATOM	573	N	GLU	243	14.096	-3.421	-5.074	1.00	0.00
	ATOM	574	CA	GLU	243	15.463	-3.924	-4.930	1.00	0.00
	ATOM	575	C	GLU	243	16.173	-3.201	-3.819	1.00	0.00
5	ATOM	576	O	GLU	243	17.025	-3.805	-3.167	1.00	0.00
	ATOM	577	CB	GLU	243	16.306	-3.729	-6.198	1.00	0.00
	ATOM	578	CG	GLU	243	16.667	-2.254	-6.432	1.00	0.00
	ATOM	579	CD	GLU	243	17.429	-2.016	-7.735	1.00	0.00
	ATOM	580	OE1	GLU	243	17.705	-2.999	-8.435	1.00	0.00
	ATOM	581	OE2	GLU	243	17.722	-0.822	-7.998	1.00	0.00
	ATOM	582	H	GLU	243	13.959	-2.682	-5.745	1.00	0.00
	ATOM	583	N	SER	244	15.801	-1.922	-3.628	1.00	0.00
10	ATOM	584	CA	SER	244	16.148	-1.114	-2.482	1.00	0.00
	ATOM	585	C	SER	244	16.136	-1.999	-1.243	1.00	0.00
	ATOM	586	O	SER	244	15.318	-2.927	-1.188	1.00	0.00
	ATOM	587	CB	SER	244	17.486	-0.419	-2.691	1.00	0.00
	ATOM	588	OG	SER	244	17.231	0.798	-3.344	1.00	0.00
	ATOM	589	H	SER	244	15.093	-1.533	-4.228	1.00	0.00
15	ATOM	590	N	GLY	245	17.069	-1.682	-0.312	1.00	0.00
	ATOM	591	CA	GLY	245	17.209	-1.988	1.058	1.00	0.00
	ATOM	592	C	GLY	245	15.841	-1.550	1.463	1.00	0.00
	ATOM	593	O	GLY	245	15.488	-0.435	1.794	1.00	0.00
	ATOM	594	H	GLY	245	17.629	-0.865	-0.435	1.00	0.00
	ATOM	595	N	LEU	246	15.062	-2.443	1.395	1.00	0.00
	ATOM	596	CA	LEU	246	14.257	-2.565	2.458	1.00	0.00
	ATOM	597	C	LEU	246	14.830	-3.938	3.399	1.00	0.00
20	ATOM	598	O	LEU	246	14.218	-4.569	4.406	1.00	0.00
	ATOM	599	CB	LEU	246	13.130	-2.568	1.278	1.00	0.00
	ATOM	600	CG	LEU	246	11.823	-1.707	1.266	1.00	0.00
	ATOM	601	CD1	LEU	246	11.202	-1.722	-0.173	1.00	0.00
	ATOM	602	CD2	LEU	246	12.335	-0.380	1.719	1.00	0.00
	ATOM	603	N	PRO	247	14.743	-4.728	2.392	1.00	0.00
	ATOM	604	CA	PRO	247	13.223	-4.611	2.461	1.00	0.00
25	ATOM	605	C	PRO	247	12.240	-3.626	3.441	1.00	0.00
	ATOM	606	O	PRO	247	12.824	-2.914	4.273	1.00	0.00
	ATOM	607	CB	PRO	247	13.957	-2.569	2.914	1.00	0.00
	ATOM	608	CG	PRO	247	15.449	-2.497	2.631	1.00	0.00
	ATOM	609	CD	PRO	247	15.939	-3.910	2.357	1.00	0.00
	ATOM	610	N	SER	248	11.028	-3.341	3.436	1.00	0.00
	ATOM	611	CA	SER	248	10.344	-2.880	4.571	1.00	0.00
	ATOM	612	C	SER	248	9.981	-1.419	4.798	1.00	0.00
30	ATOM	613	O	SER	248	10.806	-0.559	5.081	1.00	0.00
	ATOM	614	CB	SER	248	10.815	-3.586	5.956	1.00	0.00
	ATOM	615	OG	SER	248	10.762	-5.004	5.836	1.00	0.00
	ATOM	616	H	SER	248	10.629	-3.796	2.628	1.00	0.00
	ATOM	617	N	THR	249	8.696	-1.185	4.570	1.00	0.00
	ATOM	618	CA	THR	249	8.012	0.046	4.865	1.00	0.00
	ATOM	619	C	THR	249	8.031	0.271	6.375	1.00	0.00
35	ATOM	620	O	THR	249	8.026	-0.677	7.165	1.00	0.00
	ATOM	621	CB	THR	249	6.567	-0.150	4.372	1.00	0.00
	ATOM	622	OG1	THR	249	6.491	-1.540	4.064	1.00	0.00
	ATOM	623	CG2	THR	249	6.305	0.543	3.033	1.00	0.00
	ATOM	624	N	ARG	250	8.054	1.544	6.762	1.00	0.00
	ATOM	625	CA	ARG	250	7.984	1.926	6.154	1.00	0.00
	ATOM	626	C	ARG	250	6.561	1.756	6.672	1.00	0.00
40	ATOM	627	O	ARG	250	5.629	2.364	6.147	1.00	0.00
	ATOM	628	CB	ARG	250	8.467	3.362	6.303	1.00	0.00
	ATOM	629	CG	ARG	250	8.586	3.702	9.783	1.00	0.00
	ATOM	630	CD	ARG	250	8.666	5.217	9.900	1.00	0.00
	ATOM	631	NE	ARG	250	8.423	5.667	11.271	1.00	0.00
	ATOM	632	CZ	ARG	250	8.737	6.903	11.688	1.00	0.00
	ATOM	633	NH1	ARG	250	9.277	7.782	10.630	1.00	0.00
	ATOM	634	NH2	ARG	250	8.512	7.257	12.961	1.00	0.00
45	ATOM	635	HE	ARG	250	7.996	5.016	11.914	1.00	0.00
	ATOM	636	HH21ARG	250	8.104	6.595	13.605	1.00	0.00	
	ATOM	637	HH22ARG	250	8.753	8.185	13.279	1.00	0.00	
	ATOM	638	HH11ARG	250	9.436	7.516	9.871	1.00	0.00	
	ATOM	639	HH12ARG	250	9.516	8.713	11.136	1.00	0.00	
	ATOM	640	H	ARG	250	8.073	2.267	6.059	1.00	0.00
	ATOM	641	N	ILE	251	8.402	0.926	8.708	1.00	0.00
	ATOM	642	CA	ILE	251	8.102	0.701	10.311	1.00	0.00
50	ATOM	643	C	ILE	251	8.175	0.642	11.836	1.00	0.00
	ATOM	644	O	ILE	251	8.756	1.589	12.499	1.00	0.00

-46-

	ATOM	645	CB	ILE	251	4.382	-0.492	9.656	1.00	0.00
	ATOM	646	CG1	ILE	251	5.248	-1.752	9.706	1.00	0.00
	ATOM	647	CG2	ILE	251	3.948	-0.154	8.228	1.00	0.00
	ATOM	648	CD1	ILE	251	4.532	-2.938	9.057	1.00	0.00
5	ATOM	649	H	ILE	251	7.202	0.448	10.094	1.00	0.00
	ATOM	650	N	LYS	252	5.683	-0.463	12.392	1.00	0.00
	ATOM	651	CA	LYS	252	5.685	-0.680	13.627	1.00	0.00
	ATOM	652	C	LYS	252	6.616	-1.829	14.190	1.00	0.00
	ATOM	653	O	LYS	252	7.587	-1.625	14.918	1.00	0.00
	ATOM	654	CB	LYS	252	4.248	-0.953	14.311	1.00	0.00
	ATOM	655	CG	LYS	252	4.137	-0.776	15.826	1.00	0.00
	ATOM	656	CD	LYS	252	5.522	-0.659	16.468	1.00	0.00
10	ATOM	657	CE	LYS	252	5.410	-0.482	17.983	1.00	0.00
	ATOM	658	NZ	LYS	252	6.747	-0.371	18.589	1.00	0.00
	ATOM	659	H	LYS	252	6.036	-1.202	11.802	1.00	0.00
	ATOM	660	N	LYS	253	6.313	-3.031	13.666	1.00	0.00
	ATOM	661	CA	LYS	253	7.107	-4.220	13.936	1.00	0.00
	ATOM	662	C	LYS	253	8.538	-4.066	13.435	1.00	0.00
	ATOM	663	O	LYS	253	8.793	-3.355	12.463	1.00	0.00
15	ATOM	664	CB	LYS	253	6.424	-5.451	13.314	1.00	0.00
	ATOM	665	CG	LYS	253	5.153	-5.821	14.082	1.00	0.00
	ATOM	666	CD	LYS	253	4.555	-7.128	13.556	1.00	0.00
	ATOM	667	CE	LYS	253	4.137	-8.042	14.709	1.00	0.00
	ATOM	668	NZ	LYS	253	3.415	-9.219	14.197	1.00	0.00
	ATOM	669	H	LYS	253	5.491	-3.129	13.107	1.00	0.00
	ATOM	670	N	SER	254	9.467	-4.730	14.120	1.00	0.00
20	ATOM	671	CA	SER	254	10.893	-4.649	13.865	1.00	0.00
	ATOM	672	C	SER	254	11.248	-5.052	12.437	1.00	0.00
	ATOM	673	O	SER	254	10.779	-6.071	11.932	1.00	0.00
	ATOM	674	CB	SER	254	11.663	-5.458	14.925	1.00	0.00
	ATOM	675	OG	SER	254	12.165	-4.629	15.969	1.00	0.00
	ATOM	676	H	SER	254	9.172	-5.289	14.912	1.00	0.00
	ATOM	677	N	LYS	255	12.115	-4.250	11.812	1.00	0.00
	ATOM	678	CA	LYS	255	12.760	-4.621	10.569	1.00	0.00
25	ATOM	679	C	LYS	255	13.918	-5.557	10.892	1.00	0.00
	ATOM	680	O	LYS	255	14.866	-5.167	11.572	1.00	0.00
	ATOM	681	CB	LYS	255	13.250	-3.358	9.836	1.00	0.00
	ATOM	682	CG	LYS	255	13.936	-3.721	8.518	1.00	0.00
	ATOM	683	CD	LYS	255	14.422	-2.466	7.789	1.00	0.00
	ATOM	684	CE	LYS	255	15.109	-2.829	6.471	1.00	0.00
	ATOM	685	NZ	LYS	255	15.572	-1.615	5.780	1.00	0.00
30	ATOM	686	H	LYS	255	12.446	-3.420	12.284	1.00	0.00
	ATOM	687	N	ALA	256	13.817	-6.806	10.431	1.00	0.00
	ATOM	688	CA	ALA	256	14.802	-7.828	10.729	1.00	0.00
	ATOM	689	C	ALA	256	15.023	-8.716	9.514	1.00	0.00
	ATOM	690	O	ALA	256	14.057	-9.139	8.878	1.00	0.00
	ATOM	691	CB	ALA	256	14.345	-8.652	11.929	1.00	0.00
	ATOM	692	H	ALA	256	13.017	-7.064	9.870	1.00	0.00
	ATOM	693	N	LEU	257	16.299	-8.961	9.199	1.00	0.00
35	ATOM	694	CA	LEU	257	16.736	-9.736	8.029	1.00	0.00
	ATOM	695	C	LEU	257	16.594	-8.912	6.759	1.00	0.00
	ATOM	696	O	LEU	257	17.580	-8.601	6.093	1.00	0.00
	ATOM	697	CB	LEU	257	16.061	-11.118	7.947	1.00	0.00
	ATOM	698	CG	LEU	257	16.351	-12.076	9.105	1.00	0.00
	ATOM	699	CD1	LEU	257	15.160	-12.154	10.062	1.00	0.00
40	ATOM	700	CD2	LEU	257	16.761	-13.455	6.585	1.00	0.00
	ATOM	701	H	LEU	257	17.024	-8.606	9.794	1.00	0.00
	ATOM	702	N	SER	258	15.363	-8.505	6.460	1.00	0.00
	ATOM	703	CA	SER	258	15.095	-7.393	5.595	1.00	0.00
	ATOM	704	C	SER	258	15.858	-6.159	6.163	1.00	0.00
	ATOM	705	O	SER	258	15.989	-5.994	7.392	1.00	0.00
	ATOM	706	CB	SER	258	13.554	-7.327	5.494	1.00	0.00
	ATOM	707	OG	SER	258	12.953	-8.569	5.075	1.00	0.00
45	ATOM	708	HG	SER	258	12.045	-8.389	4.799	1.00	0.00
	ATOM	709	H	SER	258	14.501	-8.797	7.031	1.00	0.00
	ATOM	710	H	GLY	259	16.428	-5.338	5.234	1.00	0.00
	ATOM	711	CA	GLY	259	16.803	-3.904	5.425	1.00	0.00
	ATOM	712	C	GLY	259	15.798	-2.862	5.997	1.00	0.00
	ATOM	713	O	GLY	259	14.832	-3.186	6.682	1.00	0.00
	ATOM	714	H	GLY	259	15.961	-5.509	4.308	1.00	0.00
50	ATOM	715	H	PHE	260	16.125	-1.593	5.737	1.00	0.00
	ATOM	716	CA	PHE	260	15.508	-0.436	6.366	1.00	0.00
	ATOM	717	C	PHE	260	16.089	0.638	5.752	1.00	0.00

-47-

ATOM	718	O	PHE	260	17.202	1.238	6.092	1.00	0.00
ATOM	719	CB	PHE	260	15.745	-0.484	7.881	1.00	0.00
ATOM	720	CG	PHE	260	15.177	0.700	8.651	1.00	0.00
ATOM	721	CD1	PHE	260	13.792	0.984	8.606	1.00	0.00
ATOM	722	CD2	PHE	260	16.035	1.529	9.410	1.00	0.00
ATOM	723	CE1	PHE	260	13.270	2.085	9.318	1.00	0.00
ATOM	724	CE2	PHE	260	15.512	2.630	10.121	1.00	0.00
ATOM	725	CZ	PHE	260	14.130	2.908	10.075	1.00	0.00
ATOM	726	H	PHE	260	16.923	-1.427	5.137	1.00	0.00
ATOM	727	N	SER	261	15.320	1.476	4.864	1.00	0.00
ATOM	728	CA	SER	261	15.673	2.780	4.327	1.00	0.00
ATOM	729	C	SER	261	14.470	3.530	3.751	1.00	0.00
ATOM	730	O	SER	261	13.329	3.093	3.896	1.00	0.00
ATOM	731	CB	SER	261	16.871	2.703	3.376	1.00	0.00
ATOM	732	OG	SER	261	16.596	1.901	2.252	1.00	0.00
ATOM	733	HG	SER	261	16.853	0.997	2.454	1.00	0.00
ATOM	734	H	SER	261	14.420	1.088	4.620	1.00	0.00
ATOM	735	N	LEU	262	14.733	4.683	5.125	1.00	0.00
ATOM	736	CA	LEU	262	13.699	5.609	2.692	1.00	0.00
ATOM	737	C	LEU	262	13.023	5.163	1.402	1.00	0.00
ATOM	738	O	LEU	262	13.624	5.222	0.331	1.00	0.00
ATOM	739	CB	LEU	262	14.302	7.014	2.505	1.00	0.00
ATOM	740	CG	LEU	262	14.632	7.779	3.788	1.00	0.00
ATOM	741	CD1	LEU	262	13.483	8.708	4.183	1.00	0.00
ATOM	742	CD2	LEU	262	15.007	6.818	4.918	1.00	0.00
ATOM	743	H	LEU	262	15.693	4.920	3.028	1.00	0.00
ATOM	744	N	GLN	263	11.746	4.782	1.502	1.00	0.00
ATOM	745	CA	GLN	263	10.901	4.646	0.330	1.00	0.00
ATOM	746	C	GLN	263	10.115	5.935	0.106	1.00	0.00
ATOM	747	O	GLN	263	9.526	6.480	1.039	1.00	0.00
ATOM	748	CB	GLN	263	9.996	3.405	0.441	1.00	0.00
ATOM	749	CG	GLN	263	9.007	3.550	1.600	1.00	0.00
ATOM	750	CD	GLN	263	8.396	2.197	1.972	1.00	0.00
ATOM	751	OE1	GLN	263	7.313	2.107	2.526	1.00	0.00
ATOM	752	NE2	GLN	263	9.149	1.153	1.637	1.00	0.00
ATOM	753	H	GLN	263	11.308	4.731	2.410	1.00	0.00
ATOM	754	N	SER	264	10.122	6.431	-1.134	1.00	0.00
ATOM	755	CA	SER	264	9.404	7.642	-1.482	1.00	0.00
ATOM	756	C	SER	264	8.655	7.486	-2.800	1.00	0.00
ATOM	757	O	SER	264	9.186	6.936	-3.764	1.00	0.00
ATOM	758	CS	SER	264	10.364	8.846	-1.515	1.00	0.00
ATOM	759	CG	SER	264	10.310	9.605	-0.310	1.00	0.00
ATOM	760	H	SER	264	10.627	5.946	-1.864	1.00	0.00
ATOM	761	H	CYS	265	7.423	8.013	-2.829	1.00	0.00
ATOM	762	CA	CYS	265	6.602	8.177	-4.025	1.00	0.00
ATOM	763	C	CYS	265	7.151	9.268	-4.953	1.00	0.00
ATOM	764	O	CYS	265	8.333	9.598	-4.877	1.00	0.00
ATOM	765	CB	CYS	265	6.290	6.835	-4.702	1.00	0.00
ATOM	766	SG	CYS	265	6.101	6.850	-6.507	1.00	0.00
ATOM	767	LPG1	CYS	265	6.442	7.417	-6.623	1.00	0.00
ATOM	768	LPG2	CYS	265	5.951	6.184	-6.576	1.00	0.00
ATOM	769	OXT	CYS	265	6.241	9.935	-5.716	1.00	0.00
ATOM	770	H	CYS	265	7.069	8.432	-1.981	1.00	0.00
TER	771		CYS	265					
CONECT	12	11	13	14	766				
CONECT	68	67	69	71					
CONECT	71	68	72						
CONECT	194	193	195	197					
CONECT	197	194	198						
CONECT	240	239	241	242	522				
CONECT	275	274	276	277	328				
CONECT	312	311	313	315					
CONECT	315	312	316						
CONECT	328	275	327	329	330				
CONECT	440	439	441	443					
CONECT	443	440	444						
CONECT	522	240	521	523	524				
CONECT	604	603	605	607					
CONECT	607	604	608						
CONECT	766	12	765	767	765				
MASTER	0	0	0	0	0	0	0	770	1
END									16
									7

-48-

APPENDIX 2

Factor XI Heavy Chain Domain A1

5

	ATOM	1 N	GLU	1	155.502	3.466	-12.472
	ATOM	2 HN	GLU	1	156.178	4.244	-12.172
	ATOM	3 HN	GLU	1	155.722	3.318	-13.473
	ATOM	4 HN	GLU	1	154.618	3.718	-12.305
10	ATOM	5 CA	GLU	1	155.885	2.210	-11.762
	ATOM	6 C	GLU	1	156.562	2.369	-10.453
	ATOM	7 O	GLU	1	157.713	1.882	-10.388
	ATOM	8 CB	GLU	1	154.648	1.284	-11.743
	ATOM	9 CG	GLU	1	154.949	-0.199	-11.441
	ATOM	10 CD	GLU	1	153.782	-1.021	-11.086
	ATOM	11 OE1	GLU	1	153.604	-1.365	-0.898
15	ATOM	12 OE2	GLU	1	152.955	-1.359	-11.974
	ATOM	13 N	CYS	2	156.118	2.949	-9.339
	ATOM	14 HN	CYS	2	156.695	2.937	-8.596
	ATOM	15 CA	CYS	2	154.884	3.578	-9.172
	ATOM	16 C	CYS	2	153.796	2.787	-3.544
	ATOM	17 O	CYS	2	153.946	2.209	-7.446
20	ATOM	18 CS	CYS	2	155.075	4.997	-8.614
	ATOM	19 SG	CYS	2	155.135	5.111	-5.849
	ATOM	20 N	VAL	3	152.578	2.596	-9.016
	ATOM	21 HN	VAL	3	152.002	2.129	-8.439
	ATOM	22 CA	VAL	3	152.016	2.970	-10.231
	ATOM	23 C	VAL	3	152.297	4.239	-10.646
	ATOM	24 O	VAL	3	152.731	4.298	-12.015
	ATOM	25 CB	VAL	3	150.650	2.274	-10.451
25	ATOM	26 CG1	VAL	3	149.381	3.139	-10.463
	ATOM	27 CG2	VAL	3	150.668	1.399	-11.710
	ATOM	28 N	THR	4	152.193	5.638	-10.410
	ATOM	29 HN	THR	4	152.262	6.174	-11.095
	ATOM	30 CA	THR	4	151.598	6.118	-9.146
	ATOM	31 C	THR	4	151.164	5.502	-8.090
	ATOM	32 O	THR	4	149.913	5.459	-8.245
30	ATOM	33 CB	THR	4	151.882	7.651	-8.355
	ATOM	34 OG	THR	4	152.452	6.394	-8.291
	ATOM	35 HOG1	THR	4	151.971	8.213	-7.456
	ATOM	36 CG2	THR	4	150.512	8.250	-9.703
	ATOM	37 N	GLN	5	151.703	5.013	-7.005
	ATOM	38 HN	GLN	5	152.719	5.095	-6.954
	ATOM	39 CA	GLN	5	151.136	4.405	-5.925
35	ATOM	40 C	GLN	5	151.342	4.876	-4.534
	ATOM	41 O	GLN	5	152.411	5.374	-4.098
	ATOM	42 CB	GLN	5	151.002	2.865	-6.084
	ATOM	43 CG	GLN	5	149.616	2.421	-6.502
	ATOM	44 CD	GLN	5	148.423	3.029	-5.991
	ATOM	45 OE1	GLN	5	148.212	3.038	-4.756
	ATOM	46 NE2	GLN	5	147.525	3.602	6.750
40	ATOM	47 HNE1	GLN	5	147.520	3.544	-7.656
	ATOM	48 HNE2	GLN	5	145.827	4.079	-6.342
	ATOM	49 N	LEU	6	150.251	4.705	-6.762
	ATOM	50 HN	LEU	6	149.592	4.193	-4.143
	ATOM	51 CA	LEU	6	149.977	5.145	-2.479
	ATOM	52 C	LEU	6	148.624	5.750	-2.402
	ATOM	53 O	LEU	6	148.561	6.765	-1.665
45	ATOM	54 CB	LEU	6	150.081	3.938	-1.525
	ATOM	55 CG	LEU	6	151.095	4.158	-6.401
	ATOM	56 CD1	LEU	6	150.403	4.024	0.960
	ATOM	57 CD2	LEU	6	152.198	3.105	-6.490
	ATOM	58 N	LEU	7	147.551	5.761	-3.057

50

-49-

	ATOM	59	HN	LEU	7	147.772	4.532	-3.620
	ATOM	60	CA	LEU	7	146.195	5.609	-3.102
	ATOM	61	C	LEU	7	145.476	4.862	-4.182
	ATOM	62	O	LEU	7	145.629	5.277	-5.385
5	ATOM	63	CB	LEU	7	145.787	7.101	-2.951
	ATOM	64	CG	LEU	7	146.325	8.072	-4.016
	ATOM	65	CD1	LEU	7	145.169	8.619	-4.859
	ATOM	66	CD2	LEU	7	147.021	9.261	-3.351
	ATOM	67	N	LYS	8	144.765	3.799	-3.868
	ATOM	68	HN	LYS	8	144.763	3.509	-2.374
10	ATOM	69	CA	LYS	8	143.993	3.023	-4.739
	ATOM	70	C	LYS	8	144.410	1.608	-4.382
	ATOM	71	O	LYS	8	144.485	0.892	-3.374
	ATOM	72	CB	LYS	8	142.513	3.214	-4.344
	ATOM	73	CG	LYS	8	141.465	2.712	-5.371
	ATOM	74	CD	LYS	8	140.991	1.325	-4.946
	ATOM	75	CE	LYS	8	140.023	0.708	-5.960
15	ATOM	76	NZ	LYS	8	140.186	-0.739	-5.876
	ATOM	77	HNZ1	LYS	8	139.435	-1.221	-6.371
	ATOM	78	HNZ2	LYS	8	140.189	-0.678	-4.884
	ATOM	79	HNZ3	LYS	8	141.094	-0.657	-6.265
	ATOM	80	N	ASP	9	144.672	1.200	-6.124
	ATOM	81	HN	ASP	9	144.709	1.881	-5.772
	ATOM	82	CA	ASP	9	144.691	-0.101	-6.603
20	ATOM	83	C	ASP	9	143.845	-1.107	-6.287
	ATOM	84	O	ASP	9	142.831	-1.146	-7.031
	ATOM	85	CB	ASP	9	146.376	-0.532	-5.713
	ATOM	86	CG	ASP	9	147.134	-0.760	-5.485
	ATOM	87	OD1	ASP	9	146.805	-1.655	-4.683
	ATOM	88	OD2	ASP	9	145.133	-0.072	-5.245
	ATOM	89	N	THR	10	143.988	-1.917	-5.243
	ATOM	90	HN	THR	10	144.876	-1.939	-4.542
25	ATOM	91	CA	THR	10	143.038	-2.694	-4.884
	ATOM	92	C	THR	10	142.222	-3.760	-5.189
	ATOM	93	O	THR	10	140.988	-3.693	-4.955
	ATOM	94	CB	THR	10	143.281	-2.906	-3.843
	ATOM	95	OG1	THR	10	143.021	-1.706	-2.223
	ATOM	96	HOG1	THR	10	142.094	-1.453	-2.609
30	ATOM	97	CG2	THR	10	144.589	-3.980	-2.903
	ATOM	98	N	CYS	11	142.534	-4.792	-5.071
	ATOM	99	HN	CYS	11	141.780	-5.203	-6.385
	ATOM	100	CA	CYS	11	143.754	5.387	-6.327
	ATOM	101	C	CYS	11	144.168	6.599	-5.592
	ATOM	102	O	CYS	11	144.496	7.569	-6.301
	ATOM	103	CB	CYS	11	144.945	4.506	-6.711
	ATOM	104	SG	CYS	11	145.271	-4.699	-6.511
35	ATOM	105	HSG	CYS	11	145.380	3.913	-6.569
	ATOM	106	N	PHE	12	144.192	-6.621	-4.202
	ATOM	107	HN	PHE	12	143.821	-5.378	-3.818
	ATOM	108	CA	PHE	12	144.726	-7.637	-3.453
	ATOM	109	C	PHE	12	143.768	-8.156	-2.464
	ATOM	110	O	PHE	12	143.307	-7.402	-1.501
40	ATOM	111	CB	PHE	12	145.072	-7.195	-2.045
	ATOM	112	CG	PHE	12	147.138	6.762	-3.702
	ATOM	113	CD1	PHE	12	147.545	-5.403	-3.708
	ATOM	114	CD2	PHE	12	147.754	7.575	-4.619
	ATOM	115	CE1	PHE	12	148.577	-4.953	-4.386
	ATOM	116	CE2	PHE	12	148.792	-7.229	-5.514
	ATOM	117	CZ	PHE	12	149.197	-5.372	-5.469
45	ATOM	118	N	GLU	12	143.315	9.401	-2.352

-50-

	ATOM	119 HN	GLU	13	142.620	-9.571	-1.772
	ATOM	120 CA	GLU	13	143.776	-10.489	-3.121
	ATOM	121 C	GLU	13	142.982	-10.880	-4.288
	ATOM	122 O	GLU	13	141.863	-11.490	-4.144
5	ATOM	123 CB	GLU	13	144.145	-11.635	-2.161
	ATOM	124 CG	GLU	13	145.433	-12.354	-2.592
	ATOM	125 CD	GLU	13	146.631	-11.528	-2.433
	ATOM	126 OE1	GLU	13	147.331	-11.595	-1.401
	ATOM	127 OE2	GLU	13	146.980	-10.728	-3.324
	ATOM	128 N	GLY	14	143.486	-10.540	-5.461
	ATOM	129 HN	GLY	14	144.265	-10.016	-5.433
10	ATOM	130 CA	GLY	14	143.018	-10.858	-6.738
	ATOM	131 C	GLY	14	141.920	-10.013	-7.226
	ATOM	132 O	GLY	14	140.812	-10.594	-7.395
	ATOM	133 N	GLY	15	142.145	-8.716	-7.456
	ATOM	134 HN	GLY	15	142.963	-8.373	-7.148
	ATOM	135 CA	GLY	15	141.294	-7.807	-8.093
	ATOM	136 C	GLY	15	140.238	-7.233	-7.247
	ATOM	137 O	GLY	15	140.177	-5.981	-7.166
15	ATOM	138 N	ASP	16	139.418	-8.069	-6.628
	ATOM	139 HN	ASP	16	139.671	-8.957	-6.720
	ATOM	140 CA	ASP	16	138.206	-7.734	-5.897
	ATOM	141 C	ASP	16	138.375	-7.886	-4.426
	ATOM	142 O	ASP	16	138.640	-8.981	-3.859
	ATOM	143 CB	ASP	16	137.033	-8.451	-6.540
20	ATOM	144 CG	ASP	16	136.512	-7.501	-7.612
	ATOM	145 OD1	ASP	16	135.536	-6.754	-7.389
	ATOM	146 OD2	ASP	16	137.031	-7.514	-8.752
	ATOM	147 N	ILE	17	138.180	-5.896	-3.563
	ATOM	148 HN	ILE	17	138.170	-7.190	-2.677
	ATOM	149 CA	ILE	17	137.890	-5.526	-3.826
	ATOM	150 C	ILE	17	138.187	-4.673	-2.636
	ATOM	151 O	ILE	17	137.389	-4.773	-1.066
25	ATOM	152 CB	ILE	17	136.758	-5.173	-4.715
	ATOM	153 CG1	ILE	17	136.766	-3.743	-5.280
	ATOM	154 CG2	ILE	17	135.364	-5.486	-4.140
	ATOM	155 CD1	ILE	17	137.529	-3.639	-6.606
	ATOM	156 N	THR	18	139.202	-3.014	-2.630
	ATOM	157 HN	THR	18	139.785	-3.808	-3.368
30	ATOM	158 CA	THR	18	139.468	-2.898	-1.596
	ATOM	159 C	THR	18	139.489	-1.461	-2.018
	ATOM	160 O	THR	18	140.263	-1.089	-2.921
	ATOM	161 CB	THR	18	140.520	-3.227	-0.515
	ATOM	162 OG1	THR	18	141.493	-4.220	-0.807
	ATOM	163 HOG1	THR	18	142.251	-4.068	-0.205
	ATOM	164 CG2	THR	18	139.844	-3.581	0.811
	ATOM	165 N	THR	19	138.734	-0.517	-1.517
35	ATOM	166 HN	THR	19	138.733	0.297	-1.987
	ATOM	167 CA	THR	19	137.943	-0.551	-0.364
	ATOM	168 C	THR	19	136.796	-1.486	-0.274
	ATOM	169 O	THR	19	136.739	-2.160	0.783
	ATOM	170 CB	THR	19	137.722	0.911	0.100
	ATOM	171 OG1	THR	19	137.773	1.050	1.510
40	ATOM	172 HOG1	THR	19	138.467	0.460	1.898
	ATOM	173 CG2	THR	19	136.504	1.684	-0.436
	ATOM	174 N	VAL	20	135.808	-1.577	-1.263
	ATOM	175 HN	VAL	20	136.213	-1.292	-2.166
	ATOM	176 CA	VAL	20	134.578	-2.011	-1.280
	ATOM	177 C	VAL	20	134.128	-3.255	-0.547
	ATOM	178 O	VAL	20	133.012	-3.129	0.026

45

50

-51-

	ATOM	179	CB	VAL	20	133.843	-1.507	-2.408
	ATOM	180	CG1	VAL	20	133.315	-2.553	-3.402
	ATOM	181	CG2	VAL	20	132.723	-0.523	-2.126
	ATOM	182	N	PHE	21	134.805	-4.408	-0.526
5	ATOM	183	HN	PHE	21	135.640	-4.462	-0.955
	ATOM	184	CA	PHE	21	134.384	-5.587	0.103
	ATOM	185	C	PHE	21	134.597	-5.542	1.564
	ATOM	186	O	PHE	21	135.725	-5.770	2.091
	ATOM	187	CB	PHE	21	134.873	-6.843	-0.645
	ATOM	188	CG	PHE	21	134.191	-8.072	-0.223
	ATOM	189	CD1	PHE	21	134.845	-8.955	0.677
10	ATOM	190	CD2	PHE	21	132.892	-8.372	-0.711
	ATOM	191	CE1	PHE	21	134.194	-10.138	1.101
	ATOM	192	CE2	PHE	21	132.237	-9.554	-0.289
	ATOM	193	CZ	PHE	21	132.893	-10.425	0.618
	ATOM	194	N	THR	22	133.509	-5.233	2.266
	ATOM	195	HN	THR	22	132.701	-5.247	1.787
	ATOM	196	CA	THR	22	133.421	-4.877	3.625
15	ATOM	197	C	THR	22	134.192	-3.629	3.890
	ATOM	198	O	THR	22	135.295	-3.771	4.487
	ATOM	199	CB	THR	22	133.503	-6.007	4.687
	ATOM	200	OG1	THR	22	134.546	-5.947	4.452
	ATOM	201	HOG1	THR	22	135.012	-6.623	3.653
	ATOM	202	CG2	THR	22	132.165	-6.722	4.907
20	ATOM	203	N	PRO	23	133.765	2.398	3.514
	ATOM	204	CA	PRO	23	134.593	-1.332	3.113
	ATOM	205	C	PRO	23	135.732	-0.944	3.972
	ATOM	206	O	PRO	23	135.585	-0.247	5.015
	ATOM	207	CB	PRO	23	133.700	-0.181	2.627
	ATOM	208	CG	PRO	23	132.313	-0.811	2.548
	ATOM	209	CD	PRO	23	132.421	2.037	3.455
	ATOM	210	N	SER	24	136.902	-1.401	3.551
	ATOM	211	HN	SER	24	135.813	-1.705	2.662
25	ATOM	212	CA	SER	24	135.078	1.473	4.295
	ATOM	213	C	SER	24	139.055	0.462	3.856
	ATOM	214	O	SER	24	139.760	-0.548	2.819
	ATOM	215	CB	SER	24	135.546	2.341	4.338
	ATOM	216	OG	SER	24	139.344	-3.226	5.480
	ATOM	217	HOG	SER	24	140.275	2.389	5.387
	ATOM	218	N	ALA	25	139.136	0.634	4.605
30	ATOM	219	HN	ALA	25	135.565	0.671	5.353
	ATOM	220	CA	ALA	25	139.900	1.735	4.397
	ATOM	221	C	ALA	25	141.412	1.429	4.639
	ATOM	222	O	ALA	25	141.761	0.836	5.690
	ATOM	223	CB	ALA	25	139.451	2.961	5.156
	ATOM	224	N	LYS	26	142.447	1.588	3.846
	ATOM	225	HN	LYS	26	143.189	1.160	4.085
35	ATOM	226	CA	LYS	26	142.617	2.564	2.755
	ATOM	227	C	LYS	26	143.994	2.592	2.175
	ATOM	228	O	LYS	26	144.755	1.563	2.226
	ATOM	229	CB	LYS	26	141.479	2.526	1.690
	ATOM	230	CG	LYS	26	141.699	1.804	0.343
	ATOM	231	CD	LYS	26	141.577	0.275	0.407
	ATOM	232	CE	LYS	26	142.849	0.423	0.901
	ATOM	233	NZ	LYS	26	142.572	1.187	2.116
40	ATOM	234	HNZ1	LYS	26	143.161	0.689	2.094
	ATOM	235	HNZ2	LYS	26	142.811	2.144	1.060
	ATOM	236	HNZ3	LYS	26	141.509	-1.079	2.364
	ATOM	237	N	TYR	27	144.303	3.723	1.582
	ATOM	238	HN	TYR	27	143.807	4.469	1.806

45

50

-52-

	ATOM	239	CA	TYR	27	145.424	3.914	0.651
	ATOM	240	C	TYR	27	145.539	2.643	-0.377
	ATOM	241	O	TYR	27	144.584	2.778	-1.194
	ATOM	242	CB	TYR	27	146.716	4.466	1.294
	ATOM	243	CG	TYR	27	146.658	5.870	1.720
5	ATOM	244	CD1	TYR	27	146.711	6.147	3.109
	ATOM	245	CD2	TYR	27	146.656	6.912	0.763
	ATOM	246	CE1	TYR	27	146.676	7.487	3.551
	ATOM	247	CE2	TYR	27	146.521	8.254	1.201
	ATOM	248	CZ	TYR	27	146.586	8.523	2.589
	ATOM	249	OH	TYR	27	146.583	9.805	3.007
	ATOM	250	HOH	TYR	27	146.502	10.533	2.353
10	ATOM	251	N	CYS	28	146.569	1.997	-0.436
	ATOM	252	HN	CYS	28	147.335	2.232	0.057
	ATOM	253	CA	CYS	28	146.621	0.785	-1.141
	ATOM	254	C	CYS	28	146.545	-0.467	-0.328
	ATOM	255	O	CYS	28	146.570	-1.589	-0.893
	ATOM	256	CB	CYS	28	147.780	0.812	-2.157
	ATOM	257	SG	CYS	28	149.356	0.252	-1.633
15	ATOM	258	N	GLN	29	146.445	-0.446	0.994
	ATOM	259	HN	GLN	29	145.935	0.253	1.364
	ATOM	260	CA	GLN	29	147.012	-1.321	1.930
	ATOM	261	C	GLN	29	147.597	-0.543	3.057
	ATOM	262	O	GLN	29	148.735	-0.869	3.471
	ATOM	263	CB	GLN	29	146.026	-2.422	2.361
20	ATOM	264	CG	GLN	29	145.995	-3.704	1.514
	ATOM	265	CD	GLN	29	144.673	-4.326	1.285
	ATOM	266	OE1	GLN	29	143.661	-3.659	0.968
	ATOM	267	NE2	GLN	29	144.454	-5.612	1.386
	ATOM	268	HNE1	GLN	29	145.114	-6.231	1.638
	ATOM	269	HNE2	GLN	29	143.588	-5.927	1.200
	ATOM	270	N	VAL	30	146.850	0.481	3.623
	ATOM	271	HN	VAL	30	146.194	0.778	3.152
25	ATOM	272	CA	VAL	30	147.169	1.211	4.788
	ATOM	273	C	VAL	30	147.560	0.493	6.019
	ATOM	274	O	VAL	30	148.774	0.398	6.335
	ATOM	275	CB	VAL	30	147.331	2.731	4.581
	ATOM	276	CG1	VAL	30	145.544	3.551	5.610
	ATOM	277	CG2	VAL	30	148.761	3.258	4.437
30	ATOM	278	N	VAL	31	146.690	-0.076	6.635
	ATOM	279	HN	VAL	31	147.035	-0.549	7.570
	ATOM	280	CA	VAL	31	145.295	-0.039	6.703
	ATOM	281	C	VAL	31	144.733	-0.991	5.709
	ATOM	282	O	VAL	31	144.249	-0.507	4.641
	ATOM	283	CB	VAL	31	144.056	0.155	8.098
	ATOM	284	CG1	VAL	31	143.910	-0.962	8.797
	ATOM	285	CG2	VAL	31	143.806	1.457	8.135
35	ATOM	286	N	CYS	32	144.767	-2.300	5.964
	ATOM	287	HN	CYS	32	145.169	-2.558	6.773
	ATOM	288	CA	CYS	32	144.278	-3.338	5.170
	ATOM	289	C	CYS	32	142.800	-3.479	5.329
	ATOM	290	O	CYS	32	142.004	-2.558	4.878
	ATOM	291	CB	CYS	32	145.170	-4.601	5.274
	ATOM	292	SG	CYS	32	146.944	-4.468	5.153
40	ATOM	293	N	THR	33	142.019	-4.408	5.866
	ATOM	294	HN	THR	33	141.117	-4.151	5.856
	ATOM	295	CA	THR	33	142.344	5.653	6.401
	ATOM	296	C	THR	33	141.269	-6.670	6.263
	ATOM	297	O	THR	33	140.400	-6.800	7.157
	ATOM	298	CB	THR	33	143.242	-5.664	7.652

45

-53-

	ATOM	299 OG1 THR	33	144.004	-6.865	7.680
	ATOM	300 HOG1 THR	33	144.062	-7.186	6.757
	ATOM	301 CG2 THR	33	142.611	-5.360	9.031
5	ATOM	302 N TYR	34	141.107	-7.604	5.239
	ATOM	303 HN TYR	34	140.427	-8.144	5.346
	ATOM	304 CA TYR	34	141.788	-7.562	4.021
	ATOM	305 C TYR	34	143.201	-8.032	3.980
	ATOM	306 O TYR	34	144.022	-7.724	4.890
	ATOM	307 CB TYR	34	141.419	-6.419	3.055
	ATOM	308 CG TYR	34	140.533	-6.887	1.981
10	ATOM	309 CD1 TYR	34	141.091	-7.241	0.727
	ATOM	310 CD2 TYR	34	139.136	-6.978	2.209
	ATOM	311 CE1 TYR	34	140.249	-7.700	-0.315
	ATOM	312 CE2 TYR	34	138.283	-7.443	1.175
	ATOM	313 CZ TYR	34	138.858	-7.802	-0.072
	ATOM	314 OH TYR	34	138.023	-8.248	-1.035
	ATOM	315 HOH TYR	34	138.315	-8.497	-1.936
15	ATOM	316 N HIS	35	143.532	-8.793	2.935
	ATOM	317 HN HIS	35	142.866	-8.880	2.276
	ATOM	318 CA HIS	35	144.721	-9.486	2.677
	ATOM	319 C HIS	35	146.027	-8.793	2.862
	ATOM	320 O HIS	35	146.259	-7.775	2.137
	ATOM	321 CB HIS	35	144.592	-10.326	1.393
	ATOM	322 CG HIS	35	144.947	-11.737	1.596
20	ATOM	323 ND1 HIS	35	145.837	-12.411	0.919
	ATOM	324 HND1 HIS	35	146.347	-12.086	0.200
	ATOM	325 CD2 HIS	35	144.415	-12.618	2.533
	ATOM	326 CE1 HIS	35	145.915	-13.633	1.308
	ATOM	327 NE2 HIS	35	145.046	-13.756	2.366
	ATOM	328 N PRO	36	146.932	-9.215	3.771
	ATOM	329 CA PRO	36	147.939	-8.415	4.323
25	ATOM	330 C PRO	36	149.034	-7.931	3.464
	ATOM	331 O PRO	36	149.762	-8.716	2.794
	ATOM	332 CB PRO	36	148.434	-9.108	5.602
	ATOM	333 CG PRO	36	147.547	-10.345	5.725
	ATOM	334 CD PRO	36	146.989	-10.501	4.311
	ATOM	335 N PRO	37	149.166	-6.613	3.479
	ATOM	336 HN ARG	37	148.440	-6.137	3.837
30	ATOM	337 CA ARG	37	150.237	-5.809	3.064
	ATOM	338 C PRO	37	149.997	-4.450	3.505
	ATOM	339 O ARG	37	149.432	-3.571	2.880
	ATOM	340 CB ARG	37	150.786	-5.946	1.621
	ATOM	341 CG ARG	37	149.966	-5.351	0.459
	ATOM	342 CD ARG	37	148.700	-6.152	0.112
	ATOM	343 NE ARG	37	149.045	-7.173	-0.769
35	ATOM	344 HNE ARG	37	149.725	-6.966	-1.305
	ATOM	345 CZ ARG	37	148.543	-8.395	-0.870
	ATOM	346 NH1 ARG	37	147.608	-8.995	-0.103
	ATOM	347 HN11 ARG	37	147.398	-9.808	-0.440
	ATOM	348 HN12 ARG	37	147.177	-8.584	0.565
	ATOM	349 NH2 ARG	37	149.035	-9.147	-1.813
40	ATOM	350 HN21 ARG	37	149.778	-8.884	-2.326
	ATOM	351 HN22 ARG	37	148.699	-9.963	-1.953
	ATOM	352 N CYS	38	150.393	-4.224	4.835
	ATOM	353 HN CYS	38	150.923	-4.833	4.247
	ATOM	354 CA CYS	38	150.079	-3.037	4.590
	ATOM	355 C CYS	38	151.246	-2.207	4.686
	ATOM	356 O CYS	38	152.176	-2.400	4.527
	ATOM	357 CB CYS	38	149.393	-3.552	4.891
45	ATOM	358 SG CYS	38	147.617	-3.578	4.826

-54-

	ATOM	359	N	LEU	39	151.255	-1.204	-1.818
	ATOM	360	HN	LEU	39	150.464	-1.083	-4.325
	ATOM	361	CA	LEU	39	152.319	-0.330	-4.580
	ATOM	362	C	LEU	39	151.956	1.092	4.691
	ATOM	363	O	LEU	39	151.501	1.759	3.681
5	ATOM	364	CB	LEU	39	153.273	-0.752	3.436
	ATOM	365	CG	LEU	39	152.680	-0.861	2.024
	ATOM	366	CD1	LEU	39	153.605	-0.150	1.034
	ATOM	367	CD2	LEU	39	152.597	-2.339	1.629
	ATOM	368	N	LEU	40	162.046	1.600	5.919
	ATOM	369	HN	LEU	40	152.331	1.012	6.595
	ATOM	370	CA	LEU	40	151.767	2.911	6.306
10	ATOM	371	C	LEU	40	152.931	3.806	6.131
	ATOM	372	O	LEU	40	153.774	4.020	7.054
	ATOM	373	CB	LEU	40	151.086	2.911	7.691
	ATOM	374	CG	LEU	40	149.858	3.830	7.756
	ATOM	375	CD1	LEU	40	148.826	3.227	8.712
	ATOM	376	CD2	LEU	40	150.225	5.232	8.254
	ATOM	377	N	PHE	41	153.022	4.354	4.924
	ATOM	378	HN	PHE	41	152.346	4.122	4.314
15	ATOM	379	CA	PHE	41	154.016	5.221	4.479
	ATOM	380	C	PHE	41	153.574	5.467	3.791
	ATOM	381	O	PHE	41	154.021	7.504	4.314
	ATOM	382	CB	PHE	41	155.177	4.479	3.782
	ATOM	383	CG	PHE	41	156.455	5.131	4.084
	ATOM	384	CD1	PHE	41	157.107	4.876	5.321
20	ATOM	385	CD2	PHE	41	157.028	6.018	3.134
	ATOM	386	CE1	PHE	41	158.308	5.562	5.633
	ATOM	387	CE2	PHE	41	158.235	6.692	3.441
	ATOM	388	CZ	PHE	41	158.859	6.469	4.693
	ATOM	389	N	THR	42	152.765	6.443	2.712
	ATOM	390	HN	THR	42	152.440	5.615	2.430
	ATOM	391	CA	THR	42	152.439	7.574	1.961
	ATOM	392	C	THR	42	152.564	7.395	0.409
25	ATOM	393	O	THR	42	151.550	7.260	-0.257
	ATOM	394	CB	THR	42	151.232	8.331	2.575
	ATOM	395	OG1	THR	42	150.000	7.925	1.999
	ATOM	396	HOG1	THR	42	150.310	7.654	1.112
	ATOM	397	CG2	THR	42	151.397	9.847	2.407
	ATOM	398	N	PHE	43	153.798	7.333	-0.012
	ATOM	399	HN	PHE	43	154.504	7.468	0.601
30	ATOM	400	CA	PHE	43	154.140	7.250	-1.304
	ATOM	401	C	PHE	43	153.727	8.395	-2.212
	ATOM	402	O	PHE	43	153.945	9.592	-1.854
	ATOM	403	CB	PHE	43	155.634	6.913	-1.546
	ATOM	404	CG	PHE	43	156.030	5.524	-1.278
	ATOM	405	CD1	PHE	43	157.152	5.310	-0.437
	ATOM	406	CD2	PHE	43	155.334	4.415	-1.837
	ATOM	407	CE1	PHE	43	157.592	3.893	-0.161
35	ATOM	408	CE2	PHE	43	155.759	3.095	-1.548
	ATOM	409	CZ	PHE	43	156.691	2.895	-0.719
	ATOM	410	N	THR	44	153.128	8.067	-3.357
	ATOM	411	HN	THR	44	152.802	7.195	-3.517
	ATOM	412	CA	THR	44	152.644	8.992	-4.382
	ATOM	413	C	THR	44	153.966	9.035	-5.344
	ATOM	414	O	THR	44	154.299	8.004	-5.984
40	ATOM	415	CB	THR	44	151.384	8.915	-4.882
	ATOM	416	OG1	THR	44	151.103	7.905	5.840

-55-

	ATOM	419	N	ALA	45	154.567	10.204	-5.467
	ATOM	420	HN	ALA	46	154.184	10.931	-6.027
	ATOM	421	CA	ALA	45	155.771	10.470	-6.165
	ATOM	422	C	ALA	45	155.820	10.094	-7.593
5	ATOM	423	O	ALA	45	154.937	10.524	-6.393
	ATOM	424	CB	ALA	45	156.248	11.899	-5.863
	ATOM	425	N	GLU	46	156.834	5.291	-7.831
	ATOM	426	HN	GLU	46	157.453	9.146	-7.239
	ATOM	427	CA	GLU	46	157.146	8.613	-6.127
	ATOM	428	C	GLU	46	158.577	8.235	-9.131
	ATOM	429	O	GLU	46	156.456	9.051	-6.549
10	ATOM	430	CB	GLU	46	156.623	8.178	-10.476
	ATOM	431	CG	GLU	46	156.885	8.337	-11.742
	ATOM	432	CD	GLU	46	156.368	8.969	-11.737
	ATOM	433	OE1	GLU	46	155.140	6.733	-11.681
	ATOM	434	OE2	GLU	46	157.154	5.998	-11.798
15	ATOM	435	N	SER	47	158.890	7.021	-6.677
	ATOM	436	HN	SER	47	158.209	6.512	-8.176
	ATOM	437	CA	SER	47	160.165	6.449	-8.737
	ATOM	438	C	SER	47	160.330	5.249	-9.599
	ATOM	439	O	SER	47	159.936	4.136	-9.132
	ATOM	440	CB	SER	47	160.898	6.392	-7.384
	ATOM	441	OG	SER	47	161.224	7.685	-6.885
	ATOM	442	HOG	SER	47	160.413	8.085	-6.609
20	ATOM	443	N	PRO	48	160.886	5.331	-10.330
	ATOM	444	CA	PRO	48	161.565	4.202	-11.464
	ATOM	445	C	PRO	48	160.799	3.147	-12.022
	ATOM	446	O	PRO	48	160.005	3.296	-12.390
	ATOM	447	CB	PRO	48	162.535	4.926	-12.455
	ATOM	448	CG	PRO	48	162.016	6.352	-12.640
	ATOM	449	CD	PRO	48	160.873	6.479	-11.829
25	ATOM	450	N	SER	49	161.043	1.992	-11.417
	ATOM	451	HN	SER	49	161.528	2.057	-10.516
	ATOM	452	CA	SER	49	160.736	0.657	-11.716
	ATOM	453	C	SER	49	151.964	-0.158	-11.593
	ATOM	454	O	SER	49	162.263	-0.471	-10.411
	ATOM	455	CB	SER	49	159.740	0.277	-12.835
	ATOM	456	OG	SER	49	158.504	-0.129	-12.269
	ATOM	457	HOG	SER	49	159.215	0.555	-11.625
30	ATOM	458	N	GLU	50	162.706	-0.530	-12.639
	ATOM	459	HN	GLU	50	162.420	-0.248	-13.429
	ATOM	460	CA	GLU	50	163.871	-1.306	-12.593
	ATOM	461	C	GLU	50	165.162	-0.551	-12.744
	ATOM	462	O	GLU	50	155.327	0.267	-13.656
	ATOM	463	CB	GLU	50	163.732	-1.548	-13.490
	ATOM	464	CG	GLU	50	164.418	-3.740	-12.805
35	ATOM	465	CD	GLU	50	163.753	-5.038	-12.931
	ATOM	466	OE1	GLU	50	162.591	-5.256	-12.535
	ATOM	467	OE2	GLU	50	164.366	-5.996	-13.434
	ATOM	468	N	ASP	51	166.226	-0.752	-11.962
	ATOM	469	HN	ASP	51	166.986	-0.234	-12.151
	ATOM	470	CA	ASP	51	166.310	-1.635	-10.885
	ATOM	471	C	ASP	51	165.928	-1.071	-9.571
40	ATOM	472	O	ASP	51	164.815	-1.545	-9.238
	ATOM	473	CB	ASP	51	167.607	-2.474	-10.847
	ATOM	474	CG	ASP	51	167.487	-3.736	-10.239
	ATOM	475	OD1	ASP	51	166.830	-4.016	-9.163
	ATOM	476	OD2	ASP	51	168.062	-4.734	-10.705
	ATOM	477	N	PRO	52	166.614	-0.156	-8.794
	ATOM	478	CA	PRO	52	166.508	-0.083	-7.392

45

50

-56-

	ATOM	479	C	PRO	52	165.352	0.618	-6.752
	ATOM	480	O	PRO	52	165.448	1.512	-5.665
	ATOM	481	CB	PRO	52	167.919	0.332	-6.945
	ATOM	482	CG	PRO	52	168.592	0.900	-8.193
5	ATOM	483	CD	PRO	52	167.553	0.702	-9.296
	ATOM	484	N	THR	53	164.176	0.216	-7.187
	ATOM	485	HN	THR	53	164.269	-0.303	-7.905
	ATOM	486	CA	THR	53	162.873	0.505	-6.777
	ATOM	487	C	THR	53	162.120	-0.765	-6.685
	ATOM	488	O	THR	53	161.903	-1.183	-5.513
	ATOM	489	CB	THR	53	162.141	1.680	-7.481
10	ATOM	490	OG1	THR	53	162.479	1.944	-6.845
	ATOM	491	HOG1	THR	53	162.400	1.124	-9.375
	ATOM	492	CG2	THR	53	162.307	2.981	-6.685
	ATOM	493	N	ARG	54	161.717	-1.415	-7.780
	ATOM	494	HN	ARG	54	161.819	-1.024	-8.610
	ATOM	495	CA	ARG	54	161.021	-2.628	-7.809
	ATOM	496	C	ARG	54	159.542	-2.502	-7.912
15	ATOM	497	O	ARG	54	158.964	-1.455	-8.306
	ATOM	498	CB	ARG	54	161.509	-3.413	-9.132
	ATOM	499	CG	ARG	54	162.917	-4.016	-9.027
	ATOM	500	CD	ARG	54	162.942	-5.547	-9.016
	ATOM	501	NE	ARG	54	163.846	-5.970	-9.966
	ATOM	502	HNE	ARG	54	163.561	-5.793	-10.863
20	ATOM	503	CZ	ARG	54	165.028	-6.572	-9.858
	ATOM	504	NH1	ARG	54	165.641	-7.004	-8.771
	ATOM	505	HN11	ARG	54	166.526	-7.314	-8.833
	ATOM	506	HN12	ARG	54	165.202	-7.011	-7.940
	ATOM	507	NH2	ARG	54	165.680	-6.780	-10.971
	ATOM	508	HN21	ARG	54	166.528	-7.187	-10.955
	ATOM	509	HN22	ARG	54	165.281	-6.519	-11.761
25	ATOM	510	N	TRP	55	158.851	-3.555	-7.494
	ATOM	511	HN	TRP	55	159.382	-4.310	-7.317
	ATOM	512	CA	TRP	55	157.478	-3.743	-7.201
	ATOM	513	C	TRP	55	156.466	-3.115	-9.155
	ATOM	514	O	TRP	55	156.280	-3.712	-9.241
	ATOM	515	CB	TRP	55	157.074	-4.016	-5.768
	ATOM	516	CG	TRP	55	158.068	-3.723	-4.740
30	ATOM	517	CD1	TRP	55	159.068	-4.606	-4.315
	ATOM	518	CD2	TRP	55	158.231	-2.565	-3.989
	ATOM	519	NE1	TRP	55	159.831	-3.906	-3.450
	ATOM	520	HNE1	TRP	55	160.582	-4.376	-3.041
	ATOM	521	CE2	TRP	55	159.395	-2.768	-3.239
	ATOM	522	CE3	TRP	55	157.484	-1.368	-3.806
	ATOM	523	CZ2	TRP	55	159.922	-1.763	-2.413
35	ATOM	524	CZ3	TRP	55	157.981	-0.361	-3.022
	ATOM	525	CH2	TRP	55	159.196	-0.540	-2.312
	ATOM	526	N	PHE	56	155.735	-2.016	-7.972
	ATOM	527	HN	PHE	56	155.092	-1.810	-8.625
	ATOM	528	CA	PHE	56	155.830	-1.129	-6.890
	ATOM	529	C	PHE	56	154.634	-1.166	-6.016
	ATOM	530	O	PHE	56	154.605	-2.128	-5.210
40	ATOM	531	CB	PHE	56	156.355	0.216	-7.402
	ATOM	532	CG	PHE	56	157.068	1.044	-6.423
	ATOM	533	CD1	PHE	56	156.350	1.765	-5.447
	ATOM	534	CD2	PHE	56	158.485	1.104	-6.435
	ATOM	535	CE1	PHE	56	157.049	2.595	-4.522
	ATOM	536	CE2	PHE	56	159.186	1.910	-5.539
	ATOM	537	CZ	PHE	56	158.463	2.658	-4.578
45	ATOM	538	N	THR	57	153.645	-0.269	-6.023

-57-

	ATOM	539	HN	THR	57	153.776	0.499	-6.558
	ATOM	540	CA	THR	57	152.406	-0.308	-5.359
	ATOM	541	C	THR	57	152.501	0.032	-2.912
	ATOM	542	O	THR	57	152.636	1.241	-3.603
5	ATOM	543	CB	THR	57	151.360	-1.364	-5.823
	ATOM	544	OG1	THR	57	151.850	-2.704	-5.814
	ATOM	545	HOG1	THR	57	152.803	-2.518	-5.611
	ATOM	546	CG2	THR	57	150.763	-1.072	-7.208
	ATOM	547	N	CYS	58	152.460	-0.756	-2.844
	ATOM	548	HN	CYS	58	152.713	-0.355	-2.030
10	ATOM	549	CA	CYS	58	152.106	-2.105	-2.762
	ATOM	550	C	CYS	58	153.191	-3.080	-2.532
	ATOM	551	O	CYS	58	153.990	-2.880	-1.581
	ATOM	552	CB	CYS	58	150.955	-2.295	-1.773
	ATOM	553	SG	CYS	58	149.409	-1.635	-2.332
	ATOM	554	N	VAL	59	153.272	-4.153	-3.325
	ATOM	555	HN	VAL	59	152.772	-4.055	-4.117
15	ATOM	556	CA	VAL	59	154.021	-5.333	-3.074
	ATOM	557	C	VAL	59	154.544	-6.131	-4.219
	ATOM	558	O	VAL	59	153.894	-6.255	-5.290
	ATOM	559	CB	VAL	59	153.408	-6.343	-2.064
	ATOM	560	CG1	VAL	59	153.619	-6.012	-0.562
	ATOM	561	CG2	VAL	59	151.999	-6.891	-2.343
	ATOM	562	N	LEU	60	155.728	-6.725	-4.031
	ATOM	563	HN	LEU	60	156.246	-6.374	-3.329
20	ATOM	564	CA	LEU	60	156.301	-7.611	-4.717
	ATOM	565	C	LEU	60	157.046	-7.597	-5.972
	ATOM	566	O	LEU	60	156.476	-7.150	-5.998
	ATOM	567	CB	LEU	60	155.451	-9.098	-4.715
	ATOM	568	CG	LEU	60	155.883	-10.058	-3.600
	ATOM	569	CD1	LEU	60	154.768	-10.176	-2.556
	ATOM	570	CD2	LEU	60	156.161	-11.436	-4.204
25	ATOM	571	N	LYS	61	158.336	-7.919	-5.940
	ATOM	572	HN	LYS	61	158.657	-8.259	-5.125
	ATOM	573	CA	LYS	61	159.271	-7.807	-5.976
	ATOM	574	C	LYS	61	160.421	-5.935	-5.518
	ATOM	575	O	LYS	61	160.480	-5.632	-5.961
	ATOM	576	CB	LYS	61	159.536	-3.261	-7.594
	ATOM	577	CG	LYS	61	160.803	-9.360	-8.452
30	ATOM	578	CD	LYS	61	161.761	-10.283	-7.625
	ATOM	579	CE	LYS	61	163.214	-10.141	-8.145
	ATOM	580	NZ	LYS	61	164.075	-10.101	-6.963
	ATOM	581	HNZ1	LYS	61	164.148	-9.131	-6.656
	ATOM	582	HNZ2	LYS	61	165.002	-10.453	-7.202
	ATOM	583	HNZ3	LYS	61	163.670	-10.671	-6.221
	ATOM	584	N	ASP	62	161.329	-7.463	-5.660
35	ATOM	585	HN	ASP	62	161.324	-3.388	-5.491
	ATOM	586	CA	ASP	62	162.276	-6.701	-4.982
	ATOM	587	C	ASP	62	163.557	-5.402	-5.655
	ATOM	588	O	ASP	62	164.261	-7.305	-6.188
	ATOM	589	CB	ASP	62	162.385	-7.242	-3.549
	ATOM	590	CG	ASP	62	162.823	-6.166	-2.665
	ATOM	591	OD1	ASP	62	162.041	-5.317	-2.202
40	ATOM	592	OD2	ASP	62	164.021	-6.083	-2.356
	ATOM	593	N	SER	63	163.901	-5.122	-5.650
	ATOM	594	HN	SER	63	163.280	-4.535	-5.246
	ATOM	595	CA	SER	63	165.063	-4.524	-6.162
	ATOM	596	C	SER	63	166.363	-4.976	-5.661
	ATOM	597	O	SER	63	166.510	-5.430	-4.492
	ATOM	598	CB	SER	63	164.929	-2.965	-6.200

45

50

-58-

	ATOM	599 OG SER	6.3	164.546	-2.318	-4.909
	ATOM	600 HOG SER	6.3	163.659	-1.927	-5.141
	ATOM	601 N VAL	6.4	167.415	-4.875	-6.502
	ATOM	602 HN VAL	6.4	167.207	-4.606	-7.376
5	ATOM	603 CA VAL	6.4	168.779	-5.105	-6.251
	ATOM	604 C VAL	6.4	169.333	-4.466	-5.032
	ATOM	605 O VAL	6.4	169.988	-5.217	-4.262
	ATOM	606 CB VAL	6.4	169.609	-5.042	-7.559
	ATOM	607 CG1 VAL	6.4	170.281	-3.711	-7.938
	ATOM	608 CG2 VAL	6.4	170.642	-6.172	-7.628
	ATOM	609 N THR	6.5	169.116	-3.169	-4.789
10	ATOM	610 HN THR	6.5	168.818	-2.645	-5.510
	ATOM	611 CA THR	6.5	169.270	-2.513	-3.566
	ATOM	612 C THR	6.5	168.229	-2.934	-2.604
	ATOM	613 O THR	6.5	167.001	-2.720	-2.808
	ATOM	614 CB THR	6.5	169.555	-1.009	-3.763
	ATOM	615 OG1 THR	6.5	166.442	-0.125	-3.654
	ATOM	616 HOG1 THR	6.5	168.267	0.112	-2.719
15	ATOM	617 CG2 THR	6.5	170.691	-0.543	-2.847
	ATOM	618 N GLU	6.6	168.711	-3.549	-1.546
	ATOM	619 HN GLU	6.6	169.616	-3.365	-1.358
	ATOM	620 CA GLU	6.6	168.111	-4.445	-0.646
	ATOM	621 C GLU	6.6	166.698	-4.417	-0.197
	ATOM	622 O GLU	6.6	166.049	-3.382	-0.041
	ATOM	623 CB GLU	6.6	169.140	-4.600	0.442
20	ATOM	624 CG GLU	6.6	169.894	-6.095	0.079
	ATOM	625 CD GLU	6.6	169.133	-7.345	0.212
	ATOM	626 OE1 GLU	6.6	168.176	-7.652	-0.507
	ATOM	627 OE2 GLU	6.6	169.445	-8.151	1.106
	ATOM	628 N THR	5.7	166.165	-5.618	0.020
	ATOM	629 HN THR	5.7	166.812	-6.302	-0.126
	ATOM	630 CA THR	5.7	154.922	-6.077	0.411
25	ATOM	631 C THR	5.7	163.890	-5.259	1.094
	ATOM	632 O THR	5.7	154.174	-4.601	1.119
	ATOM	633 CB THR	5.7	165.150	-7.522	0.902
	ATOM	634 OG1 THR	5.7	165.274	-7.723	1.304
	ATOM	635 HOG1 THR	5.7	165.609	-6.934	1.776
	ATOM	636 CG2 THR	5.7	164.131	-8.517	0.333
	ATOM	637 N LEU	5.8	162.655	-5.252	0.504
	ATOM	638 HN LEU	5.8	162.584	-5.438	-0.312
30	ATOM	639 CA LEU	5.8	161.410	-5.005	1.205
	ATOM	640 C LEU	5.8	160.682	-3.750	0.682
	ATOM	641 O LEU	5.8	161.322	-3.678	1.055
	ATOM	642 CB LEU	5.8	161.169	-5.430	2.650
	ATOM	643 CG LEU	5.8	159.783	-6.132	2.806
	ATOM	644 CD1 LEU	5.8	159.902	-7.624	3.124
	ATOM	645 CD2 LEU	5.8	158.977	-5.419	3.885
35	ATOM	646 N PRO	5.9	159.407	-3.723	0.402
	ATOM	647 CA PRO	5.9	158.548	-2.695	0.371
	ATOM	648 C PRO	5.9	158.589	-1.652	1.458
	ATOM	649 O PRO	5.9	158.385	-2.050	2.682
	ATOM	650 CB PRO	5.9	157.131	-3.091	0.037
	ATOM	651 CG PRO	5.9	157.376	-4.426	-0.654
	ATOM	652 CD PRO	5.9	158.750	-4.657	-0.144
40	ATOM	653 N ARG	7.0	158.863	-0.396	1.161
	ATOM	654 HN ARG	7.0	158.855	-0.103	0.246
	ATOM	655 CA ARG	7.0	159.173	0.638	2.040
	ATOM	656 C ARG	7.0	158.077	1.108	2.908
	ATOM	657 O ARG	7.0	157.055	1.697	2.467
	ATOM	658 CB ARG	7.0	160.015	1.730	1.355

45

50

-59-

	ATOM	659 CG ARG	70	161.102	2.271	2.296
	ATOM	660 CD ARG	70	160.640	3.576	2.956
	ATOM	661 NE ARG	70	160.851	3.570	4.336
	ATOM	662 HNE ARG	70	160.416	2.916	4.853
	ATOM	663 CZ ARG	70	161.592	4.377	5.090
5	ATOM	664 NH1 ARG	70	162.327	5.415	4.731
	ATOM	665 HN11 ARG	70	162.349	5.675	3.828
	ATOM	666 HN12 ARG	70	162.822	5.869	5.374
	ATOM	667 NH2 ARG	70	161.559	4.068	6.360
	ATOM	668 HN21 ARG	70	162.059	4.537	7.004
	ATOM	669 HN22 ARG	70	160.098	3.348	6.581
10	ATOM	670 N VAL	71	158.291	0.846	4.182
	ATOM	671 HN VAL	71	159.058	0.336	4.367
	ATOM	672 CA VAL	71	157.611	1.183	5.358
	ATOM	673 C VAL	71	158.619	1.114	6.464
	ATOM	674 O VAL	71	159.636	1.867	6.373
	ATOM	675 CB VAL	71	156.227	0.475	5.473
	ATOM	676 CG1 VAL	71	156.186	-1.059	5.621
15	ATOM	677 CG2 VAL	71	155.351	1.092	6.566
	ATOM	678 N ASN	72	158.501	0.299	7.518
	ATOM	679 HN ASN	72	157.682	-0.150	7.617
	ATOM	680 CA ASN	72	159.484	0.043	8.476
	ATOM	681 C ASN	72	159.682	-1.388	8.790
	ATOM	682 O ASN	72	159.056	-1.949	9.729
	ATOM	683 CB ASN	72	159.405	1.024	9.567
	ATOM	684 CG ASN	72	160.726	1.334	10.220
20	ATOM	685 OD1 ASN	72	161.568	1.981	9.556
	ATOM	686 ND2 ASN	72	161.041	0.935	11.427
	ATOM	687 HND1 ASN	72	160.422	0.454	11.944
	ATOM	688 HND2 ASN	72	161.890	1.133	11.775
	ATOM	689 N ARG	73	150.557	-2.032	6.024
	ATOM	690 HN ARG	73	150.851	-1.579	7.255
	ATOM	691 CA ARG	73	161.068	-2.315	6.256
25	ATOM	692 C ARG	73	162.498	-3.876	8.528
	ATOM	693 O ARG	73	163.383	-2.802	7.936
	ATOM	694 CB ARG	73	160.696	-4.255	7.103
	ATOM	695 CG ARG	73	160.647	-5.729	7.573
	ATOM	696 CD ARG	73	161.211	-6.693	6.527
	ATOM	697 NE ARG	73	162.600	-6.633	6.609
	ATOM	698 HNE ARG	73	163.006	-6.651	7.441
30	ATOM	699 CZ ARG	73	163.489	-7.154	5.675
	ATOM	700 NH1 ARG	73	164.681	-7.156	6.204
	ATOM	701 HN11 ARG	73	165.477	-7.412	5.763
	ATOM	702 HN12 ARG	73	164.700	-6.959	7.116
	ATOM	703 NH2 ARG	73	163.286	-7.411	4.401
	ATOM	704 HN21 ARG	73	162.403	-7.450	4.060
	ATOM	705 HN22 ARG	73	163.392	-7.554	3.798
35	ATOM	706 N THR	74	162.767	-4.032	7.721
	ATOM	707 HN THR	74	162.021	-4.385	10.206
	ATOM	708 CA THR	74	164.022	-4.439	10.235
	ATOM	709 C THR	74	164.820	-5.345	9.378
	ATOM	710 O THR	74	164.320	-6.433	8.903
	ATOM	711 CB THR	74	163.911	-4.814	11.785
	ATOM	712 OG1 THR	74	165.126	-4.547	10.422
40	ATOM	713 HOG1 THR	74	165.879	-4.615	11.803
	ATOM	714 CG2 THR	74	163.395	-6.215	10.119
	ATOM	715 N ALA	75	166.055	-4.971	9.077
	ATOM	716 HN ALA	75	166.341	-4.146	9.427
	ATOM	717 CA ALA	75	166.995	-5.602	8.298
	ATOM	718 C ALA	75	167.758	-6.715	9.019

-60-

	ATOM	719	O	ALA	75	168.335	-0.447	10.116
	ATOM	720	CB	ALA	75	167.877	-4.666	7.534
	ATOM	721	N	ALA	76	167.807	-7.937	8.475
	ATOM	722	HN	ALA	76	167.513	-7.996	7.585
5	ATOM	723	CA	ALA	76	168.256	-9.131	9.077
	ATOM	724	C	ALA	76	168.486	-10.202	8.084
	ATOM	725	O	ALA	76	167.504	-10.777	7.511
	ATOM	726	CB	ALA	76	167.438	-9.589	10.307
	ATOM	727	N	ILE	77	169.763	-10.509	7.820
	ATOM	728	HN	ILE	77	170.407	-10.142	8.398
	ATOM	729	CA	ILE	77	170.255	-11.316	8.761
10	ATOM	730	C	ILE	77	170.114	-10.636	5.440
	ATOM	731	O	ILE	77	171.137	-10.486	4.727
	ATOM	732	CB	ILE	77	169.867	-12.830	6.818
	ATOM	733	CG1	ILE	77	170.265	-13.550	8.121
	ATOM	734	CG2	ILE	77	170.474	-13.693	5.695
	ATOM	735	CD1	ILE	77	169.052	-13.862	9.010
15	ATOM	736	N	SER	78	168.911	-10.211	5.085
	ATOM	737	HN	SER	78	168.269	-10.448	5.726
	ATOM	738	CA	SER	78	168.484	-9.477	3.904
	ATOM	739	C	SER	78	168.101	-8.097	4.379
	ATOM	740	O	SER	78	167.386	-7.884	5.412
	ATOM	741	CB	SER	78	167.487	-10.298	3.139
	ATOM	742	OG	SER	78	166.119	-10.193	3.520
	ATOM	743	HOG	SER	78	165.782	-9.358	2.133
20	ATOM	744	N	GLY	79	168.557	-7.129	3.595
	ATOM	745	HN	GLY	79	168.905	-7.425	2.775
	ATOM	746	CA	GLY	79	168.583	-5.750	3.834
	ATOM	747	C	GLY	79	167.334	-4.969	3.804
	ATOM	748	O	GLY	79	166.209	-5.533	3.903
	ATOM	749	N	TYR	80	167.477	-3.649	3.683
	ATOM	750	HN	TYR	80	168.359	-3.333	3.607
25	ATOM	751	CA	TYR	80	166.460	-2.685	3.660
	ATOM	752	C	TYR	80	166.848	-1.382	3.068
	ATOM	753	O	TYR	80	167.383	-0.472	3.774
	ATOM	754	CB	TYR	80	165.767	-2.582	5.050
	ATOM	755	CG	TYR	80	164.430	-2.046	4.999
	ATOM	756	CD1	TYR	80	163.379	-2.653	4.500
	ATOM	757	CD2	TYR	80	164.198	-0.726	5.401
30	ATOM	758	CE1	TYR	80	162.067	-2.346	4.473
	ATOM	759	CE2	TYR	80	162.881	-0.217	5.460
	ATOM	760	CZ	TYR	80	161.842	-1.050	4.984
	ATOM	761	OH	TYR	80	160.576	-0.618	5.019
	ATOM	762	HOH	TYR	80	160.330	0.238	5.427
	ATOM	763	N	SER	81	166.609	-1.196	1.772
	ATOM	764	HN	SER	81	166.356	-1.942	1.258
35	ATOM	765	CA	SER	81	166.698	0.005	1.057
	ATOM	766	C	SER	81	165.520	0.900	1.120
	ATOM	767	O	SER	81	164.334	0.455	1.007
	ATOM	768	CB	SER	81	167.093	-0.343	-0.364
	ATOM	769	OG	SER	81	167.889	0.666	-0.985
	ATOM	770	HOG	SER	81	168.094	0.397	-1.904
	ATOM	771	N	PHE	82	165.761	2.198	1.295
40	ATOM	772	HN	PHE	82	166.686	2.443	1.347
	ATOM	773	CA	PHE	82	164.828	3.230	1.408
	ATOM	774	C	PHE	82	164.275	3.726	0.113
	ATOM	775	O	PHE	82	164.377	4.925	-0.209
	ATOM	776	CB	PHE	82	165.226	4.268	2.469
	ATOM	777	CG	PHE	82	165.729	3.777	0.759
	ATOM	778	CD1	PHE	82	164.672	3.097	4.660

45

50

-61-

5	ATOM	779	CD2	PHE	82	167.099	3.973	4.065
	ATOM	780	CE1	PHE	82	165.394	2.595	5.877
	ATOM	781	CE2	PHE	82	167.623	3.474	5.282
	ATOM	782	CZ	PHE	82	166.766	2.766	6.176
	ATOM	783	N	LYS	83	163.650	2.801	-0.017
	ATOM	784	HN	LYS	83	163.668	1.955	-0.212
	ATOM	785	CA	LYS	83	163.018	2.949	-1.860
	ATOM	786	C	LYS	83	161.679	3.560	-1.861
	ATOM	787	O	LYS	83	160.609	2.941	-2.059
	ATOM	788	CB	LYS	83	163.302	1.793	-2.046
	ATOM	789	CG	LYS	83	162.671	0.440	-2.469
10	ATOM	790	CD	LYS	83	163.767	-0.584	-2.185
	ATOM	791	CE	LYS	83	163.143	-1.841	-1.578
	ATOM	792	NZ	LYS	83	163.903	-3.000	-2.017
	ATOM	793	HNZ1	LYS	83	164.682	-3.141	-1.375
	ATOM	794	HNZ2	LYS	83	164.231	-2.810	-2.364
	ATOM	795	HNZ3	LYS	83	163.312	-3.828	-2.039
15	ATOM	796	N	GLN	84	161.710	4.883	-1.630
	ATOM	797	HN	GLN	84	162.552	5.165	-1.326
	ATOM	798	CA	GLN	84	160.692	5.836	-1.763
	ATOM	799	C	GLN	84	160.352	6.247	-3.144
	ATOM	800	O	GLN	84	161.261	6.483	-3.993
	ATOM	801	CB	GLN	84	161.053	7.069	-0.904
	ATOM	802	CG	GLN	84	160.515	6.948	0.532
20	ATOM	803	CD	GLN	84	161.551	7.165	1.545
	ATOM	804	OE1	GLN	84	162.285	6.224	1.920
	ATOM	805	NE2	GLN	84	161.713	8.352	2.063
	ATOM	806	HNE1	GLN	84	161.160	9.065	1.817
	ATOM	807	HNE2	GLN	84	162.375	8.489	2.731
	ATOM	808	N	CYS	85	159.052	6.352	-3.419
	ATOM	809	HN	CYS	85	158.455	6.116	-2.732
25	ATOM	810	CA	CYS	85	159.475	6.770	-4.619
	ATOM	811	C	CYS	85	158.295	8.235	-4.749
	ATOM	812	O	CYS	85	158.785	8.803	-5.750
	ATOM	813	CB	CYS	85	157.165	6.016	-4.878
	ATOM	814	SG	CYS	85	157.075	5.545	-6.531
	ATOM	815	OXT	CYS	85	157.665	8.941	-3.919
	CONECT	1	5	4		2	3	
30	CONECT	2		1				
	CONECT	3		1				
	CONECT	4		1				
	CONECT	5		1	8		6	
	CONECT	6		7	5		13	
	CONECT	7		6				
	CONECT	8		5	9			
	CONECT	9		6	10			
	CONECT	10		9	11		12	
	CONECT	11		10				
	CONECT	12		10				
	CONECT	13		6	15		14	
	CONECT	14		13				
	CONECT	15		18	13		16	
	CONECT	16		17	15		20	
40	CONECT	17		16				
	CONECT	18		15	19			
	CONECT	19		18	814			
	CONECT	20		16	22		21	
	CONECT	21		20				
	CONECT	22		25	20		23	
	CONECT	23		24	22		28	

45

50

-62-

5	CONNECT	24	23		
	CONNECT	25	22	26	27
	CONNECT	26	25		
	CONNECT	27	25		
	CONNECT	28	23	30	29
	CONNECT	29	28		
	CONNECT	30	33	28	31
	CONNECT	31	32	30	37
	CONNECT	32	31		
	CONNECT	33	30	34	36
	CONNECT	34	33	35	
10	CONNECT	35	34		
	CONNECT	36	33		
	CONNECT	37	31	39	38
	CONNECT	38	37		
	CONNECT	39	42	37	40
	CONNECT	40	41	39	49
	CONNECT	41	40		
15	CONNECT	42	39	43	
	CONNECT	43	42	44	
	CONNECT	44	43	45	46
	CONNECT	45	44		
	CONNECT	46	44	48	47
	CONNECT	47	46		
	CONNECT	48	46		
20	CONNECT	49	40	51	50
	CONNECT	50	49		
	CONNECT	51	54	49	52
	CONNECT	52	53	51	50
	CONNECT	53	52		
	CONNECT	54	51	55	
	CONNECT	55	54	56	57
25	CONNECT	56	55		
	CONNECT	57	55		
	CONNECT	58	52	60	59
	CONNECT	59	58		
	CONNECT	60	63	58	61
	CONNECT	61	62	60	67
	CONNECT	62	61		
30	CONNECT	63	60	64	
	CONNECT	64	63	65	66
	CONNECT	65	64		
	CONNECT	66	64		
	CONNECT	67	61	68	
	CONNECT	68	67		
	CONNECT	69	72	67	70
	CONNECT	70	71	69	60
35	CONNECT	71	70		
	CONNECT	72	69	73	
	CONNECT	73	72	74	
	CONNECT	74	73	75	
	CONNECT	75	74	76	
	CONNECT	76	75	79	78 77
40	CONNECT	77	76		
	CONNECT	78	76		
	CONNECT	79	76		
	CONNECT	80	70	82	81
	CONNECT	81	80		
	CONNECT	82	80	83	85
	CONNECT	83	84	82	89

45

50

-63-

5
CONECT 84 83
CONECT 85 86 82
CONECT 86 85 87 88
CONECT 87 86
CONECT 88 86
CONECT 89 83 91 90
CONECT 90 89
CONECT 91 94 89 92
CONECT 92 93 91 98
CONECT 93 92
CONECT 94 91 95 97
CONECT 95 94 96
CONECT 96 95
CONECT 97 94
CONECT 98 92 100 99
CONECT 99 98
CONECT 100 103 98 101
CONECT 101 102 100 106
CONECT 102 101
CONECT 103 100 104
CONECT 104 103 105
CONECT 105 104
CONECT 106 101 102 107
CONECT 107 105
CONECT 108 111 106 109
CONECT 109 110 102 118
CONECT 110 109
CONECT 111 105 112
CONECT 112 111 113 114
CONECT 113 112 115
CONECT 114 112 116
CONECT 115 113 117
CONECT 116 114 117
CONECT 117 115 116
CONECT 118 109 120 119
CONECT 119 116
CONECT 120 123 118 121
CONECT 121 122 126 126
CONECT 122 121
CONECT 123 120 124
CONECT 124 123 125
CONECT 125 124 126 127
CONECT 126 125
CONECT 127 125
CONECT 128 121 130 129
CONECT 129 126
CONECT 130 126 131
CONECT 131 132 130 133
CONECT 132 131
CONECT 133 131 135 134
CONECT 134 133
CONECT 135 133 135
CONECT 136 137 135 138
CONECT 137 136
CONECT 138 135 140 139
CONECT 139 138
CONECT 140 143 138 141
CONECT 141 142 140 147
CONECT 142 141
CONECT 143 140 144

10
15
20
25
30
35
40
45

-64-

5 CONECT 144 143 145 146
CONECT 145 144
CONECT 146 144
CONECT 147 141 149 148
CONECT 148 147
CONECT 149 152 147 150
CONECT 150 151 149 156
CONECT 151 150
CONECT 152 149 153 154
CONECT 153 152 155
CONECT 154 152
CONECT 155 153
CONECT 156 150 158 157
CONECT 157 156
CONECT 158 161 155 159
CONECT 159 160 158 165
CONECT 160 159
CONECT 161 158 162 164
CONECT 162 161 163
CONECT 163 162
CONECT 164 161
CONECT 165 159 167 166
CONECT 166 165
CONECT 167 170 165 165
CONECT 168 159 167 174
CONECT 169 165
CONECT 170 167 171 173
CONECT 171 170 172
CONECT 172 171
CONECT 173 170
CONECT 174 168 176 175
CONECT 175 174
CONECT 176 179 174 177
CONECT 177 178 176 182
CONECT 178 177
CONECT 179 176 180 181
CONECT 180 179
CONECT 181 179
CONECT 182 177 184 183
CONECT 183 182
CONECT 184 187 182 185
CONECT 185 186 184 194
CONECT 186 185
CONECT 187 184 188
CONECT 188 186 189 190
CONECT 189 185 191
CONECT 190 186 192
CONECT 191 189 193
CONECT 192 190 193
CONECT 193 191 192
CONECT 194 185 196 195
CONECT 195 194
CONECT 196 199 194 197
CONECT 197 196 196 203
CONECT 198 197
CONECT 199 196 200 202
CONECT 200 199 201
CONECT 201 200
CONECT 202 199
CONECT 203 209 204 197

10

15

20

25

30

35

40

45

50

-65-

5 CONECT 204 207 203 205
CONECT 205 206 204 210
CONECT 206 205
CONECT 207 204 208
CONECT 208 207 209
CONECT 209 208 203
CONECT 210 205 212 211
CONECT 211 210
CONECT 212 215 210 213
CONECT 213 214 212 218
CONECT 214 213
CONECT 215 212 216
CONECT 216 215 217
CONECT 217 216
CONECT 218 213 220 219
CONECT 219 218
CONECT 220 223 218 221
CONECT 221 222 220 224
CONECT 222 221
CONECT 223 220
CONECT 224 221 226 225
CONECT 225 224
CONECT 226 229 224 227
CONECT 227 228 226 237
CONECT 228 227
CONECT 229 226 230
CONECT 230 229 231
CONECT 231 230 232
CONECT 232 231 233
CONECT 233 232 236 235 234
CONECT 234 233
CONECT 235 233
CONECT 236 233
CONECT 237 227 239 238
CONECT 238 237
CONECT 239 242 237 240
CONECT 240 241 239 251
CONECT 241 240
CONECT 242 239 243
CONECT 243 242 244 245
CONECT 244 243 246
CONECT 245 243 247
CONECT 246 244 248
CONECT 247 245 248
CONECT 248 246 247 249
CONECT 249 248 250
CONECT 250 249
CONECT 251 240 253 252
CONECT 252 251
CONECT 253 256 251 254
CONECT 254 255 253 258
CONECT 255 254
CONECT 256 253 257
CONECT 257 256 553
CONECT 258 254 260 259
CONECT 259 258
CONECT 260 263 258 261
CONECT 261 262 260 270
CONECT 262 261
CONECT 263 260 264

-66-

5 CONECT 264 263 265
CONECT 265 264 266 267
CONECT 266 265
CONECT 267 265 269 268
CONECT 268 267
CONECT 269 267
CONECT 270 261 272 271
CONECT 271 270
CONECT 272 275 270 273
CONECT 273 274 272 276
CONECT 274 273
CONECT 275 272 276 277
CONECT 276 275
CONECT 277 275
CONECT 278 273 280 279
CONECT 279 278
CONECT 280 283 276 281
CONECT 281 282 280 286
CONECT 282 281
CONECT 283 280 284 285
CONECT 284 283
CONECT 285 283
CONECT 286 281 288 287
CONECT 287 286
CONECT 288 291 286 289
CONECT 289 290 288 293
CONECT 290 289
CONECT 291 288 292
CONECT 292 291 358
CONECT 293 289 295 294
CONECT 294 293
CONECT 295 298 293 295
CONECT 296 297 295 302
CONECT 297 296
CONECT 298 295 299 301
CONECT 299 298 300
CONECT 300 299
CONECT 301 298
CONECT 302 296 304 303
CONECT 303 302
CONECT 304 307 302 305
CONECT 305 306 304 316
CONECT 306 305
CONECT 307 304 308
CONECT 308 307 309 310
CONECT 309 306 311
CONECT 310 308 312
CONECT 311 309 313
CONECT 312 310 313
CONECT 313 311 312 314
CONECT 314 313 315
CONECT 315 314
CONECT 316 305 318 317
CONECT 317 316
CONECT 318 321 316 319
CONECT 319 320 318 328
CONECT 320 319
CONECT 321 318 322
CONECT 322 321 323 325
CONECT 323 322 326 324

10

15

20

25

30

35

40

45

50

5	CONECT 324 323 CONECT 325 322 327 CONECT 326 323 327 CONECT 327 325 326 CONECT 328 334 329 319 CONECT 329 332 328 330 CONECT 330 331 329 335 CONECT 331 330 CONECT 332 329 333 CONECT 333 332 334 CONECT 334 333 328 CONECT 335 330 337 336 CONECT 336 335 CONECT 337 340 335 338 CONECT 338 339 337 352 CONECT 339 336 CONECT 340 337 341 CONECT 341 340 342 CONECT 342 341 343 CONECT 343 342 345 344 CONECT 344 343 CONECT 345 343 346 349 CONECT 346 345 348 347 CONECT 347 346 CONECT 348 346 CONECT 349 345 351 350 CONECT 350 349 CONECT 351 349 CONECT 352 338 354 353 CONECT 353 352 CONECT 354 357 352 355 CONECT 355 356 354 359 CONECT 356 355 CONECT 357 354 358 CONECT 358 357 292 CONECT 359 355 361 360 CONECT 360 359 CONECT 361 364 359 362 CONECT 362 363 361 368 CONECT 363 362 CONECT 364 361 365 CONECT 365 364 366 367 CONECT 366 365 CONECT 367 365 CONECT 368 362 370 365 CONECT 369 368 CONECT 370 373 368 371 CONECT 371 372 370 377 CONECT 372 371 CONECT 373 370 374 CONECT 374 373 375 376 CONECT 375 374 CONECT 376 374 CONECT 377 371 379 376 CONECT 378 377 CONECT 379 382 377 380 CONECT 380 381 379 369 CONECT 381 360 CONECT 382 379 383 CONECT 383 382 384 385
10	
15	
20	
25	
30	
35	
40	
45	

-68-

5 CONECT 384 383 386
CONECT 385 383 387
CONECT 386 384 388
CONECT 387 385 388
CONECT 388 386 387
CONECT 389 380 391 390
CONECT 390 389
CONECT 391 394 389 392
CONECT 392 393 391 398
CONECT 393 392
CONECT 394 391 395 397
CONECT 395 394 396
CONECT 396 395
CONECT 397 394
CONECT 398 392 400 399
CONECT 399 398
CONECT 400 403 392 401
CONECT 401 402 400 410
CONECT 402 401
CONECT 403 400 404
CONECT 404 403 405 406
CONECT 405 404 407
CONECT 406 404 408
CONECT 407 405 409
CONECT 408 406 409
CONECT 409 407 408
CONECT 410 401 412 411
CONECT 411 410
CONECT 412 415 410 413
CONECT 413 414 412 419
CONECT 414 413
CONECT 415 412 416 416
CONECT 416 415 417
CONECT 417 416
CONECT 418 415
CONECT 419 413 421 420
CONECT 420 419
CONECT 421 424 415 422
CONECT 422 423 421 425
CONECT 423 422
CONECT 424 421
CONECT 425 422 427 426
CONECT 426 425
CONECT 427 430 425 428
CONECT 428 429 427 435
CONECT 429 428
CONECT 430 427 431
CONECT 425 422 427 426
CONECT 426 425
CONECT 427 430 425 428
CONECT 428 429 427 435
CONECT 429 428
CONECT 430 427 431
CONECT 431 430 432
CONECT 432 431 433 434
CONECT 433 432
CONECT 434 432
CONECT 435 428 437 436
CONECT 436 435
CONECT 437 440 435 438
CONECT 438 439 437 443
CONECT 439 438
CONECT 440 437 441
CONECT 441 440 442
CONECT 442 441
CONECT 443 449 444 436

-69-

5	CONECT 444 447 443 445 CONECT 445 446 444 450 CONECT 446 445 CONECT 447 444 448 CONECT 448 447 449 CONECT 449 448 443 CONECT 450 445 452 451 CONECT 451 450 CONECT 452 455 450 453 CONECT 453 454 452 458 CONECT 454 453 CONECT 455 452 456 CONECT 456 455 457 CONECT 457 456 CONECT 458 453 460 459 CONECT 459 458 CONECT 460 463 458 461 CONECT 461 462 460 468 CONECT 462 461 CONECT 463 460 464 CONECT 464 463 465 CONECT 465 464 466 467 CONECT 466 465 CONECT 467 465 CONECT 468 461 470 469 CONECT 469 468 CONECT 470 473 468 471 CONECT 471 472 470 477 CONECT 472 471 CONECT 473 470 474 CONECT 474 473 475 476 CONECT 475 474 CONECT 476 474 CONECT 477 463 478 471 CONECT 478 481 477 479 CONECT 479 480 478 484 CONECT 480 479 CONECT 481 478 482 CONECT 482 481 483 CONECT 483 482 477 CONECT 484 479 486 485 CONECT 485 484 CONECT 486 489 484 487 CONECT 487 488 486 493 CONECT 488 487 CONECT 489 486 490 492 CONECT 490 489 491 CONECT 491 490 CONECT 492 489 CONECT 493 487 495 494 CONECT 494 493 CONECT 495 496 493 496 CONECT 496 497 495 510 CONECT 497 496 CONECT 498 495 499 CONECT 499 498 500 CONECT 500 499 501 CONECT 501 500 503 502 CONECT 502 501 CONECT 503 501 504 507
10	
15	
20	
25	
30	
35	
40	
45	

50

-70-

5	CONECT 504 503 506 505
	CONECT 505 504
	CONECT 506 504
	CONECT 507 503 509 508
	CONECT 508 507
	CONECT 509 507
	CONECT 510 496 512 511
	CONECT 511 510
	CONECT 512 515 510 513
	CONECT 513 514 512 526
	CONECT 514 513
10	CONECT 515 512 516
	CONECT 516 515 517 518
	CONECT 517 516 519
	CONECT 518 516 521 522
	CONECT 519 517 521 520
	CONECT 520 519
	CONECT 521 518 519 523
	CONECT 522 518 524
15	CONECT 523 521 525
	CONECT 524 522 525
	CONECT 525 523 524
	CONECT 526 513 528 527
	CONECT 527 526
	CONECT 528 531 526 525
20	CONECT 529 530 528 536
	CONECT 530 529
	CONECT 531 528 532
	CONECT 532 531 533 534
	CONECT 533 532 535
	CONECT 534 532 536
	CONECT 535 533 537
25	CONECT 536 534 537
	CONECT 537 535 536
	CONECT 538 529 540 539
	CONECT 539 538
	CONECT 540 543 538 541
	CONECT 541 542 540 547
	CONECT 542 541
30	CONECT 543 540 544 545
	CONECT 544 543 545
	CONECT 545 544
	CONECT 546 543
	CONECT 547 541 549 545
	CONECT 548 547
	CONECT 549 552 547 550
35	CONECT 550 551 549 554
	CONECT 551 550
	CONECT 552 549 553
	CONECT 553 552 557
	CONECT 554 550 556 555
	CONECT 555 554
	CONECT 556 559 554 557
	CONECT 557 556 556 552
40	CONECT 558 557
	CONECT 559 556 560 551
	CONECT 560 559
	CONECT 561 559
	CONECT 562 557 554 553
45	CONECT 563 552

50

-71-

5 CONECT 564 567 562 565
CONECT 565 566 564 571
CONECT 566 565
CONECT 567 564 568
CONECT 568 567 569 570
CONECT 569 568
CONECT 570 568
CONECT 571 565 573 572
CONECT 572 571
CONECT 573 576 571 574
CONECT 574 575 573 584
CONECT 575 574
CONECT 576 573 577
CONECT 577 576 578
CONECT 578 577 579
CONECT 579 578 580
CONECT 580 579 583 582 581
CONECT 581 580
CONECT 582 580
CONECT 583 580
CONECT 584 574 586 585
CONECT 585 584
CONECT 586 589 584 587
CONECT 587 588 586 593
CONECT 588 587
CONECT 589 585 590
CONECT 590 589 591 592
CONECT 591 590
CONECT 592 590
CONECT 593 587 595 594
CONECT 594 593
CONECT 595 595 593 596
CONECT 596 597 595 601
CONECT 597 596
CONECT 598 595 599
CONECT 599 598 600
CONECT 600 599
CONECT 601 595 603 602
CONECT 602 601
CONECT 603 606 601 604
CONECT 604 605 603 609
CONECT 605 604
CONECT 606 603 607 608
CONECT 607 606
CONECT 608 606
CONECT 609 604 611 610
CONECT 610 609
CONECT 611 614 609 612
CONECT 612 613 611 618
CONECT 613 612
CONECT 614 611 615 617
CONECT 615 614 616
CONECT 616 615
CONECT 617 614
CONECT 618 612 620 619
CONECT 619 618
CONECT 620 623 618 621
CONECT 621 622 620 629
CONECT 622 621
CONECT 623 620 624

2

50

-72-

5 CONECT 624 623 625
CONECT 625 624 626 625
CONECT 626 625
CONECT 627 625
CONECT 628 621 630 629
CONECT 629 628
CONECT 630 633 628 631
CONECT 631 632 630 637
CONECT 632 631
CONECT 633 630 634 636
CONECT 634 633 635
CONECT 635 634
CONECT 636 633
CONECT 637 631 639 638
CONECT 638 637
CONECT 639 642 607 640
CONECT 640 641 639 646
CONECT 641 640
CONECT 642 639 643
CONECT 643 642 644 645
CONECT 644 643
CONECT 645 643
CONECT 646 652 647 640
CONECT 647 650 645 648
CONECT 648 649 647 653
CONECT 649 648
CONECT 650 647 651
CONECT 651 650 652
CONECT 652 651 646
CONECT 653 648 655 654
CONECT 654 653
CONECT 655 658 653 655
CONECT 656 657 655 670
CONECT 657 656
CONECT 658 655 659
CONECT 659 658 660
CONECT 660 659 651
CONECT 661 660 663 662
CONECT 662 661
CONECT 663 661 664 667
CONECT 664 663 666 665
CONECT 665 664
CONECT 666 664
CONECT 667 663 669 668
CONECT 668 667
CONECT 669 667
CONECT 670 656 672 671
CONECT 671 670
CONECT 672 675 670 673
CONECT 673 674 672 678
CONECT 674 673
CONECT 675 672 676 677
CONECT 676 675
CONECT 677 675
CONECT 678 673 680 679
CONECT 679 678
CONECT 680 683 678 681
CONECT 681 682 680 689
CONECT 682 681
CONECT 683 680 684

45

-73-

5	CONECT 684 683 685 686 CONECT 685 684 CONECT 686 684 688 687 CONECT 687 686 CONECT 688 686 CONECT 689 681 691 690 CONECT 690 689 CONECT 691 694 689 692 CONECT 692 693 691 706 CONECT 693 692 CONECT 694 691 695 CONECT 695 694 695 CONECT 696 695 697 CONECT 697 695 699 698 CONECT 698 697 CONECT 699 697 700 703 CONECT 700 699 702 701 CONECT 701 700 CONECT 702 700 CONECT 703 699 705 704 CONECT 704 703 CONECT 705 703 CONECT 706 692 706 707 CONECT 707 706 CONECT 708 711 705 709 CONECT 709 710 706 715 CONECT 710 709 CONECT 711 708 712 714 CONECT 712 711 713 CONECT 713 712 CONECT 714 711 CONECT 715 709 717 716 CONECT 716 715 CONECT 717 720 715 718 CONECT 718 719 717 721 CONECT 719 718 CONECT 720 717 CONECT 721 718 723 722 CONECT 722 721 CONECT 723 726 721 724 CONECT 724 725 723 727 CONECT 725 724 CONECT 726 723 CONECT 727 724 729 728 CONECT 728 727 CONECT 729 732 727 730 CONECT 730 731 723 736 CONECT 731 730 CONECT 732 729 733 734 CONECT 733 732 735 CONECT 734 732 CONECT 735 733 CONECT 736 730 733 737 CONECT 737 736 CONECT 738 741 736 739 CONECT 739 740 736 744 CONECT 740 739 CONECT 741 738 742 CONECT 742 741 743 CONECT 743 742 CONECT 744 739 746 745 CONECT 745 744 CONECT 746 744 747 CONECT 747 748 746 749 CONECT 748 747
10	
15	
20	
25	
30	
35	
40	
45	

-74-

5 CONECT 749 747 751 750
CONECT 750 749
CONECT 751 754 749 752
CONECT 752 753 751 763
CONECT 753 752
CONECT 754 751 755
CONECT 755 754 756 757
CONECT 756 755 758
CONECT 757 755 769
CONECT 758 756 760
CONECT 759 757 760
CONECT 760 758 759 761
CONECT 761 760 762
CONECT 762 761
CONECT 763 752 765 764
CONECT 764 763
CONECT 765 768 763 766
CONECT 766 767 765 771
CONECT 767 766
CONECT 768 765 769
CONECT 769 768 770
CONECT 770 769
CONECT 771 766 773 772
CONECT 772 771
CONECT 773 776 771 774
CONECT 774 775 773 763
CONECT 775 774
CONECT 776 773 777
CONECT 777 776 778 779
CONECT 778 777 780
CONECT 779 777 781
CONECT 780 778 782
CONECT 781 779 782
CONECT 782 780 781
CONECT 783 774 785 784
CONECT 784 783
CONECT 785 786 783 786
CONECT 786 787 785 795
CONECT 787 786
CONECT 788 785 789
CONECT 789 783 790
CONECT 790 789 791
CONECT 791 790 792
CONECT 792 791 795 794 793
CONECT 793 792
CONECT 794 792
CONECT 795 792
CONECT 796 796 796 797
CONECT 797 796
CONECT 798 801 795 799
CONECT 799 800 798 808
CONECT 800 799
CONECT 801 796 802
CONECT 802 801 803
CONECT 803 802 804 805
CONECT 804 803
CONECT 805 803 807 806
CONECT 806 805
CONECT 807 805
CONECT 808 799 810 809
CONECT 809 808
CONECT 810 813 808 811

- 75 -

SEQUENCE LISTING

(1) GENERAL INFORMATION:

(i) APPLICANT: Temple University - Of The Commonwealth System of Higher Education

5 (ii) INVENTORS: Walsh, Peter N., Baglia, Frank A., Jameson, Bradford A.

(iii) TITLE OF INVENTION: PEPTIDE ANALOGS OF THE ACTIVATED PLATELET BINDING SITE ON FACTOR XI

(iv) NUMBER OF SEQUENCES: 23

10 (v) CORRESPONDENCE ADDRESS:

(A) ADDRESSEE: Seidel, Gonda, Lavorgna & Monaco, P.C.

(B) STREET: Two Penn Center Plaza, Suite 1800

15 (C) CITY: Philadelphia

(D) STATE: Pennsylvania

(E) COUNTRY: U.S.A.

(F) ZIP: 19102

(vi) COMPUTER READABLE FORM:

20 (A) MEDIUM TYPE: Diskette, 3.50 inch, 720 Kb

(B) COMPUTER: IBM PS/2

(C) OPERATING SYSTEM: MS-DOS

(D) SOFTWARE: WordPerfect 5.1

25 (vii) CURRENT APPLICATION DATA:

(A) APPLICATION NUMBER:

(B) FILING DATE:

(C) CLASSIFICATION:

(viii) PRIOR APPLICATION DATA:

30 (A) APPLICATION NUMBER: 08/172,002

(B) FILING DATE: 22 December 1993

(ix) ATTORNEY/AGENT INFORMATION:

(A) NAME: Monaco, Daniel A.

(B) REGISTRATION NUMBER: 30,480

35 (C) REFERENCE/DOCKET NUMBER: 6056-194PC

(x) TELECOMMUNICATION INFORMATION:

(A) TELEPHONE: (215) 568-8383

(B) TELEFAX: (215) 568-8383

- 76 -

(2) INFORMATION FOR SEQ ID NO:1:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 86 amino acids

(B) TYPE: amino acid

5 (C) STRANDEDNESS: single stranded

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

Ala Cys Ile Arg Asp Ile Phe Pro Asn Thr Val Phe Ala Asp Ser
5 10 1510 Asn Ile Asp Ser Val Met Ala Pro Asp Ala Phe Val Cys Gly Arg
20 25 3015 Ile Cys Thr His His Pro Gly Cys Leu Phe Phe Thr Phe Phe Ser
35 40 45Gln Glu Trp Pro Lys Glu Ser Gln Arg Asn Leu Cys Leu Leu Lys
50 55 6020 Thr Ser Glu Ser Gly Leu Pro Ser Thr Arg Ile Lys Lys Ser Lys
65 70 7525 Ala Leu Ser Gly Phe Ser Leu Gln Ser Cys Arg
80 85

(3) INFORMATION FOR SEQ ID NO:2:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 32 amino acids

30 (B) TYPE: amino acid

(C) STRANDEDNESS: single stranded

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

35 Asn Leu Cys Leu Leu Lys Thr Ser Glu Ser Gly Leu Pro Ser Thr
5 10 15Arg Ile Lys Lys Ser Lys Ala Leu Ser Gly Phe Ser Leu Gln Ser
20 25 30

40 Cys Arg

(4) INFORMATION FOR SEQ ID NO:3:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 5 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS: single stranded

(D) TOPOLOGY: linear

- 77 -

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

Pro Lys Glu Ser Gln
5

5 (5) INFORMATION FOR SEQ ID NO:4:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 6 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single stranded
- (D) TOPOLOGY: linear

10 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

Thr Ser Glu Ser Gly Leu
5

15 (6) INFORMATION FOR SEQ ID NO:5:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 14 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single stranded
- (D) TOPOLOGY: linear

20 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

Ser Thr Arg Ile Lys Lys Ser Lys Ala Leu Ser Gly Phe Ser
5 10

25 (7) INFORMATION FOR SEQ ID NO:6:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 6 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single stranded
- (D) TOPOLOGY: linear

30 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

Thr Ser Glu Ser Gly Leu
5

35 (8) INFORMATION FOR SEQ ID NO:7:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 12 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS:

- 78 -

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

Thr Arg Ile Lys Lys Ser Lys Ala Leu Ser Gly Phe
5 10

5 (9) INFORMATION FOR SEQ ID NO:8:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 6 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single stranded
- (D) TOPOLOGY: linear

10 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

Cys Ser Glu Ser Gly Cys
5

15 (10) INFORMATION FOR SEQ ID NO:9:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 5 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single stranded
- (D) TOPOLOGY: linear

20 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

Cys Lys Glu Ser Cys
5

25 (11) INFORMATION FOR SEQ ID NO:10:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 7 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single stranded
- (D) TOPOLOGY: linear

30 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

Cys Thr Arg Ile Lys Gly Cys
5

35 (12) INFORMATION FOR SEQ ID NO:11:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 12 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single stranded
- (D) TOPOLOGY: linear

40

- 79 -

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:

Cys Pro Glu Trp Pro Lys Glu Ser Gln Arg Pro Cys
5 10

5

(13) INFORMATION FOR SEQ ID NO:12:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 8 amino acids
- (B) TYPE: amino acid
- 10 (C) STRANDEDNESS: single stranded
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:

Cys Gly Asp Ser Asp Ile Asp Cys
5

15

(14) INFORMATION FOR SEQ ID NO:13:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 31 amino acids
- 20 (B) TYPE: amino acid
- (C) STRANDEDNESS: single stranded
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:

Phe Thr Cys Val Leu Lys Asp Ser Val Thr Glu Thr Leu Pro Arg
25 5 10 15

Val Asn Arg Thr Ala Ala Ile Ser Gly Tyr Ser Phe Lys Gln Cys
20 25 30

30 Ser

(15) INFORMATION FOR SEQ ID NO:14:

(i) SEQUENCE CHARACTERISTICS:

- 35 (A) LENGTH: 43 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: single stranded
- (D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:

40 Ala Thr Arg Gln Phe Pro Ser Leu Glu His Arg Asn Ile Cys Leu
5 10 15

Leu Lys His Thr Gln Thr Gly Thr Pro Thr Arg Ile Thr Lys Leu
20 25 30

45

Asp Lys Val Val Ser Gly Phe Ser Leu Lys Ser Cys Ala
35 40

- 80 -

(16) INFORMATION FOR SEQ ID NO:15:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 34 amino acids

(B) TYPE: amino acid

5 (C) STRANDEDNESS: single stranded

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:

Ala Gln Ala Ser Cys Asn Glu Gly Lys Cys Tyr Leu Lys
5 10 15

10 Leu Ser Ser Asn Gly Ser pro Thr Lys Ile Leu His Gly Arg Gly
20 25 30

15 Gly Ile Ser Gly

(17) INFORMATION FOR SEQ ID NO:16:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 6 amino acids

20 (B) TYPE: amino acid

(C) STRANDEDNESS: single stranded

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:16:

25 His Ser Ile Pro Val Phe
5

(18) INFORMATION FOR SEQ ID NO:17:

(i) SEQUENCE CHARACTERISTICS:

30 (A) LENGTH: 12 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS: single stranded

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:17:

35 Val Leu Lys Cys Ser Val Thr Glu Cys Leu Phe Arg
5 10

(19) INFORMATION FOR SEQ ID NO:18:

40 (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 16 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS: single stranded

(D) TOPOLOGY: linear

- 81 -

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:18:

Phe Thr Cys Val Leu Lys Asp Ser Val Thr Glu Thr Leu Pro Arg
5 10 15

5 Val

(20) INFORMATION FOR SEQ ID NO:19:

(i) SEQUENCE CHARACTERISTICS:

10 (A) LENGTH: 15 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS: single stranded
(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:19:

Asn Arg Thr Ala Ala Ile Ser Gly Tyr Ser Phe Lys Gln Cys Ser
15 5 10 15

(21) INFORMATION FOR SEQ ID NO:20:

20 (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 14 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS: single stranded
(D) TOPOLOGY: linear

25 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:20:

Cys Arg Thr Ala Ala Ile Ser Gly Tyr Ser Phe Lys Gln Cys
5 10

(22) INFORMATION FOR SEQ ID NO:21:

30 (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 12 amino acids
(B) TYPE: amino acid
(C) STRANDEDNESS: single stranded
(D) TOPOLOGY: linear

35 (xi) SEQUENCE DESCRIPTION: SEQ ID NO:21:

Asn Arg Thr Cys Ala Ile Ser Cys Tyr Ser Phe Lys
5 10

40 (23) INFORMATION FOR SEQ ID NO:22:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 12 amino acids

- 82 -

(C) STRANDEDNESS: single stranded

(D) TOPOLOGY: linear

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:22:

Thr Ala Glu Ser Pro Ser Glu Asp Pro Thr Arg Trp Phe Thr Cys
5 5 10 15

Val Leu Lys Asp Ser Val Thr Glu Thr Leu Pro Arg Val Asn Arg
20 25 30

10 Thr Ala Ala Ile Ser Gly Tyr Ser Phe Lys Gln Cys Ser
35 40

(24) INFORMATION FOR SEQ ID NO:23:

15

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 85 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS: single stranded

(D) TOPOLOGY: linear

20

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:23

Claims

5

1. A synthetic peptide consisting essentially of an amino acid sequence from at least 5 to about 80 amino acids in length, which sequence corresponds to a portion of 10 the sequence of the platelet binding site on the heavy chain of factor XI or factor XIa, said peptide having an artificially introduced restricted conformation and the ability to inhibit the binding of platelets to factor XI or factor XIa, or a pharmaceutically acceptable salt of said peptide, and 15 wherein said artificially introduced restricted conformation is provided in part by at least one covalent bond other than a cysteine-cysteine disulfide bond when said peptide consists of an amino acid sequence according to SEQ ID NO:2.

20 2. A composition comprising a peptide attached to a linker sequence from about 1 to 100 amino acids in length, which may be further linked to a detectable label, solid matrix, or carrier, wherein said peptide is a peptide according to claim 1.

25

3. A peptide according to claim 1 wherein the peptide is from 5 to about 45 amino acids in length.

30 4. A peptide according to claim 3 wherein the peptide is from about 5 to about 20 amino acids in length.

35 5. A peptide according to claim 1 selected from the group of peptides having the following amino acid sequences corresponding to the amino acid sequence of the factor XI heavy chain:

amino acids 225-266;

6
- 84 -

amino acids 248-253.

5 6. A peptide according to claim 1 wherein the conformation is restricted by means of at least one cysteine-cysteine disulfide bond.

10 7. A peptide according to claim 1 which comprises a sequence according to SEQ ID No:7 and at least one cysteine-cysteine disulfide bond.

15 8. A peptide according to claim 1 wherein the restricted conformation is determined from the equilibrium conformation model comprising the set of coordinates and connect statement of Appendix 1.

20 9. A synthetic peptide consisting essentially of an amino acid sequence from at least 5 to about 80 amino acids in length, which sequence corresponds to a portion of the sequence of the platelet binding site on the heavy chain of factor XI or factor XIa, said peptide having an artificially introduced restricted conformation and the ability to inhibit the binding of platelets by factor XI or factor XIa, or a pharmaceutically acceptable salt of said peptide,

combinations thereof.

11. A peptide according to claim 10 having an amino acid sequence of D-Cys-(SEQ ID NO:7)-Cys.

5

12. A peptide according to claim 9 wherein the restricted conformation is determined from the equilibrium conformation model comprising the set of coordinates and connect statement of Appendix 1.

10

13. A synthetic peptide consisting essentially of an amino acid sequence from at least 5 to about 80 amino acids in length, which sequence corresponds to a portion of the sequence of the platelet binding site on the heavy chain 15 of factor XI or factor XIa, said peptide having an artificially introduced restricted conformation and the ability to inhibit the binding of platelets by factor XI or factor XIa, or a pharmaceutically acceptable salt of said peptide,

wherein said restricted conformation is provided 20 at least in part by at least one artificially introduced covalent bond other than a disulfide bond.

14. A peptide according to claim 13 wherein the conformation is restricted at least in part by at least one 25 amide bond.

15. A peptide according to claim 13 wherein the conformation is restricted at least in part by at least one toluene-2,4-diisocyanate cross-link between two free amino 30 groups of the peptide.

16. A peptide according to claim 14 wherein the conformation is restricted at least in part by at least one amide bond formed between side chains of a lysine residue and 35 a glutamic or aspartic acid residue of the peptide.

17. A peptide according to claim 13 wherein the peptide comprises a mixture of

- 86 -

5

amino acids 225-266;
amino acids 193-199;
amino acids 226-235;
amino acids 229-233;
amino acids 241-246;
amino acids 248-261; and
amino acids 248-253.

10 18. A peptide according to claim 13, wherein a segment of the sequence of said peptide consists of an amino acid sequence according to SEQ ID NO:7.

15 19. A peptide according to claim 13 wherein the restricted conformation is determined from the equilibrium conformation model comprising the set of coordinates and connect statement of Appendix 1.

20 20. A method of designing a peptide analog to the platelet binding site on the factor XI or factor XIa heavy chain comprising:

determining the distance between two parts of a molecular model including the platelet binding site at conformational equilibrium;

25 modifying the primary structure of the platelet binding site to restrict the distance between said two parts to the predetermined distance; and

synthesizing a peptide comprising said modified primary structure.

30

21. The method of claim 20 wherein the step of modifying the primary structure comprises introducing one or more cysteine residues to form an intramolecular disulfide bond.

35

22. The method of claim 20 wherein the step of

23. A method according to claim 20 wherein the the distance between said two parts is restricted to the predetermined distance by forming an amide bond linking two parts of the primary structure of the platelet binding site.

5

24. The method according to claim 22 wherein the step of modifying the primary structure comprises introducing an amino acid selected from the group consisting of lysine, glutamic acid and aspartic acid and reacting side chains of 10 a lysine with a glutamic or aspartic acid residue to form an amide bond to restrict said two parts to the predetermined distance by internally cross-linking said primary structure.

25. The method according to claim 20 wherein the step of modifying the primary structure comprises introducing a toluene-2,4-diisocyanate structure to internally cross-link 15 two free amino groups of the peptide.

26. The method according to claim 20 wherein the 20 molecular model comprises the set of coordinates and connect statement of Appendix 1.

27. A method of producing a peptide having a restricted conformation comprising:

25 providing a peptide having an amino acid sequence corresponding to a portion of the sequence of the platelet binding site on the factor XI or factor XIa heavy chain;

30 determining the conformational equilibrium of that portion of the factor XI or factor XIa heavy chain; and

35 introducing a covalent modification into the peptide to restrict a distance between two parts of the peptide to a distance between two corresponding parts of the peptide in the equilibrium conformation determined.

28. The method of claim 27 wherein the modification comprises one or more cysteine residues capable

of forming an intramolecular cysteine-cysteine disulfide bond.

29. The method according to claim 27 wherein the
5 modification comprises an amide bond cross-linking two parts
of the peptide.

30. The method according to claim 29 wherein the
10 modification comprises an amide bond cross-linking a lysine
residue and a glutamic or aspartic acid residue.

31. The method according to claim 27 wherein the
modification comprises a molecule of toluene-2,4-diisocyanate
15 linking two amino groups.

32. The method according to claim 27 wherein the
equilibrium conformation is determined according to the set
of coordinates and connect statement of Appendix 1.
20

33. A pharmaceutical composition comprising one
or more peptides of claim 1 and a pharmaceutically acceptable
carrier.

25 34. A pharmaceutical composition comprising a
peptide of claim 4 and a pharmaceutically acceptable carrier.

30 35. A pharmaceutical composition comprising one
or more peptides of claim 8 and a pharmaceutically acceptable
carrier.

35 36. A pharmaceutical composition according to
claim 33 further comprising a second synthetic peptide having
an amino acid sequence from at least 5 to about 50 amino
acids in length wherein the amino acid sequence of said
peptide corresponds to a portion of the sequence of the
binding site for high molecular weight kininogen on the heavy
chain of XI, which peptide has an artificially restricted
conformation and the ability to inhibit the binding of factor

XI to high molecular weight kininogen, or a pharmaceutically acceptable salt of said peptide.

37. A pharmaceutical composition according to
5 claim 36 wherein the restricted conformation of said second peptide is determined from the equilibrium conformation model comprising the set of coordinates and connect statements of Appendix 2.

10 38. A pharmaceutical composition according to
claim 36 wherein the restricted conformation of said second peptide is provided at least in part by at least one cysteine-cysteine disulfide bond, wherein at least one of the cysteine residues which form the disulfide bond is not present
15 in the native amino acid sequence of the heavy weight kininogen binding site on the heavy chain of factor XI or factor XIa.

20 39. A pharmaceutical composition according to
claim 36 wherein the restricted conformation of said second peptide is provided at least in part by at least by at least one artificially introduced covalent bond other than a disulfide bond.

25 40. A pharmaceutical composition according to
claim 39 wherein the conformation of said second peptide is restricted at least in part by at least one amide bond.

30 41. A pharmaceutical composition according to
claim 39 wherein the conformation of said second peptide is restricted at least in part by at least one toluene-2,4-diisocyanate cross-link between two free amino groups of said second peptide.

35 42. A pharmaceutical composition according to
claim 40 wherein the conformation of said second peptide is restricted at least in part by at least one amide bond formed between side chains of a lysine residue and a glutamic or aspartic acid residue of the peptide.

- 90 -

43. A pharmaceutical composition according to claim 36 wherein said second peptide comprises an amino acid sequence selected from the group consisting of:

SEQ ID NO:13;
5 SEQ ID NO:17;
SEQ ID NO:18;
SEQ ID NO:19;
SEQ ID NO:20;
SEQ ID NO:21; and
10 SEQ ID NO:22.

44. A method of inhibiting factor XIa-induced activation of factor IX on the surface of platelets comprising contacting platelets with one or more synthetic peptides comprising an amino acid sequence corresponding to a portion of the sequence of the platelet binding site on the heavy chain of factor XI, said peptide having a restricted conformation and the ability to inhibit the binding of platelets by factor XI or by factor XIa.

20
45. A method according to claim 44 wherein the conformation of said peptide is restricted at least in part by at least one a cysteine-cysteine disulfide bond, wherein at least one of the cysteine residues which form the disulfide bond is not present in the native amino acid sequence of the platelet binding site on the heavy chain of factor XI or factor XIa.

30
46. A method according to claim 44 wherein the restricted conformation of said peptide is provided at least in part by at least one artificially introduced covalent bond other than a cysteine-cysteine disulfide bond.

35
47. A method according to claim 44 wherein the restricted conformation of said the peptide is provided at least in part by at least one artificially introduced amide

48. A method according to claim 44 wherein the peptide is selected from the group of peptides having amino acid sequences selected from the group of sequences consisting of:

5 D-Cys- (SEQ ID NO:7) -Cys;
 SEQ ID NO:8;
 SEQ ID NO:9;
 SEQ ID NO:10;
 SEQ ID NO:11;
10 SEQ ID NO:12; and
combinations thereof.

49. A method according to claim 44 further comprising contacting platelets with a second synthetic peptide
15 comprising an amino acid sequence from at least 5 to about 50 amino acids in length wherein the amino acid sequence of said second peptide corresponds to a portion of the sequence of the binding site for high molecular weight kininogen on the heavy chain of XI, which second peptide has an artificially restricted conformation and the ability to inhibit the
20 binding of factor XI to high molecular weight kininogen, or a pharmaceutically acceptable salt of said second peptide.

50. A method according to claim 49 wherein the
25 restricted conformation of said second peptide is determined from the equilibrium conformation model comprising the set of coordinates and connect statements of Appendix 2.

51. A method according to claim 49 wherein the
30 restricted conformation of said second peptide is provided at least in part by at least one artificially introduced covalent bond other than a disulfide bond.

52. A method according to claim 49 wherein the
35 conformation of said second peptide is restricted at least in part by at least one amide bond.

53. A method according to claim 49 wherein the conformation of said second peptide is restricted at least

in part by at least one toluene-2,4-diisocyanate cross-link between two free amino groups of said second peptide.

5 54. A method according to claim 49 wherein the conformation of said second peptide is restricted at least in part by at least one amide bond formed between side chains of a lysine residue and a glutamic or aspartic acid residue of the peptide.

10 55. A method according to claim 49 wherein said second peptide comprises an amino acid sequence selected from the group consisting of:

15 SEQ ID NO:13;
SEQ ID NO:17;
SEQ ID NO:18;
SEQ ID NO:19;
SEQ ID NO:20;
SEQ ID NO:21; and
SEQ ID NO:22.

20 56. A method of inhibiting the binding of platelets to factor XI or factor XIa comprising contacting platelets with one or more synthetic peptides comprising an amino acid sequence corresponding to a portion of the sequence of 25 the platelet binding site on the heavy chain of factor XI, said peptide having a restricted conformation and the ability to inhibit the binding of platelets to factor XI or to factor XIa.

30 57. A method according to claim 56 wherein the peptide is selected from the group of peptides having amino acid sequences selected from the group of sequences consisting of:

35 D-Cys- (SEQ ID NO:7) -Cys;
SEQ ID NO:8;
SEQ ID NO:9;

combinations thereof.

58. A method according to claim 56 further comprising contacting platelets with a second synthetic peptide comprising an amino acid sequence from at least 5 to about 50 amino acids in length wherein the amino acid sequence of said second peptide corresponds to a portion of the sequence of the binding site for high molecular weight kininogen on the heavy chain of XI, which second peptide has an artificially restricted conformation and the ability to inhibit the binding of factor XI to high molecular weight kininogen, or 10 a pharmaceutically acceptable salt of said second peptide.


15 59. A method for inhibiting thrombosis comprising administering to a mammal in need of such treatment an effective amount of one or more synthetic peptides comprising an amino acid sequence corresponding to a portion of the sequence of the platelet binding site on the heavy chain of 20 factor XI, said peptide having a restricted conformation and the ability to inhibit the binding of platelets to factor XI or to factor XIa.

25 60. A method according to claim 59 wherein said synthetic peptide is a peptide according to claim 1.

30 61. A method according to claim 59 further comprising administering to a mammal in need of such treatment an effective amount of a second synthetic peptide comprising an amino acid sequence from at least 5 to about 50 amino acids in length wherein the amino acid sequence of said second peptide corresponds to a portion of the sequence of the binding site for high molecular weight kininogen on the heavy chain of XI, which second peptide has an artificially 35 restricted conformation and the ability to inhibit the bind-


1/2

FIG. 1



2/2

FIG. 2



INTERNATIONAL SEARCH REPORT

International application No.
PCT/US94/13885

A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) :C07K 7/00, 7/06, 7/08, 14/00; A61K 38/08, 38/10, 38/16

US CL :530/330, 329, 328, 327, 326, 325, 324; 514/12, 13, 14, 15, 16, 17

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 530/330, 329, 328, 327, 326, 325, 324; 514/12, 13, 14, 15, 16, 17

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

APS, CAS ONLINE, MEDLINE

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	Blood, Volume 79, No. 2, issued 15 January 1992, R. Rawala-Sheikh, "Role of γ -Carboxyglutamic Acid Residues in the Binding of Factor IXa to Platelets and in Factor-X Activation", pages 398-405, see entire document.	1-61
A	Biochemistry, Volume 25, issued 1986, A. D. Turner, " ρ -Amidino Esters as Irreversible Inhibitors of Factors IXa and Xa and Thrombin", pages 4929-4935, see entire document.	1-61

Further documents are listed in the continuation of Box C. See patent family annex.

* Special categories of cited documents:	"T"	later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
A document defining the general state of the art which is not considered to be of particular relevance	"X"	document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
E earlier document published on or after the international filing date	"Y"	document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"&"	document member of the same patent family
O document referring to an oral disclosure, use, exhibition or other means		
P document published prior to the international filing date but later than the priority date claimed		

Date of the actual completion of the international search

20 MARCH 1995

Date of mailing of the international search report

30 MAR 1995

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231
Facsimile No. (703) 305-3230

Authorized officer
CAROL A. SALATA
Telephone No. (703) 308-0196

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US94/13885

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	The Journal of Biological Chemistry, Volume 267, No. 5, issued 15 February 1992, J. Astermark, "Effects of γ -Carboxyglutamic Acid and Epidermal Growth Factor-like Modules of Factor IX on Factor X Activation", pages 3249-3256, see entire document.	1-61
A	The Journal of Biological Chemistry, Volume 267, No. 12, issued 25 April 1992, S. S. Ahmad, "The Role of the First Growth Factor Domain of Human Factor IXa in Binding to Platelets and in Factor X Activation", pages 8571-8576, see entire document.	1-61
A	The Journal of Biological Chemistry, Volume 266, No. 35, issued 15 December 1991, F. A. Baglia, "Identification and Chemical Synthesis of a Substrate-binding Site for Factor IX on Coagulation Factor XIa", pages 24190-24197, see entire document.	1-61